Tables (11)

Name	Type	Schema
alembic_version		CREATE TABLE alembic_version (version_num VARCHAR(32) NOT NULL, CONSTRAINT alembic_version_pkc PRIMARY KEY (version_num))
version_num	VARCHAR(32)	"version_num" VARCHAR(32) NOT NULL
appointment		CREATE TABLE appointment (id INTEGER NOT NULL, patient_id INTEGER NOT NULL, doctor_id INTEGER NOT NULL, appointment_date DATE NOT NULL, appointment_time TIME NOT NULL, status VARCHAR(20) NOT NULL, reason TEXT, notes TEXT, created_at DATETIME, updated_at DATETIME, PRIMARY KEY (id), CONSTRAINT unique_doctor_appointment UNIQUE (doctor_id, appointment_date, appointment_time), FOREIGN KEY(patient_id) REFERENCES patient (id), FOREIGN KEY(doctor_id) REFERENCES doctor (id))
id	INTEGER	"id" INTEGER NOT NULL
patient_id	INTEGER	"patient_id" INTEGER NOT NULL
doctor_id	INTEGER	"doctor_id" INTEGER NOT NULL
appointment_date	DATE	"appointment_date" DATE NOT NULL
appointment_time	TIME	"appointment_time" TIME NOT NULL
status	VARCHAR(20)	"status" VARCHAR(20) NOT NULL
reason	TEXT	"reason" TEXT
notes	TEXT	"notes" TEXT
created_at	DATETIME	"created_at" DATETIME
updated_at	DATETIME	"updated_at" DATETIME
department		CREATE TABLE department (id INTEGER NOT NULL, name VARCHAR(100) NOT NULL, description TEXT, created_at DATETIME, PRIMARY KEY (id), UNIQUE (name))
id	INTEGER	"id" INTEGER NOT NULL
name	VARCHAR(100)	"name" VARCHAR(100) NOT NULL
description	TEXT	"description" TEXT
created_at	DATETIME	"created_at" DATETIME
doctor		CREATE TABLE "doctor" (id INTEGER NOT NULL, blacklist_reason TEXT, blacklist_date DATETIME, user_id INTEGER NOT NULL, department_id INTEGER NOT NULL, license_number VARCHAR(50), specialization VARCHAR(100), experience_years INTEGER, qualification VARCHAR(200), consultation_fee FLOAT, available_days VARCHAR(100), available_time_start TIME, available_time_end TIME, contact_number VARCHAR(20), is_active BOOLEAN, created_at DATETIME, PRIMARY KEY (id), FOREIGN KEY(user_id) REFERENCES user (id), UNIQUE (user_id), FOREIGN KEY(department_id) REFERENCES department (id), UNIQUE (license_number))
id	INTEGER	"id" INTEGER NOT NULL
blacklist_reason	TEXT	"blacklist_reason" TEXT
blacklist_date	DATETIME	"blacklist_date" DATETIME
user_id	INTEGER	"user_id" INTEGER NOT NULL
department_id	INTEGER	"department_id" INTEGER NOT NULL
license_number	VARCHAR(50)	"license_number" VARCHAR(50)
specialization	VARCHAR(100)	"specialization" VARCHAR(100)
experience_years	INTEGER	"experience_years" INTEGER
qualification	VARCHAR(200)	"qualification" VARCHAR(200)
consultation_fee	FLOAT	"consultation_fee" FLOAT
available_days	VARCHAR(100)	"available_days" VARCHAR(100)
available_time_start	TIME	"available_time_start" TIME
available_time_end	TIME	"available_time_end" TIME

Name	Type	Schema
contact_number	VARCHAR(20)	"contact_number" VARCHAR(20)
is_active	BOOLEAN	"is_active" BOOLEAN
created_at	DATETIME	"created_at" DATETIME
doctor_availability		CREATE TABLE doctor_availability (id INTEGER NOT NULL, doctor_id INTEGER NOT NULL, available_date DATE NOT NULL, start_time TIME NOT NULL, end_time TIME NOT NULL, is_available BOOLEAN, max_appointments INTEGER, created_at DATETIME, PRIMARY KEY (id), FOREIGN KEY(doctor_id) REFERENCES doctor (id))
id	INTEGER	"id" INTEGER NOT NULL
doctor_id	INTEGER	"doctor_id" INTEGER NOT NULL
available_date	DATE	"available_date" DATE NOT NULL
start_time	TIME	"start_time" TIME NOT NULL
end_time	TIME	"end_time" TIME NOT NULL
is_available	BOOLEAN	"is_available" BOOLEAN
max_appointments	INTEGER	"max_appointments" INTEGER
created_at	DATETIME	"created_at" DATETIME
medical_note		CREATE TABLE medical_note (id INTEGER NOT NULL, patient_id INTEGER NOT NULL, doctor_id INTEGER NOT NULL, note_type VARCHAR(50) NOT NULL, title VARCHAR(200) NOT NULL, content TEXT NOT NULL, is_private BOOLEAN, created_at DATETIME, updated_at DATETIME, PRIMARY KEY (id), FOREIGN KEY(patient_id) REFERENCES patient (id), FOREIGN KEY(doctor_id) REFERENCES doctor (id))
id	INTEGER	"id" INTEGER NOT NULL
patient_id	INTEGER	"patient_id" INTEGER NOT NULL
doctor_id	INTEGER	"doctor_id" INTEGER NOT NULL
note_type	VARCHAR(50)	"note_type" VARCHAR(50) NOT NULL
title	VARCHAR(200)	"title" VARCHAR(200) NOT NULL
content	TEXT	"content" TEXT NOT NULL
is_private	BOOLEAN	"is_private" BOOLEAN
created_at	DATETIME	"created_at" DATETIME
updated_at	DATETIME	"updated_at" DATETIME
patient		CREATE TABLE patient (id INTEGER NOT NULL, user_id INTEGER NOT NULL, first_name VARCHAR(50), last_name VARCHAR(50), date_of_birth DATE, gender VARCHAR(10), contact_number VARCHAR(20), emergency_contact VARCHAR(20), address TEXT, blood_group VARCHAR(5), allergies TEXT, medical_history TEXT, insurance_details TEXT, is_active BOOLEAN, created_at DATETIME, blacklist_reason TEXT, blacklist_date DATETIME, PRIMARY KEY (id), UNIQUE (user_id), FOREIGN KEY(user_id) REFERENCES user (id))
id	INTEGER	"id" INTEGER NOT NULL
user_id	INTEGER	"user_id" INTEGER NOT NULL
first_name	VARCHAR(50)	"first_name" VARCHAR(50)
last_name	VARCHAR(50)	"last_name" VARCHAR(50)
date_of_birth	DATE	"date_of_birth" DATE
gender	VARCHAR(10)	"gender" VARCHAR(10)
contact_number	VARCHAR(20)	"contact_number" VARCHAR(20)
emergency_contact	VARCHAR(20)	"emergency_contact" VARCHAR(20)
address	TEXT	"address" TEXT
blood_group	VARCHAR(5)	"blood_group" VARCHAR(5)
allergies	TEXT	"allergies" TEXT
medical_history	TEXT	"medical_history" TEXT
insurance_details	TEXT	"insurance_details" TEXT

Name	Type	Schema
is_active	BOOLEAN	"is_active" BOOLEAN
created_at	DATETIME	"created_at" DATETIME
blacklist_reason	TEXT	"blacklist_reason" TEXT
blacklist_date	DATETIME	"blacklist_date" DATETIME
role		`CREATE TABLE role ( id INTEGER NOT NULL, name VARCHAR(80), description VARCHAR(255), PRIMARY KEY (id), UNIQUE (name) )`
id	INTEGER	"id" INTEGER NOT NULL
name	VARCHAR(80)	"name" VARCHAR(80)
description	VARCHAR(255)	"description" VARCHAR(255)
roles_users		`CREATE TABLE roles_users ( user_id INTEGER, role_id INTEGER, FOREIGN KEY(user_id) REFERENCES user (id), FOREIGN KEY(role_id) REFERENCES role (id) )`
user_id	INTEGER	"user_id" INTEGER
role_id	INTEGER	"role_id" INTEGER
treatment		`CREATE TABLE treatment (id INTEGER NOT NULL, appointment_id INTEGER NOT NULL, diagnosis TEXT NOT NULL, prescription TEXT, treatment_notes TEXT, follow_up_required BOOLEAN, follow_up_date DATE, cost FLOAT, created_at DATETIME, updated_at DATETIME, PRIMARY KEY (id), UNIQUE (appointment_id), FOREIGN KEY(appointment_id) REFERENCES appointment (id))`
id	INTEGER	"id" INTEGER NOT NULL
appointment_id	INTEGER	"appointment_id" INTEGER NOT NULL
diagnosis	TEXT	"diagnosis" TEXT NOT NULL
prescription	TEXT	"prescription" TEXT
treatment_notes	TEXT	"treatment_notes" TEXT
follow_up_required	BOOLEAN	"follow_up_required" BOOLEAN
follow_up_date	DATE	"follow_up_date" DATE
cost	FLOAT	"cost" FLOAT
created_at	DATETIME	"created_at" DATETIME
updated_at	DATETIME	"updated_at" DATETIME
user		`CREATE TABLE user (id INTEGER NOT NULL, username VARCHAR(255), email VARCHAR(255) NOT NULL, password VARCHAR(255) NOT NULL, active BOOLEAN, fs_uniquifier VARCHAR(64) NOT NULL, confirmed_at DATETIME, created_at DATETIME, last_login_at DATETIME, current_login_at DATETIME, last_login_ip VARCHAR(100), current_login_ip VARCHAR(100), login_count INTEGER, PRIMARY KEY (id), UNIQUE (username), UNIQUE (email), UNIQUE (fs_uniquifier))`
id	INTEGER	"id" INTEGER NOT NULL
username	VARCHAR(255)	"username" VARCHAR(255)
email	VARCHAR(255)	"email" VARCHAR(255) NOT NULL
password	VARCHAR(255)	"password" VARCHAR(255) NOT NULL
active	BOOLEAN	"active" BOOLEAN
fs_uniquifier	VARCHAR(64)	"fs_uniquifier" VARCHAR(64) NOT NULL
confirmed_at	DATETIME	"confirmed_at" DATETIME
created_at	DATETIME	"created_at" DATETIME
last_login_at	DATETIME	"last_login_at" DATETIME
current_login_at	DATETIME	"current_login_at" DATETIME
last_login_ip	VARCHAR(100)	"last_login_ip" VARCHAR(100)
current_login_ip	VARCHAR(100)	"current_login_ip" VARCHAR(100)
login_count	INTEGER	"login_count" INTEGER

Indices (0)

Name	Type	Schema

Views (0)

Name	Type	Schema

Triggers (0)

Name	Type	Schema