


KRAFTBLOCK

RETHINKING Energy Storage!

KRAFTBLOCK

Kraftblock develops and produces **high-temperature energy storage-systems** to **decarbonize** energy-production and industrial processes.



High Temperature: 350°C.... 1,300°C

System charging-device//storage//discharging device

KRAFTBLOCK USP

Infinite lifespan & easily recyclable & eco-friendly

Up to **1,300°C** temperature

Highly economical

KRAFTBLOCK STORAGE SYSTEM



Modular, scalable energy storage for 4 MWh up to 10,000 MWh

Outstanding **energy density of 1.2 MWh/m3**

No rare earth materials - up to **85% recycled materials**

Unbeatable**CO2footprint** for storage technology: **180 kg CO2/MWh** [600°C]

PRODUCT USAGE

UNIVERSALLY APPLICABLE STORAGE SYSTEM

ENERGY SOURCE



ELECTRICITY



HEAT

Power-to-heat (PtH)

KRAFTBLOCK STORAGE SYSTEM

High-Performance-Heat-Storage

Heat-to-power (HtP)

ENERGY USAGE




ELECTRICITY



HEAT

INDUSTRIAL WASTE HEAT





Up to **15% increase in production**

Up to **25%* reduction of primary energy**


Up to **30%* reduction CO2**-emissions

easily **scalable**

Improvement of **Environmental** index

*if existing system is used at customer site.
Also possible to reduce more using the REET-model

DECARBONIZATION



Stationary storage

first stage: pilot 25MWh

Second stage: 300MWh

mobile storage(14MWh)

Recycling of 100GWh flaregas


Saves: app. 9,300 tons ofCO_2

Saves: app42GWh natural gas

Internal: support of steam production

External: supply of "mobile heat"

Renewables Energies in Existing Technologies (REET)





Keep **existing infrastructure** but extend to renewables

Replace **conventional** against renewable **heating**

Up to **100%*** **reduction CO2**-emissions

easily **scalable**

Improvement of **environmental** index and **reputation**

Renewables Energies in Existing Technologies (REET)

Replacing a 25MW gas boiler station

Saves: app. 45,000 tons ofCO2

Saves: app225GWh natural gas

Needs: renewable energies and storage

Renewable energies



pth storage conversion



Food production, i.e. milk



MOBILE HEAT STORAGES

Excess Heat from a CHP
Saves: app. 330 tons ofCO_2/y
Saves: app1,5GWh natural gas/y

Heat Delivery to Third Parties





WASTE HEAT RECYCLING



Recycling of up to 1,5GWh flue gas

Saves: app. 330 tons ofCO_2/y

Saves: app1,5GWh natural gas/y

Internal usage (batch ovens)

KONTAKT



SUSANNE KÖNIG

KRAFTBLOCK GmbH
Industriestraße 2
66280 Sulzbach/SaarGermany
Tel: +49 6897 936 161
welcome@kraftblock.com