

CYBER-THREAT MASTER BLUEPRINT

Attacker Methodology, Real-Time Flowcharts & Defense Strategies

Architect: ID 24it009

Aa ultimate structured document chhe. Darek malware subtype mate **Attacker ni Step-by-Step mindset, Real-Time Execution Diagram, Defense Mechanism, ane Key Points** cover karyo chhe. Aa visually structured format thi direct deep level samajh aavshe.



Computer Virus (Parasitic File Infector)



Attacker Methodology (Kevi Rite Attack Kare?)

Step 1: Attacker ek malicious payload (e.g., VBA script) lakhe chhe.

Step 2: Tene ek normal document (Excel/Word) ma macro tarike chupavi de chhe (Weaponization).

Step 3: Phishing email throuth target ne mokle chhe (Delivery).



Real-Time Execution Flow (System Ma Shu Thay?)



DEFENSE ARCHITECTURE:

Email Gateway filter lagavo je unknown macros ne block kare. Endpoints par Heuristic EDR (Endpoint Detection & Response) lagavo je file modification anomalies ne pakdi shake.



KEY POINT:

Virus self-execute NATHI thato. Tene active thava mate 'Host File' ane 'Human Action' (Click) ni sakhat jarur pade chhe.



Network Worm (Autonomous Spreader)



Attacker Methodology (Kevi Rite Attack Kare?)

Step 1: Attacker OS ni networking protocol ma vulnerability shodhe chhe (eg. SMBv1 ma EternalBlue).

Step 2: Ek standalone script banave chhe je automatically IP addresses generate kari ne scan kare.

Step 3: Internet par worm ne release kare chhe, jya pachi attacker ni jarur nathi padti.

⚡ Real-Time Execution Flow (System Ma Shu Thay?)



🛡️ DEFENSE ARCHITECTURE:

Patch Management (OS updates hamesha on rakho). Network Segmentation karo (VLANs), jethi worm ek subnet mathi bija subnet ma jump na kari shake. Unused ports firewall thi block karo.

🔑 KEY POINT:

Worms independent chhe. Tene run thava mate koi user ni click ni jarur nathi. Te network na raste failay chhe.

🐎 Trojan Horse (Deceptive Backdoor)

🧑‍🚒 Attacker Methodology (Kevi Rite Attack Kare?)

Step 1: Attacker ek legit software (like PDF reader ke Game crack) download kare chhe.

Step 2: 'Binder' tool no use kari ne te legit software sathe potano malicious backdoor code bind kare chhe.

Step 3: Torrent ke fake website par upload kari ne Social Engineering thi lalach aape chhe.

⚡ Real-Time Execution Flow (System Ma Shu Thay?)



🛡️ DEFENSE ARCHITECTURE:

Application Whitelisting (AppLocker) no use karo jethi matra verified digital signature wadi apps j chale. Standard Users ne admin rights na aapo (Principle of Least Privilege).

🔑 KEY POINT:

Trojan cheat kare chhe! Te legit software na bheshe ma aavi ne pachal thi khufiya rasto (Backdoor)

banave chhe.

🎯 Spyware & Keylogger (Data Exfiltration)


👤 Attacker Methodology (Kevi Rite Attack Kare?)

Step 1: Attacker ek tracking code design kare chhe je OS na input/output events ne intercept kare.

Step 2: Drive-by download (malicious link) ke bundled software sathe payload mokle chhe.

Step 3: Potana server par ek receiver script set kare chhe je aavela data ne database ma save kare.

⚡ Real-Time Execution Flow (System Ma Shu Thay?)



🛡️ DEFENSE ARCHITECTURE:

Anti-spyware modules and Network Traffic Monitoring. Outbound traffic filter karo. Financial transactions vakhat OS nu 'Virtual On-Screen Keyboard' use karo.

🔑 KEY POINT:

Spyware no goal system todvano nathi, pan system ma chupchap rahi ne data, passwords, ane activities chori leavano chhe.

💰 Crypto-Ransomware (Financial Extortion)

👤 Attacker Methodology (Kevi Rite Attack Kare?)

Step 1: Attacker spear-phishing thi network ma Initial Access medve chhe.

Step 2: Domain Admin na credentials steal kari ne Lateral Movement kare chhe.

Step 3: Data potana server par chori le chhe (Exfiltration) ane pachi AES-256 encryption apply kare chhe.

⚡ Real-Time Execution Flow (System Ma Shu Thay?)



🛡️ DEFENSE ARCHITECTURE:

3-2-1 Backup Strategy: hamesha ek Offline Immutable Backup rakho. Zero-Trust Architecture follow karo jethi admin account hack thay to pan badhu access na thai jay.

🔑 KEY POINT:

Double Extortion: Aaje attacker matra files lock nathi karto, pan data internet par leak karvani dhamki pan aape chhe.

👤 Rootkit (Kernel-Level Stealth)


🛠️ Attacker Methodology (Kevi Rite Attack Kare?)

Step 1: Attacker zero-day exploit no use kari ne OS ni security bypass kare chhe.

Step 2: Malware ne Ring 0 (Kernel level) par drop kare chhe.

Step 3: OS na API calls ne hook kare chhe (SSDT Hooking) jethi te Antivirus ne fasaavi shake.

⚡ Real-Time Execution Flow (System Ma Shu Thay?)



🛡️ DEFENSE ARCHITECTURE:

UEFI Secure Boot enable karo, je unverified drivers ne boot thata roke chhe. Kernel Patch Protection (Windows PatchGuard) active rakho. Format is often the only cure.

🔑 KEY POINT:

Rootkit Antivirus ne andhlo (blind) kari de chhe. Te OS na core ma besi ne badhi malicious process ne hide kari de chhe.

Fileless Malware (Living Off The Land)


Attacker Methodology (Kevi Rite Attack Kare?)

Step 1: Attacker hard drive par koi .exe nathi moklato. Te ek web script (JavaScript) banave chhe.

Step 2: Phishing link throught script directly system ni volatile memory (RAM) ma load thay chhe.

Step 3: Attacker OS na potana trusted tools (PowerShell, WMI) ne command aapi ne attack karave chhe.

⚡ Real-Time Execution Flow (System Ma Shu Thay?)



DEFENSE ARCHITECTURE:

Behavior-based EDR (Endpoint Detection) no use karo je memory process ne monitor kare. PowerShell execution policy strict rakho. AMSI (Antimalware Scan Interface) integrate karo.

KEY POINT:

No files on disk! Legacy Antivirus file scan kare chhe pan aama file j nathi. Te OS na legit tools no hatyhar tarike use kare chhe.

Botnet (The Zombie Swarm Army)

Attacker Methodology (Kevi Rite Attack Kare?)

Step 1: Attacker ek Command & Control (C2) server setup kare chhe.

Step 2: Internet par default password wala IoT devices (Cameras, Routers) ne hack kari zombie banave chhe.

Step 3: Darek zombie device C2 sathe register thay chhe ane attacker na attack command ni wait kare chhe.

⚡ Real-Time Execution Flow (System Ma Shu Thay?)



DEFENSE ARCHITECTURE:

Default IoT passwords hamesha change karo. Network ma unusual traffic spikes detect karva IDS/IPS lagavo. Target web servers mate Cloudflare/AWS Shield jevi Anti-DDoS services vapro.

KEY POINT:

Tamara smart TV ya router pan bank par attack kari shake chhe! Lakhho devices ek sathe fake traffic mokli ne server crash (DDoS) kare chhe.