



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

FINAL PROJECT REPORT
CpE 101 - Computer Programming I
1st Semester, A.Y 2025-2026

**PYTHON POKÉMON SHOWDOWN: TEXT-BASED PVP
BATTLE**

Submitted by

AQUINO, NATHALIE MAE P.
CAMO, JUSTINE VINCE P.
KAIBIGAN, CHARLES MIGUEL R.
SUMAGPANG, DION ANTONIO A.
VENTURERO, JOHN CARLO G.

Instructor

Engr. Mark Justine E. Palma



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus
Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

DECEMBER 2025
PROJECT TEAM RESPONSIBILITY

NAME OF MEMBERS	TASK AND RESPONSIBILITIES
AQUINO, NATHALIE MAE P.	MAIN VIDEO EDITOR
CAMO, JUSTINE VINCE P.	SCRIPTWRITER AND DOCUMENTATION
KAIBIGAN, CHARLES MIGUEL R.	PROGRAMMER, SCRIPTWRITER, AND DOCUMENTATION
SUMAGPANG, DION ANTONIO A.	LEADER, PROGRAMMER, FLOWCHART, AND DOCUMENTATION
VENTURERO, JOHN CARLO G.	VIDEO EDITOR AND FLOWCHART



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

OVERVIEW

This project is a Python-based, text-based Pokémon battle game developed by our group to explore programming concepts and game logic in a practical setting. The project was inspired by the Pokémon series and the team's childhood experiences playing Pokémon games, which motivated them to create a project that they could personally connect with. By combining their interest in Pokémon with the programming knowledge they have gained in their course, the group decided to develop a project that integrates both nostalgic creativity and their contemporary programming skills.

The game offers multiple modes. In Player-vs-Player mode, two human trainers take turns selecting moves, switching Pokémon, and monitoring health points until one team is defeated. In Player-vs-CPU mode, the computer controls the opponent, randomly choosing moves or switching Pokémon when the active Pokémon's health is low. The game also includes a Story Mode, which guides the player through a series of battles, including a final boss fight, and allows players to unlock a special hidden menu.

The game is built using Python dictionaries to store detailed Pokémon data, including stats, types, and moves. Moves can deal damage, heal, or apply status effects. Utility functions provide support for game mechanics, including slow text printing for dramatic effect, restoring Pokémon stats between battles, and converting stat stages into multipliers for damage calculations. The damage system is responsible for attack, defense, move power, type effectiveness, critical hits, and status conditions, while also managing move Power Points (PP), healing, and buffs or debuffs applied to Pokémon. Display functions present current Pokémon HP, stats, and available moves, enabling players to make informed decisions during battles.

The battle loop forms the core of the gameplay, controlling the flow of the battle by processing player and opponent actions, checking for fainted Pokémon, and determining the winner. Players can manually select their teams, or the CPU can generate a team randomly to ensure variety in gameplay. The main menu and banner provide a simple interactive interface for players to start battles, access Story Mode, view rules and mechanics, and return to the game menu if they want to. This project integrates Pokémon battle mechanics, random events, and interactive features into a Python program, showing the dedication of its developers.



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

OBJECTIVE

The project aims to demonstrate the team's ability to apply programming concepts by designing and implementing a fully functional Python-based and Text-based Pokémon battle game.

Specifically, it seeks to accomplish the following:

1. Implement multiple gameplay modes, such as:
 - 1.1. Player-vs-Player;
 - 1.2. Player-vs-CPU; and
 - 1.3. Story Mode.
2. Create different game mechanics, such as:
 - 2.1. Gameplay Mode Selection;
 - 2.2. Story Mode Progression;
 - 2.3. Turn-Based Battle System;
 - 2.4. User Input Handling;
 - 2.5. CPU Opponent Behavior;
 - 2.6. Slow Text Display Mechanic;
 - 2.7. Pokémon Status System;
 - 2.8. HP Tracking and Display;
 - 2.9. Pokémon Type Mechanics;
 - 2.10. Move Selection System;
 - 2.11. Damage Calculation System;
 - 2.12. Critical Hits and Random Effects;
 - 2.13. Status Stage Multiplier; and
 - 2.14. Data Reset Mechanic.

In terms of relevance to the computer engineering industry, this project provides practical experience in software development and system organization—skills that are essential in areas such as game development and interactive practical applications. By working with Python libraries, randomization, and structured data, the project shows students the real-world programming practices that mirror the work of another related course, software engineers. It also highlights the importance of the fundamentals in coding, which many would consider—core competencies for developing stable software systems in the industry. Overall, the project bridges theoretical knowledge from the course with hands-on application, preparing students for future roles in software development and computer engineering fields.



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

METHODOLOGY

This project is a Python-based Pokémon battle game inspired by our childhood experiences. It allowed us to apply our programming knowledge in a fun and interactive way, creating a game that is both engaging and educational. The main programming concepts implemented in the project include:

1. Built-in Python Libraries

- a. Random -used to introduce randomness into the game.
- b. Time -used to control delays in the game
- c. Copy -used to duplicate Pokémon attributes without affecting the original data.

2. Define Functions

- a. `reset_pokemon_attributes()` -Restores all Pokémon stats to their original values before a battle.
- b. `print_slowly(msg, delay=0.03)` -Displays text one character at a time, creating a slow-typing effect
- c. `dramatic_effects(message)` -This defined function prints texts slowly for dramatic moments in the battle. Mainly used to give updates to what is happening during a battle.
- d. `display_random_field()` -This is the function that assigns random field effects to each battle.
- e. `assign_random_nature(team)` -This is the function that assigns random nature to each battle.
- f. `get_max_hp(name)` -This define function sets the baseline hp limit of each pokemon.
- g. `clamp_hp(pokemon)` -This define function on the other hand, sets up the maximum and minimum hp so it does not exceed the value of its max baseline and drop below the negatives.
- h. `stage_multiplier(stage)` -This define function converts a Pokémon stat stage (from -6 to +6) into the actual multiplier that will be applied to a stat (Attack, Defense, Speed, etc.).
- i. `calculate_damage(attacker, move_name, defender)` -This define function is one of the core functions of the game. It computes each damage taken by pokemons, subtracting them in their hps or hitpoints. Without this function, the main purpose of this game which is the PvP system will be useless.
- j. `apply_move(attacker, move_name, defender)` -This define function decides what happens when a Pokémon uses a move. The purpose of this code is to check what type of move is used and apply damage accordingly.
- k. `display_pokemon_hp(name)` -This function prints the baseline HP of a specific Pokémon.
- l. `display_pokemon_status(name)` -This section contains all the code for how information is displayed to the player. This includes the following:
 - * Pokemon Hitpoints
 - * Pokemon Fullstats
 - * Pokemon moves
 - * Pokemon taking damageAnything that is displayed during the battle process comes from here.
- m. `choose_move(name)` -This defined function is the one that controls every move of the pokemon, from physical, energy, and status effect moves, it makes sure it functions that way they are intended.



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

- n. `battle_loop(player_name, player_team, opponent_name, opponent_team, mode_choice=2)` -This serves as the main battle engine of the entire game. This part does the following:
 - 1. Assigns random natures to all Pokémon.
 - 2. Displays a randomly selected battle field.
 - 3. Sets the first Pokémon in each team as the active battlers.
 - 4. Repeats the following until either team is defeated:
 - * Shows HP of both active Pokémon.
 - * Player chooses: Fight, Switch, or View Team Status.
 - * Applies the player's move or switch action.
 - * If the opponent faints, send out the next Pokémon.
 - * Machine Opponent may switch if low HP, then selects and uses a move.
 - * If the player's Pokémon faints, auto-switches.
 - 5. Returns the name of the winning trainer.
- o. `choose_team(player, team_size)` -Allows the player to select their Pokémon team, as long as they're available in the pokemon selection.
- p. `generate_cpu_team(team_size)` -This function automatically generates the Machine's team randomly from the selection.
- q. `run_battle(player_name, player_team, opponent_name, opponent_team, mode_choice)` -Wrapper function for `battle_loop()` that returns True if the player wins.
- r. `unlock_canteen()` -Mark the canteen as unlocked and notify the player but does not auto-enter.
- s. `story_mode(player_name, player_team, team_size)` -This function creates the story mode, it introduces different pokemon opponents that you are required to beat, and the difficulty rises as you progress.
- t. `canteen_of_the_heroes()` -This function is the unlocked canteen, it gives you unli rice and fully heals your pokemon. But only the worthy may enter.
- u. `print_banner()` -This function prints an ASCII Art as a banner.
- v. `start_game()` -This function is the Main Menu, this is where you navigate the entire game.

Since the project is a Python-based game, the only programming language used was Python. The methodology involved first importing all necessary modules and creating the required functions to handle specific tasks within the game. Afterward, the `start_game()` function was developed to organize the overall flow of the game and coordinate the execution of the other functions. This approach ensured a structured and systematic development process, allowing the game to run smoothly and efficiently while demonstrating clear program logic and function interaction.



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus
Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200
Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

PROJECT FEATURES

When you first run the game, it displays an ASCII art and a menu. ASCII is short for American Standard Code for Information Interchange, and basically, it is a way of computers displaying and representing numbers, letters or symbols digitally using numbers. To create this, we first created the logo in a graphic design site and exported it and converted it into a ASCII art from a website.

Now, the main menu at the start of the game displays six options. Players can just dive into the free battle mode and choose to battle another player or a CPU. They can also view the rules, game mechanics, and backstory as they want to. And, if they're looking for a challenge and want to unlock a certain feature, they can play in the story mode to battle the boss of the game. This menu loops until the player chooses to exit.

```
PYTHON
POKEMON
SHOWDOWN

Main Menu
1. Start Free Battle
2. Rules
3. Game Mechanics
4. Backstory
5. Story Mode (Campaign)
6. Exit
Choose an option:
```

```
Main Menu
1. Start Free Battle
2. Rules
3. Game Mechanics
4. Backstory
5. Story Mode (Campaign)
6. Exit
Choose an option: 1
Trainer, enter your name: Player 1
How many Pokémon will your team have? (1-3) 2

Player 1, choose your team of 2 Pokémon!
1. Pikachu
2. Gardevoir
3. Mew
4. Piplup
5. Pidgeot
6. Ninetales
7. Absol
8. Snorlax
9. Lucario
10. Charizard
Enter Pokémon name or number: █
```

```
Player 1, choose your team of 2 Pokémon!
1. Pikachu
2. Gardevoir
3. Mew
4. Piplup
5. Pidgeot
6. Ninetales
7. Absol
8. Snorlax
9. Lucario
10. Charizard
Enter Pokémon name or number: █
```

If a player chooses to start a free battle, it will first ask the player's name to personalize the experience and show how they're part of the game. Then, it will ask how many Pokémon the player will want and show a selection of the currently available Pokémons from the dictionary. This section of features applies to the story mode as well as when the player chooses to play with another player, but the selection of Pokémons for the second player will be limited to the available ones that were not chosen by the first player.



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus
Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

Choosing to play against a CPU opponent generates a randomly selected enemy with a randomized team of Pokémon. This feature is made possible through the use of the random module in the program, which ensures that no two battles feel exactly the same. When the battle begins, text prompts appear that display the unique nature of each Pokémon chosen by both the player and the opponent. These natures do not actually affect gameplay and performance of the Pokémon unlike the traditional games, because the point of this game is to recreate the battle system, and randomized nature for every Pokémon is simply to show diversity that can make each Pokémon nostalgic and unique. In addition, the game randomly selects the battle setting, creating different environments for each match. Together, the randomized Pokémon natures and battle environments add variety, challenge, and unpredictability, making every battle experience feel fresh and dynamic.

The battle status is displayed every turn as well as the option of the actions the player can do. Three options can be chosen which are to fight and select moves, switch active Pokémon, and view the Pokémon's status in order to see the current stats and the changed stats when it gets buffed or debuffed. The turn-based battle starts with the first player followed by the opponent.

```
=== Move Selection ===
1. Thunderbolt | DMG: 40 | PP: 15
2. Quick Attack | DMG: 20 | PP: 21
3. Electro Ball | DMG: 35 | PP: 10
4. Iron Tail | DMG: 30 | PP: 14

Choose move (number or name): 1
Pikachu used Thunderbolt! It dealt 30 damage.
Snorlax used Hyper Beam! It dealt 116 damage.

--- Battle Status ---
Pikachu | HP: 84/200
Snorlax | HP: 270/300
```

specific Pokémon with certain types have an edge to other Pokémon and can increase or decrease their damage. This feature is always observed in the official Pokémon games of Nintendo. This feature also makes it so that the first player with them having the ability to choose a Pokémon and have the turn first is balanced by giving the opponent to choose a Pokémon that can counter the first player's Pokémon.

```
Choose your gamemode!
1. Player vs. Player
2. Player vs. CPU
Enter choice (1 or 2): 2
Opponent: Lance with team ['Snorlax', 'Ninetales']

Let the battle begin!
Pikachu has a Lax nature!
Gardevoir has a Adamant nature!
Snorlax has a Naive nature!
Ninetales has a Naive nature!
The battlefield is shrouded in windy conditions.
The ground is affected by misty terrain.

--- Battle Status ---
Pikachu | HP: 200/200
Snorlax | HP: 300/300

Options:
1. Fight
2. Switch Pokémon
3. View Team Status
Choose an option: 1
```

Moves for each Pokémon are already set via the dictionary from the code. These moves also have its predetermined damage, but the pp or the "Power Points" system is randomly assigned to make sure that players do not abuse a specific move or buff. As you can also observe in the battle, the damage dealt by the Pokémon is not equal to the predetermined damage set by the skill in the selection. This is because of the type effectiveness system wherein



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus
Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

By viewing the status of the Pokémon, we can conclude that the Pokémon type of the opponent is superior and more powerful.

When the active Pokémon of the player faints, the other Pokémon is immediately switched and the ability to change active Pokémon when there is only one Pokémon is removed.

Since the game mostly utilizes the random module, a critical hit system is also established in order to introduce an element of chance and excitement during battles. This

Choose an option: 3

Player 1's Team Status:

Pikachu's Status:

Type: Electric

HP: 84/200

Attack: 50

Options:

1. Fight

3. View Team Status

Choose an option: 1

Moves:

Thunderbolt | DMG: 40 | Heal: 0 | PP: 14

Quick Attack | DMG: 20 | Heal: 0 | PP: 21

Electro Ball | DMG: 35 | Heal: 0 | PP: 10

Iron Tail | DMG: 30 | Heal: 0 | PP: 14

Choose move (number or name): 1

Mew used Psychic! It dealt 40 damage.

Charizard used Flamethrower! It dealt 72 damage. A critical hit!

system allows attacks to occasionally deal increased damage, simulating unexpected bursts of power that can quickly change the outcome of a fight. By incorporating critical hits, the game becomes less predictable and more engaging, encouraging players to adapt their strategies instead of relying on fixed patterns.

When the player wins or loses, he or she can return to the main menu immediately.

🏆 Lance wins the battle! 🏆
Press Enter to return to the main menu...

The buffs and debuffs system in the game works by lowering the damage of the affected Pokémon or regaining hp with heals.

*** Ninetales enters the battlefield! ***
Ninetales used Will-O-Wisp! It dealt 1 damage.
Snorlax is burned!

Other than the burned status, there are currently two more effects implemented in the game: confusion, wherein the Pokémon has a probability of hurting itself and can disrupt the player's strategy, and an attack buff, wherein a Pokémon's attack power is increased to give the player a strategic advantage in battle.

Snorlax's Status:

Type: Normal

HP: 299/300

Attack: 70

Defense: 65

Special Attack: 35

Special Defense: 55

Speed: 30

Nature: Impish

Status: Burned

Moves:

Body Slam | DMG: 35 | Heal: 0 | PP: 10

Rest | DMG: 0 | Heal: 100 | PP: 15

Headbutt | DMG: 30 | Heal: 0 | PP: 13

Hyper Beam | DMG: 50 | Heal: 0 | PP: 3



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

```
Player 1's team: ['Snorlax']

==== STORY MODE BEGIN ====
Welcome, Trainer Player 1! Your journey in Pytheria Online begins now.

Press Enter to load into the Digital Realm..

--- SYSTEM ALERT ---
Digital instability detected in Startup Plains.

A corrupted Pidgeot glitching through the sky dives at you!
Snorlax has a Lax nature!
Pidgeot has a Lax nature!
The battlefield is shrouded in windy conditions.
The ground is affected by grassy terrain.
```

Now, for the exciting part of the game, the Story Mode. The game is designed to be interactive, giving players the freedom to choose their path, form their team, and take on opponents as the adventure unfolds. As players progress, each decision influences the flow of the journey, creating a sense of immersion and personal strategy. With every battle presenting new challenges, Story Mode encourages thoughtful team-building and adaptability, making the experience feel dynamic and rewarding from start to finish. It is encouraged to first read the backstory before progressing through this game mode

After beating Pidgeot, the player will face the Admin Overlord, the boss of the game, who commands three powerful Pokémon: Charizard, Ninetales, and Lucario. The player must strategically defeat each of these opponents, as every Pokémon has unique moves, natures, and strengths that require careful planning and effective use of the player's own team. Successfully defeating all three unlocks a hidden feature in the game: the canteen, where the player's Pokémon can fully heal, and the player can enjoy unlimited rice while gaining a sense of achievement. This reward not only restores the player's team but also provides a satisfying milestone, reinforcing progress and giving a tangible reward for mastering the challenges of the game.

```
Choose move (number or name): 4
Snorlax used Hyper Beam! It dealt 70 damage.
Pidgeot fainted!

Press Enter to continue..

--- GLITCH FIELDS ---
Snorlax has a Impish nature!
Charizard has a Bold nature!
Ninetales has a Bold nature!
Lucario has a Lax nature!
The battlefield is shrouded in sandstorm conditions.
The ground is affected by rocky terrain.
```



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

```
Choose move (number or name): 3
Snorlax used Headbutt! It dealt 19 damage.
Lucario fainted!

At Mt. Bugnut.exe, you confront the rogue data-modder responsible for the chaos-defeating
their overclocked boss Pokémon restores the server, earning you peace, glory, and unlimited virtual rice.

The glitches fade... Pytheria Online stabilizes.
🎉 CONGRATULATIONS! You finished Story Mode! The Canteen Password is: unlirice

You unlocked the Canteen of the Heroes! Visit it from the main menu.
Press Enter to return to the main menu...|
```

Now, when you defeat all of the opponents in the story mode, a text displays how the story concludes, highlighting the player's accomplishment and the challenges they overcame. This ending not only provides a sense of closure to the story but also reinforces the reward for strategic thinking and perseverance throughout the game. By combining narrative feedback with tangible in-game benefits, the game ensures that players feel both satisfaction and motivation for their progress.

```
=== CANTEEN OF THE HEROES ===
Only true champions may enter.
Please type the password to continue:
> unlirice

Access granted!
Welcome to the legendary Canteen of the Heroes!
You are immediately served...
// 🍚 *A MOUNTAIN OF UNLI RICE!* 🍚 //
The rice refills itself every time you blink.
A waiter whispers: 'Tread responsibly trainer... or the rice will consume you.'
Press Enter to return to the main menu...|
```


After completing the Story Mode and unlocking the “Canteen of the Heroes”, the hidden option seven will be displayed. The canteen can only be unlocked by a password given after going through the story mode. This hidden option will serve as a reward for the player providing a sense of accomplishment for finishing the Story Mode.

The game continues to loop as long as the player chooses not to exit, allowing for continuous gameplay and repeated battles. This design ensures that players can explore different strategies, try out various Pokémon and moves, and fully experience all game features without interruption. Each iteration of the loop refreshes the game state, giving players the freedom to engage with both Story Mode and free battles at their own pace. Moreover, this seamless cycle of play supports a sense of immersion, as players can effortlessly transition from one challenge to the next, continuously refining their skills and deepening their understanding of the game's mechanics.




College of Engineering – Department of Electrical Engineering

FLOWCHART





College of Engineering – Department of Electrical Engineering






Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University
Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering






Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University
Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering






Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University
Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering






Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University
Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering






Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University
Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering






Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University
Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering






Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University
Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering






Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University
Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering






Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University
Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering






Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University
Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering






Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University
Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering





Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University


Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering






Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University
Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering







Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus
Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200
Tel Nos.: (+63 43) 425-0139 local 2121 / 2221
E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering





College of Engineering – Department of Electrical Engineering

SOURCE CODE

```
#Legend
#Hashtags will be used to highlight sections
"""

Triple double quotation marks will be used to explain each sections.
"""

#External Modules/Libraries
"""
random - is used to randomize different aspects of the code.
time - used to add the concept of time, primary use for delays.
copy - to make a copy or retain attributes of different pokemon.
"""

import random
import time
import copy

#POKÉMON DATA
"""
This is a list for selecting every available pokemon you can use.
There are 10 Pokémons currently available in the game.
"""

available_pokemon = ["Pikachu", "Gardevoir", "Mew", "Piplup", "Pidgeot",
                     "Ninetales", "Absol", "Snorlax", "Lucario", "Charizard"]
"""

This is the dictionary of every Pokémon's attributes, with their assigned numerical values.
Their moves are also stored here, together with their type, damage, category and PPs
PP or power points is a system that limits the use of skills or abilities. The PP is randomized
to make each game feel different and natural as the focus of this game is mainly about the battle
system of the Pokémon game
"""

pokemon_attributes = {
    "Pikachu": {"type": "Electric", "hp": 200, "attack": 50, "defense": 30, "special_attack": 40, "special_defense": 35, "speed": 90,
               "moves": {"Thunderbolt": {"type": "Electric", "damage": 40, "category": "special", "pp": random.randint(10, 15)},
                         "Quick Attack": {"type": "Normal", "damage": 20, "category": "physical", "pp": random.randint(15, 25)},
                         "Electro Ball": {"type": "Electric", "damage": 35, "category": "special", "pp": random.randint(10, 15)},
                         "Iron Tail": {"type": "Steel", "damage": 30, "category": "physical", "pp": random.randint(10, 15)}}},
    "Gardevoir": {"type": "Psychic", "hp": 200, "attack": 45, "defense": 40, "special_attack": 50, "special_defense": 45, "speed": 80,
                 "moves": {"Confusion": {"type": "Psychic", "damage": 30, "category": "special", "pp": random.randint(10, 15)},
                         "Psychic": {"type": "Psychic", "damage": 40, "category": "special", "pp": random.randint(10, 15)},
                         "Moonblast": {"type": "Fairy", "damage": 45, "category": "special", "pp": random.randint(5, 10)},
                         "Calm Mind": {"type": "Psychic", "damage": 0, "category": "status", "buff": {"attack": 10}, "pp": random.randint(10, 20)}}},
    "Mew": {"type": "Psychic", "hp": 200, "attack": 50, "defense": 50, "special_attack": 50, "special_defense": 50, "speed": 100,
           "moves": {"Psychic": {"type": "Psychic", "damage": 40, "category": "special", "pp": random.randint(10, 15)},
                     "Aura Sphere": {"type": "Fighting", "damage": 35, "category": "special", "pp": random.randint(10, 15)},
                     "Swift": {"type": "Normal", "damage": 25, "category": "special", "pp": random.randint(15, 25)},
                     "Recover": {"type": "Normal", "damage": 0, "category": "status", "heal": 50, "pp": random.randint(10, 20)}}},
    "Piplup": {"type": "Water", "hp": 200, "attack": 45, "defense": 40, "special_attack": 45, "special_defense": 40, "speed": 60,
              "moves": {"Water Gun": {"type": "Water", "damage": 35, "category": "special", "pp": random.randint(10, 15)},
                        "Peck": {"type": "Flying", "damage": 20, "category": "physical", "pp": random.randint(15, 25)},
                        "Bubble Beam": {"type": "Water", "damage": 30, "category": "special", "pp": random.randint(10, 15)},
                        "Ice Beam": {"type": "Ice", "damage": 40, "category": "special", "pp": random.randint(10, 15)}}},
    "Pidgeot": {"type": "Flying", "hp": 200, "attack": 60, "defense": 50, "special_attack": 45, "special_defense": 40, "speed": 95,
               "moves": {"Gust": {"type": "Flying", "damage": 30, "category": "special", "pp": random.randint(10, 15)},
                         "Quick Attack": {"type": "Normal", "damage": 20, "category": "physical", "pp": random.randint(15, 25)},
                         "Wing Attack": {"type": "Flying", "damage": 35, "category": "physical", "pp": random.randint(10, 15)},
                         "Agility": {"type": "Psychic", "damage": 0, "category": "status", "buff": {"attack": 0}, "pp": random.randint(10, 20)}}},
    "Ninetales": {"type": "Fire", "hp": 200, "attack": 50, "defense": 45, "special_attack": 60, "special_defense": 50, "speed": 100,
                  "moves": {"Flamethrower": {"type": "Fire", "damage": 40, "category": "special", "pp": random.randint(10, 15)},
                          "Confuse Ray": {"type": "Ghost", "damage": 0, "category": "status", "buff": {"confused": 1}, "pp": random.randint(10, 20)},
                          "Fire Spin": {"type": "Fire", "damage": 35, "category": "special", "pp": random.randint(10, 15)},
                          "Will-O-Wisp": {"type": "Fire", "damage": 0, "category": "status", "buff": {"burned": 1}, "pp": random.randint(10, 20)}}},
    "Absol": {"type": "Dark", "hp": 200, "attack": 65, "defense": 40, "special_attack": 50, "special_defense": 40, "speed": 75,
             "moves": {"Night Slash": {"type": "Dark", "damage": 35, "category": "physical", "pp": random.randint(10, 15)},
                     "Swords Dance": {"type": "Normal", "damage": 0, "category": "status", "buff": {"attack": 15}, "pp": random.randint(10, 20)},
                     "Bite": {"type": "Dark", "damage": 30, "category": "physical", "pp": random.randint(10, 15)},
                     "Slash": {"type": "Normal", "damage": 25, "category": "physical", "pp": random.randint(15, 25)}}},
    "Snorlax": {"type": "Normal", "hp": 300, "attack": 70, "defense": 65, "special_attack": 35, "special_defense": 55, "speed": 30,
               "moves": {"Body Slam": {"type": "Normal", "damage": 35, "category": "physical", "pp": random.randint(10, 15)},
                         "Rest": {"type": "Psychic", "damage": 0, "category": "status", "heal": 100, "pp": random.randint(10, 20)},
                         "Headbutt": {"type": "Normal", "damage": 30, "category": "physical", "pp": random.randint(10, 15)},
                         "Hyper Beam": {"type": "Normal", "damage": 50, "category": "physical", "pp": random.randint(5, 10)}}},
    "Lucario": {"type": "Fighting", "hp": 200, "attack": 65, "defense": 55, "special_attack": 50, "special_defense": 50, "speed": 70,
               "moves": {"Aura Sphere": {"type": "Fighting", "damage": 40, "category": "special", "pp": random.randint(10, 15)},
                         "Close Combat": {"type": "Fighting", "damage": 50, "category": "physical", "pp": random.randint(5, 10)},
                         "Dragon Pulse": {"type": "Dragon", "damage": 35, "category": "special", "pp": random.randint(10, 15)},
```



College of Engineering – Department of Electrical Engineering

```
"Metal Claw": {"type": "Steel", "damage": 25, "category": "physical", "pp": random.randint(15, 25)}},
"Charizard": {"type": "Fire", "hp": 200, "attack": 60, "defense": 50, "special_attack": 60, "special_defense": 50, "speed": 100,
    "moves": {"Flamethrower": {"type": "Fire", "damage": 40, "category": "special", "pp": random.randint(10, 15)},
    "Fly": {"type": "Flying", "damage": 35, "category": "physical", "pp": random.randint(10, 15)},
    "Dragon Claw": {"type": "Dragon", "damage": 45, "category": "physical", "pp": random.randint(5, 10)},
    "Fire Spin": {"type": "Fire", "damage": 35, "category": "special", "pp": random.randint(10, 15)}}}

#Type Chart
"""
This chart contains the damage increase or decrease depending on the
type advantage of a Pokémon chosen to its opponnet and vice versa.
"""

type_chart = {
    "Fire": {"Grass": 2.0, "Water": 0.5, "Ice": 2.0},
    "Water": {"Fire": 2.0, "Electric": 0.5, "Grass": 0.5},
    "Electric": {"Water": 2.0, "Ground": 0.0, "Flying": 2.0},
    "Grass": {"Water": 2.0, "Fire": 0.5, "Flying": 0.5},
    "Psychic": {"Fighting": 2.0, "Dark": 0.0},
    "Dark": {"Psychic": 2.0},
    "Ice": {"Flying": 2.0, "Fire": 0.5},
    "Flying": {"Grass": 2.0, "Electric": 0.5},
}

#Nature types
"""
There is a feature in the original Pokémon series wherein each Pokémon can have
different nature that affects their attributes. The nature type system in this game
only provides a visual effect to give Pokémon's a sense of individuality and identity.
"""

natures = ["Adamant", "Modest", "Jolly", "Timid", "Bold", "Calm", "Hardy", "Naive",
    "Relaxed", "Impish", "Lax", "Careful", "Rash", "Quiet", "Sassy", "Gentle"]

#CONDITIONS
"""
Weather conditions is a feature in the game that gives a feel of the setting.
It is randomized every game.
"""

weather_conditions = ["Sunny", "Rainy", "Thunderstorm", "Snowy", "Sandstorm", "Foggy", "Windy", "None"]

#TERRAIN TYPES
"""
The same goes for the terrain types. A setting is a very important element in the game
as it allows for visualization given that this is a text-based game.
"""

terrains = ["Electric Terrain", "Grassy Terrain", "Psychic Terrain", "Misty Terrain", "Rocky Terrain", "None"]

#Copy Module Usage
"""
The purpose of this specific module and its role in the game is to save the datas
from the dictionary "pokemon_attributes". It allows for restoration of the Pokémons
that are used in previous games. Without this module, the user can battle again but
the attributes of the Pokémons are still affected by the previous battle.
"""

original_pokemon_attributes = copy.deepcopy(pokemon_attributes)
canteen_unlocked = False

#UTILITY FUNCTIONS
"""
This is the defined function that restores pokemon_attributes to their
original state
"""

def reset_pokemon_attributes():
    global pokemon_attributes
    pokemon_attributes = copy.deepcopy(original_pokemon_attributes)

"""
This defined functions prints texts slowly for different dramatic moments in the battle.
"""

def print_slowly(msg, delay=0.03):
    for ch in str(msg):
        print(ch, end="", flush=True)
        time.sleep(delay)
    print()

def dramatic_effects(message):
    print_slowly(f"\n*** {message} ***", delay=0.08)

"""
This is the function that assigns random field effects to each battle.

```



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

```
"""
def display_random_field():
    weather = random.choice(weather_conditions)
    terrain = random.choice(terrains)
    if weather != "None":
        print_slowly(f"The battlefield is shrouded in {weather.lower()} conditions.")
    if terrain != "None":
        print_slowly(f"The ground is affected by {terrain.lower()}.")
    if weather == "None" and terrain == "None":
        print_slowly("The battlefield is calm and normal.")

"""
This is the function that assigns random nature types to Pokémons chosen per game
"""
def assign_random_nature(team):
    for pokemon in team:
        nature = random.choice(natures)
        pokemon_attributes[pokemon]["nature"] = nature
        print_slowly(f"{pokemon} has a {nature} nature!")

"""
This sets a limit so that the healing factor from healing
abilities does not exceed the max HP.
"""
def get_max_hp(name):
    return 300 if name == "Snorlax" else 200

"""
This sets up the minimum hp.
"""
def clamp_hp(pokemon):
    if pokemon_attributes[pokemon]["hp"] < 0:
        pokemon_attributes[pokemon]["hp"] = 0
    if pokemon_attributes[pokemon]["hp"] > get_max_hp(pokemon):
        pokemon_attributes[pokemon]["hp"] = get_max_hp(pokemon)

def stage_multiplier(stage):
    stage = max(-6, min(6, stage))
    return (2 + stage)/2 if stage >= 0 else 2/(2 - stage)

"""
This is one of the sub functions inside the damage calculator that
turns a boost or drop into a number that increases or decreases a stat in battle.
"""

#DAMAGE & MOVE
"""
This is one of the core functions of the game. It computes each damage taken by pokemons,
subtracting them in their hps or hitpoints. Without this function, the main purpose of this game
which is the PvP system will be useless.
"""
def calculate_damage(attacker, move_name, defender):
    move = pokemon_attributes[attacker]["moves"][move_name]
    attack = pokemon_attributes[attacker]["attack"]
    defn = pokemon_attributes[defender]["defense"]
    attack *= stage_multiplier(pokemon_attributes[attacker].get("attack_stage", 0))
    defn *= stage_multiplier(pokemon_attributes[defender].get("defense_stage", 0))
    if pokemon_attributes[attacker].get("status") == "Burned":
        attack *= 0.5
    defn = max(1, defn)
    base_damage = move["damage"] * (attack / defn)
    crit = False
    if random.random() < 0.10:
        base_damage *= 1.5
        crit = True
    effectiveness = type_chart.get(pokemon_attributes[attacker]["type"], {}).get(pokemon_attributes[defender]["type"], 1)
    base_damage *= effectiveness
    return max(1, int(base_damage)), crit, effectiveness

"""
It decides what happens when a Pokémon uses a move. The purpose of this
code is to check what type of move is used and apply damage accordingly.
"""
def apply_move(attacker, move_name, defender):
    move = pokemon_attributes[attacker]["moves"].get(move_name, {"damage": 20, "category": "physical", "pp": 999})
    if move.get("pp", 999) > 0:
        move["pp"] -= 1
    else:
        print_slowly(f"{attacker} has no PP left for {move_name}! Using Struggle!")
```



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

```
move_name = "Struggle"
move = {"damage": 20, "category": "physical", "pp": 999}
#Confusion
if pokemon_attributes[attacker].get("status") == "Confused" and random.random() < 0.5:
    dmg = max(1, int(pokemon_attributes[attacker]["attack"] * 0.3))
    pokemon_attributes[attacker]["hp"] -= dmg
    clamp_hp(attacker)
    print_slowly(f"{attacker} is confused and hurt itself for {dmg} HP!")
    return
dmg, crit, eff = calculate_damage(attacker, move_name, defender)
pokemon_attributes[defender]["hp"] -= dmg
clamp_hp(defender)
msg = f"{attacker} used {move_name}! It dealt {dmg} damage."
if crit:
    msg += " A critical hit!"
if eff > 1:
    msg += " It's super effective!"
elif eff < 1:
    msg += " It's not very effective..."
print_slowly(msg)
#Heal
if "heal" in move and move["heal"] > 0:
    pokemon_attributes[attacker]["hp"] += move["heal"]
    clamp_hp(attacker)
    print_slowly(f"{attacker} heals for {move['heal']} HP!")
#Buffs/debuffs
if "buff" in move:
    for eff, val in move["buff"].items():
        if eff == "attack":
            pokemon_attributes[attacker]["attack"] += val
            print_slowly(f"{attacker}'s attack rises by {val}!")
        elif eff == "burned":
            pokemon_attributes[defender]["status"] = "Burned"
            print_slowly(f"{defender} is burned!")
        elif eff == "confused":
            pokemon_attributes[defender]["status"] = "Confused"
            print_slowly(f"{defender} became confused!")

#DISPLAY
"""
This section contains all the code for how information
is displayed to the player. This includes the following:
*Pokemon Hitpoints
*Pokemon Fullstats
*Pokemon moves
*Pokemon taking damage
Anything that is displayed during the battle process comes from here.
"""

def display_pokemon_hp(name):
    print_slowly(f"{name} | HP: {pokemon_attributes[name]['hp']}/{get_max_hp(name)}")

def display_pokemon_status(name):
    p = pokemon_attributes[name]
    print(f"\n{name}'s Status:")
    print(f"Type: {p['type']}")
    print(f"HP: {p['hp']}/{get_max_hp(name)}")
    print(f"Attack: {p['attack']}")
    print(f"Defense: {p['defense']}")
    print(f"Special Attack: {p['special_attack']}")
    print(f"Special Defense: {p['special_defense']}")
    print(f"Speed: {p['speed']}")
    print(f"Nature: {p.get('nature', 'None')}")
    print(f"Status: {p.get('status', 'None')}")
    print("Moves:")
    for move, stats in p["moves"].items():
        dmg = stats.get("damage", 0)
        heal = stats.get("heal", 0)
        pp = stats.get("pp", 0)
        effect = ""
        if "buff" in stats:
            effect = ", ".join(f"{k}: {v}" for k,v in stats["buff"].items())
        info = f" {move} | DMG: {dmg} | Heal: {heal} | PP: {pp}"
        if effect:
            info += f" | Effect: {effect}"
        print(info)

def choose_move(name):
    moves = pokemon_attributes[name]["moves"]
```



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus
Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

```
while True:
    available_moves = [m for m in moves if moves[m]["pp"] > 0]
    if not available_moves:
        print_slowly(f"{name} has no PP left! Using Struggle!")
        return "Struggle"
    print("\n=== Move Selection ===")
    for i, m in enumerate(moves, 1):
        move = moves[m]
        dmg_text = f"DMG: {move['damage']}" if move.get("damage", 0) > 0 else ""
        heal_text = f"Heal: {move['heal']}" if move.get("heal", 0) > 0 else ""
        effect_text = ""
        if "buff" in move:
            effects = []
            for eff, val in move["buff"].items():
                if eff == "attack": effects.append(f"+ATK {val}")
                elif eff == "burned": effects.append("Burn")
                elif eff == "confused": effects.append("Confuse")
                else: effects.append(eff.capitalize())
            if effects: effect_text = " | Effect: " + ", ".join(effects)
        info_parts = [txt for txt in (dmg_text, heal_text) if txt]
        info_string = " | ".join(info_parts) if info_parts else "No Direct Effect"
        status = "" if m in available_moves else "(No PP)"
        print(f"{i}. {m[:15]} | {info_string} | PP: {move['pp']} | {effect_text} | {status}")
    choice_input = input("\nChoose move (number or name): ").strip()
    if choice_input.isdigit():
        idx = int(choice_input) - 1
        if 0 <= idx < len(moves):
            selected = list(moves.keys())[idx]
            if moves[selected]["pp"] > 0: return selected
            else: print("That move has no PP left. Choose another move.")
    else:
        for m in moves:
            if choice_input.lower() == m.lower() and moves[m]["pp"] > 0:
                return m
        print("Invalid move. Try again.")

#BATTLE LOOP
"""
This serves as the main battle engine of the entire game. This part does the following:
1. Saves original Pokémon stats
2. Sets the pokemon teams
3. Randomly assigns natures
4. Repeats this until the fight is over
   Lets the player view status
   Lets the player switch pokemon
   Gets player move → applies it
   Apply pp system
   Gets opponent move → applies it
   Checks for fainted pokemon
   Brings out new pokemon automatically
5. Announces winner
6. Restores original stat
"""

def battle_loop(player_name, player_team, opponent_name, opponent_team, mode_choice=2):
    assign_random_nature(player_team)
    assign_random_nature(opponent_team)
    display_random_field()

    player_active = player_team[0]
    opponent_active = opponent_team[0]

    while player_team and opponent_team:
        #Display current HPs
        print("\n--- Battle Status ---")
        display_pokemon_hp(player_active)
        display_pokemon_hp(opponent_active)

        #Player Options
        while True:
            print("\nOptions:")
            print("1. Fight")
            if len(player_team) > 1:
                print("2. Switch Pokémon")
            print("3. View Team Status")
            choice = input("Choose an option: ").strip()

            if choice == "1":
                move = choose_move(player_active)
```



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

```
        apply_move(player_active, move, opponent_active)
        break

elif choice == "2" and len(player_team) > 1:
    print("\nYour available Pokémon:")
    for i, p in enumerate(player_team):
        print(f"{i+1}. {p} (HP: {pokemon_attributes[p]['hp']}/{get_max_hp(p)})")
    while True:
        try:
            idx = int(input("Choose Pokémon to switch: ")) - 1
            if 0 <= idx < len(player_team) and player_team[idx] != player_active:
                player_active = player_team[idx]
                dramatic_effects(f"{player_active} enters the battlefield!")
                break
        except:
            pass
    print("Invalid choice, try again.")
    break

elif choice == "3":
    print_slowly(f"\n{player_name}'s Team Status:")
    for p in player_team:
        display_pokemon_status(p)

else:
    print("Invalid option. Try again.")

#Check if opponent fainted
if pokemon_attributes[opponent_active]["hp"] <= 0:
    print_slowly(f"{opponent_active} fainted!")
    opponent_team.remove(opponent_active)
    if opponent_team:
        opponent_active = opponent_team[0]
        dramatic_effects(f"{opponent_active} enters the battlefield!")
    else:
        return player_name

#Opponent Turn
if opponent_team:
    # AI logic: switch if active Pokémon is low HP and has others
    if len(opponent_team) > 1 and pokemon_attributes[opponent_active]["hp"] < get_max_hp(opponent_active) * 0.3:
        for p in opponent_team:
            if p != opponent_active and pokemon_attributes[p]["hp"] > 0:
                opponent_active = p
                dramatic_effects(f"{opponent_name} switches to {opponent_active}!")
                break

    opp_move = random.choice([m for m in pokemon_attributes[opponent_active]["moves"] if
    pokemon_attributes[opponent_active]["moves"][m]["pp"] > 0 or ["Struggle"]])
    apply_move(opponent_active, opp_move, player_active)

    if pokemon_attributes[player_active]["hp"] <= 0:
        print_slowly(f"{player_active} fainted!")
        player_team.remove(player_active)
        if player_team:
            player_active = player_team[0]
            dramatic_effects(f"{player_active} enters the battlefield!")
        else:
            return opponent_name

return player_name if player_team else opponent_name

#TEAM SELECTION
"""
This part allows the trainer to pick a pokemon. Assign a random pokemon to the CPU.
Also makes sure that only existing pokemon are chosen.
"""

def choose_team(player, team_size):
    team=[]
    print_slowly(f"\n{player}, choose your team of {team_size} Pokémon!")
    available = available_pokemon
    while len(team)<team_size:
        for i,p in enumerate(available,1):
            print(f"{i}. {p}")
        choice=input("Enter Pokémon name or number: ").strip()
        if choice.isdigit():
            idx=int(choice)-1
            if 0<=idx<len(available):
```



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

```
team.append(available[idx])
available.pop(idx)
else:
    print("Invalid number.")
else:
    if choice in available:
        team.append(choice)
        available.remove(choice)
    else:
        print("Invalid Pokémon name.")
print_slowly(f"{player}'s team: {team}")
return team

def generate_cpu_team(team_size,):
    available= available_pokemon
    return random.sample(available, team_size)

#STORY MODE & CANTEEN PLACEHOLDERS
"""
Thin wrapper around battle_loop.
Returns True if the player (player_name) won, False otherwise.
"""

def run_battle(player_name, player_team, opponent_name, opponent_team, mode_choice):
    winner = battle_loop(player_name, player_team, opponent_name, opponent_team, mode_choice)
    return winner == player_name
"""

Mark the canteen as unlocked and notify the player (does not auto-enter).
"""

def unlock_canteen():
    global canteen_unlocked
    if not canteen_unlocked:
        canteen_unlocked = True
        print_slowly("\nYou unlocked the Canteen of the Heroes! Visit it from the main menu.")
    else:
        print_slowly("\nCanteen already unlocked.")
"""

This is the Story Mode, and the order of the computer opponents are fixed.
"""

def story_mode(player_name, player_team):
    print("\n==== STORY MODE BEGIN ====")
    print_slowly(f"Welcome, Trainer {player_name}! Your journey in Pytheria Online begins now.")
    input("\nPress Enter to load into the Digital Realm...")

    #Intro fight
    print_slowly("\n--- SYSTEM ALERT ---")
    print_slowly("Digital instability detected in Startup Plains.")
    enemy_team = ["Pidgeot"]
    print_slowly("\nA corrupted Pidgeot glitching through the sky dives at you!")
    run_battle(player_name, player_team.copy(), "Pidgeot", enemy_team, mode_choice=2)
    final_boss = ["Charizard", "Ninetales", "Lucario"]
    input("\nPress Enter to continue...")
    print_slowly("\n--- GLITCH FIELDS ---")

    #Final boss battle: capture whether player actually won
    player_won_final = run_battle(player_name, player_team.copy(), "Admin Overlord", final_boss, mode_choice=2)

    if player_won_final:
        # only show congrats and unlock canteen when player truly wins
        print_slowly("""\nAt Mt. Bugnut.exe, you confront the rogue data-modder responsible for the chaos—defeating\n their overclocked boss
Pokémon restores the server, earning you peace, glory, and unlimited virtual rice.""")
        print_slowly("\nThe glitches fade... Pytheria Online stabilizes.")
        print_slowly("🎉 CONGRATULATIONS! You finished Story Mode!The Canteen Password is: unlirice")
        unlock_canteen() # grant the canteen unlock / flag
    else:
        # player lost final boss
        print_slowly("\nYou were defeated by the Admin Overlord. GL next time, Trainer — return to the main menu to try again.")
        # restore any needed state already happens in battle_loop; just return to menu
        return
"""

The defining feature of the game that can only be unlocked when the story mode is finished.
"""

def canteen_of_the_heroes():
    print("\n==== CANTEEN OF THE HEROES ====")
    print("Only true champions may enter.")
    print("Please type the password to continue:")
    user_pw = input("> ")
    correct_pw = "unlirice"
    if user_pw == correct_pw:
```



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University

Alangilan Campus
Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

```
print("\nAccess granted!")
print("Welcome to the legendary Canteen of the Heroes!")
print("You are immediately served...")
print("🍚 *A MOUNTAIN OF UNLI RICE!* 🍚")
print("The rice refills itself every time you blink.")
print("A waiter whispers: 'Tread responsibly trainer... or the rice will consume you.'")
else:
    print("\nAccess denied! The rice spirits only accept the strong, go back weakling!")
    print("A lone grain of rice rolls across the floor judging you...1")

#BANNER
def print_banner():
    print_slowly("\n"
    "PYTHON\n"
    "POKEMON\n"
    "SHOWDOWN\n"
    "\n")

#MAIN MENU
"""
This is the compilation of all the functions created and used to create the python-based and text-driven
Pokémon game.
"""
def start_game():
    reset_pokemon_attributes()
    print_banner()
    global canteen_unlocked
    while True:
        print("\nMain Menu")
        print("1. Start Free Battle")
        print("2. Rules")
        print("3. Game Mechanics")
        print("4. Backstory")
        print("5. Story Mode (Campaign)")
        print("6. Exit")
        if canteen_unlocked:
            print("7. Canteen of the Heroes")

        choice = input("Choose an option: ").strip()
        if not choice.isdigit():
            print("Invalid option. Try again.")
            continue
        choice=int(choice)

        if choice==1:
            player=input("Trainer, enter your name: ")
            team_size=int(input("How many Pokémon will your team have? (1-3) "))
            while team_size < 1 or team_size > 3:
                team_size=int(input("How many Pokémon will your team have? (1-3) "))
            player_team=choose_team(player, team_size)
            print("\nChoose your gamemode!")
            print("1. Player vs. Player")
            print("2. Player vs. CPU")
            mode_input=input("Enter choice (1 or 2): ").strip()
            if not mode_input.isdigit() or int(mode_input) not in [1,2]:
                print_slowly("Invalid choice. Returning to menu.")
                continue
            mode=int(mode_input)
            if mode==1:
                opponent=input("Player 2 name: ")
                opponent_team=choose_team(opponent, team_size)
            else:
                opponent=random.choice(["Cynthia","Lance","Lorelei"])
                opponent_team=generate_cpu_team(team_size)
                print_slowly(f"Opponent: {opponent} with team {opponent_team}")
            print_slowly("\nLet the battle begin!")
            winner=battle_loop(player, player_team, opponent, opponent_team, mode_choice=mode)
            print_slowly(f"🏆 {winner} wins the battle! 🏆")
            input("Press Enter to return to the main menu...")
        elif choice==2:
            print_slowly("Rules: 1) Choose gamemode. 2) Choose team size. 3) Battle until all on one team faint.")
```



Republic of the Philippines
BATANGAS STATE UNIVERSITY
The National Engineering University
Alangilan Campus

Golden Country Homes, Alangilan Batangas City, Batangas, Philippines 4200

Tel Nos.: (+63 43) 425-0139 local 2121 / 2221

E-mail Address: coe.alangilan@g.batstate-u.edu.ph | Website Address: <http://www.batstate-u.edu.ph>

College of Engineering – Department of Electrical Engineering

```
elif choice==3:
    print_slowly("Game Mechanics: Turn-based. Weather & terrain settings. Different nature per game.")
elif choice==4:
    print_slowly("""
    Matagal nang panahon, sa digital realm ng Pytheria Online... may nangyaring hindi inaasahan.
    Isang araw, bigla na lang nag-glitch ang buong server at nagising ang mga Pokémon
    na parang naka-overclock sabay naka-3-in-1 coffee.

    Lahat sila naging hyper, malakas, at kung minsan... nag-aattitude pa na parang may sariling WiFi.
    May kumakalat na tsismis na may nagpasabog daw ng 'mysterious data energy' sa Mt. Bugnut.exe.

    Dahil dito, pati mga Pidgeot nagiging overpowered—minsan lumilipad nang pabaliktad,
    minsan lumilipad palabas ng screen. Hindi rin sila sumusunod sa physics engine. Bahala sila sa buhay nila.

    Syempre, nagpanic ang mga players... lalo na nung nakita nilang
    nagla-livestream ang Snorlax sa gitna ng kalsada habang sumasayaw ng virtual hiphop.

    Para maresolba ang kaguluhan, nag-organize ang League Admins
    ng malaking digital tournament bago tuluyang mag-crash ang buong server.

    At dito papasok ka, Trainer—oo, ikaw na nagbabasa ngayon.
    Kailangan mong sumali para malaman kung sino ang pasaway na nagmo-mod sa mga Pokémon
    at nagpapakawala ng illegal power-ups.

    At syempre... baka manalo ka rin ng bragging rights at
    achievement badge, at siyempre—unlimited rice sa canteen ng Pytheria Online (virtual pero okay na rin).
    """)
elif choice==5:
    player=input("Trainer, enter your name: ")
    team_size=int(input("How many Pokémon will your team have? (1-3) "))
    player_team=choose_team(player, team_size)
    story_mode(player, player_team)
    input("Press Enter to return to the main menu...")
elif choice==7 and canteen_unlocked:
    canteen_of_the_heroes()
    input("Press Enter to return to the main menu...")
elif choice==6:
    print_slowly("Goodbye, Trainer!")
    break
else:
    print("Invalid option. Try again.")

#Game start
start_game()

#Credits
"""
-The programmers utilized AI for the debugging and optimization of the game.
-This game took inspiration from the popular game Pokémon.
-This game based most of their features from the tutorial of CtrlAultDelTutorial titled, Pokétext
"""
```