



TURN IT UP

CISCO *Live!*

#CiscoLive



The bridge to possible

Firepower Threat Defense Virtual Routing and Forwarding (VRF)

Subtitle goes here


Luis Silva Benavides – Customer Success Specialist
@LuisSilva_1990
BRKSEC-2016

CISCO *Live!*

#CiscoLive



About your Speaker



Customer Success
Specialist

CISCO *Live!*

- Costa Rica / Texas
- 12+ years of experience
- TAC, Advanced Services, CSS
- CCIE Security / CISSP®



Agenda

- Virtual Routing and Forwarding
- Configuring VRF
- Configuring Routing Protocols
- Troubleshooting VRF

Introduction




Virtual Routing and Forwarding



Why Virtual Routers/Routing?

- Separate Routing/Forwarding tables
- VRF-Lite
- Overlapping IP address
- Multi-Virtual Router Support (FXOS + VRF = Multi-Context use cases)



Advantages (FTD Version 6.6+)

- Routing segregation on FTD
- Overlapping IP address on FTD interfaces
- Connection events (ingress/egress virtual router)

Access Control X Policy	Access Control Rule X	Network Analysis Policy X	Prefilter Policy X	Tunnel/Prefilter Rule X	Source SGT X	Destination SGT X	Endpoint Profile X	Endpoint Location X	Device X	Ingress Interface X	Egress Interface X	Ingress Virtual Router X	Egress Virtual Router X
ACP_CL	Eng_to_Sales	Balanced Security and Connectivity	Default Prefilter Policy						FTD 6.7	Engineering	Sales	VRF_Engineering	VRF_Sales

VRF Support

Device	Maximum Virtual Routers	
ASA	10-20	
Firepower 1000*	5-10	*1010 Not supported
Firepower 2100	10-40	
Firepower 4100	60-100	
Firepower 9300	60-100	
Virtual FTD	30	
ISA 3000	Not supported	No
License required		

[Configuration Guide](#)

Routing Policies


Policies	Global VRF	User VRF
Static Route	✓	✓
OSPFv2	✓	✓
OSPFv3	✓	X
RIP	✓	X
BGPv4	✓	✓
BGPv6	✓	X
IRB (BVI)	✓	✓
EIGRP	✓	X

Overlapping Networks – Feature Support

Policies	Non-Overlapping	Overlapping Networks
Routing & IRB	✓	✓
AVC	✓	✓
SSL Decryption	✓	✓
Intrusion and Malware Detection (IPS and File Policy)	✓	✓
VPN	✓	✓
Malware Event Analysis (Host Profiles, IoC, File Trajectory)	✓	X
Threat Intelligence (TID)	✓	X

Use case #1 – Service Provider


- Separate routing tables



- Overlapping Networks
- Non-Overlapping Networks

Use case #2 – Enterprise

- Connectivity between VRFs (Route Leaking)




- Overlapping Networks
- Non-Overlapping Networks

- Static Routes
- NAT

Use case #3 – Multi-Instance and VRF

- Connectivity between VRFs in a Multi-Instance Environment



- Overlapping Networks
- Non-Overlapping Networks

- Static Routes
- NAT

Configuring VRF



Video 1: VRF configuration on FMC

Video 2: Configuring VRF on FDM

Configuring Routing Protocols



Video 3: Configuring Static Routing on FMC

Video 4 : Configuring BGP on FMC

Video 5: Configuring OSPF on FMC

Video 6: Configuring BGP on FDM

Video 7: Configuring OSPF on FDM

Troubleshooting VRF



Troubleshooting - Commands

Configuration Verification

Global VRF	User- Defined VRF	All VRF
Show run route	Show run route vrf <name>	Show run route all
Show run router	Show run router vrf <name>	
Show run router bgp ospf	Show run router bgp ospf vrf <name>	Show run router bgp ospf all


Troubleshooting - Commands

Troubleshooting Verification

Global VRF	User- Defined VRF	All VRF
Show route static ospf bgp	Show route static ospf bgp vrf <name>	Show route static ospf bgp all
Show bgp ospf [sub- commands]	Show bgp ospf vrf <name> [sub-commands]	

Troubleshooting Scenario #1 - BGP


- BGP won't come up



Video 8: Troubleshooting Scenario #1 – BGP

Troubleshooting Scenario #2

- Connectivity between VRFs (Route Leaking)



Video 9: Troubleshooting Scenario #2

Conclusion



Conclusions

- Cisco DNA's embedded on FTD adding more routing capabilities.
- Expands our FTD deployment options
- Take advantage of Meet the expert
- Lets Test it and deploy it!



The bridge to possible

Thank you

CISCO *Live!*

#CiscoLive





TURN IT UP

CISCO *Live!*

#CiscoLive