

Next Generation ISE Telemetry

Monitoring and Custom Reporting

Emmanuel Cano, Security Consulting Engineer @EmmanuelCano





9:30

∷ ALARMS	(i)		r s ×	
×	Insufficient Virtual M	35	13 hrs 48 mins	cation Latency
i	No Configuration Bac	14	17 hrs 40 mins	PU)
×	High Load Average	17	2 days ago	nice %idle 0.00 97.70
05:27:24 PM alt 05:27:27 PM alt 05:27:30 PM alt	1.47 0.00 1.72	0.13 0.04 0.00	7 days ago 0.29	0.00 94.96 0.00 82.28 0.00 75.52 0.00 91.83 0.00 96.34 0.00 95.88



Agenda

 Why do we need next-gen Monitoring and reporting tools?

- Infrastructure Monitoring + Demo
- Log Analytics + Demo
- Data Connect + Demo
- Wrap-Up and Next Steps



Cisco Webex App


Questions?

Use Cisco Webex App to chat with the speaker after the session

How

- 1 Find this session in the Cisco Live Mobile App
- 2 Click "Join the Discussion"
- 3 Install the Webex App or go directly to the Webex space
- 4 Enter messages/questions in the Webex space

Webex spaces will be moderated until February 24, 2023.



https://ciscolive.ciscoevents.com/ciscolivebot/#DEVNET-2035



For your Reference!





Slido: How do you monitor your ISE Hardware resources, performance and processes?



slido

- Join at
- ·Slido.com
- •#3469 778



Do you recognize these logos?






Why we need next-gen Monitoring and reporting tools?




Why Next-Generation Options

Hardware resources and processes Monitoring






Why Next-Generation Options



Logs and Reporting



Why Next-Generation Options

Is this Scalable/dynamic?

Customizable?

Do I need another software?

Is this easy to use/read?



Next Generation Monitoring and Custom Reporting

FASTEN YOUR








Infrastructure Monitoring




Infrastructure Monitoring - System 360



- 1. CPU: Overall CPU usage
- 2. Diskstats: HDD and SSD disk statistics
- 3. Loadavg: System load of the node for a defined period of time

- 1. Meminfo: RAM usage statistics
- 2. Stat: System kernel statistics
- 3. Time: System time

Infrastructure Monitoring



Infrastructure Monitoring - Considerations

The Monitoring service is enabled by default


 This data is accessed by Grafana to populate the dashboards.





This data is retained in the Prometheus database for **7 days**.







Log Analytics




Log Analytics - System 360



Log Analytics - System 360







Error

MnT doesn't have at least 8 CPU cores and at least 16GB memory.





Log Analytics - Deployment Scenarios



Small Deployment



Medium Deployment



Large Deployment



Log Analytics and Infra Monitoring - Services Status



For	your
Refe	erence

ISE PROCESS NAME	STATE	PROCESS ID
Database Listener	running	513862
Database Server	running	100 PROCESSES
Application Server	running	531252
Profiler Database	running	521678
ISE Indexing Engine	running	533133
AD Connector	running	534510
M&T Session Database	running	527746
M&T Log Processor	running	940202
Certificate Authority Service	running	534275
EST Service	running	577833
SXP Engine Service	disabled	
TC-NAC Service	disabled	
PassiveID WMI Service	disabled	
PassiveID Syslog Service	disabled	
PassiveID API Service	disabled	
PassiveID Agent Service	disabled	
PassiveID Endpoint Service	disabled	
PassiveID SPAN Service	disabled	
DHCP Server (dhcpd)	disabled	
DNS Server (named)	disabled	
ISE Messaging Service	running	517076
ISE API Gateway Database Service	running	520369
ISE API Gateway Service	running	526266
ISE pxGrid Direct Service	running	553719
Segmentation Policy Service	disabled	
REST Auth Service	disabled	
SSE Connector	disabled	
Hermes (pxGrid Cloud Agent)	disabled	
ISE Node Exporter	running	562260
ISE Prometheus Service	running	565973
ISE Grafana Service	running	561688
ISE MNT LogAnalytics Elasticsearch	running	663611
ISE Logstash Service	running	666082
ISE Kibana Service	running	667899

show application status ise

Infrastructure Monitoring

- ISE Node Exporter running 30774
- ISE Prometheus Service running 32862
- ISE Grafana Service running 36380

Log Analytics

- ISE MNT LogAnalytics Elasticsearch running 63388
- ISE Logstash Service running 68472
- ISE Kibana Service running

Demo: Infra Monitoring & Log Analytics





Well, this is great! But...still local...








Data Connect - What you need WHEN you need it.


Extract any configuration or operational data






Data Connect - Deployment Scenarios






Data Connect - Steps





Data Connect - Enable.



Data Connect - Export/Import Certificate



Trusted Certificates - Self-Signed Certificate

Certificate Hierarchy Export keytool -import -alias CiscoLive -file SE_ORACLE_ISEPANSEC.ciscoise.lab DataConnectCertificate.pem -storetype JKS -ISE ORACLE ISEPANSEC.ciscoise.lab Issued By : ISE_ORACLE_ISEPANSEC.ciscoise.lab Expires: Wed, 8 Nov 2023 00:06:45 UTC keystore JKS Certificate status is good **Details** ECANOGUT-M-DY10:CiscoLive ecanogut\$ keytool -import -alias CiscoLive -file Da Issued To Enter keystore password: Owner: CN=ISE_ORACLE_ISEPANSEC.ciscoise.lab, 0=Cisco Systems ISE_ORACLE_ISEPANSEC.ciscoise.la Common Name (CN) Issuer: CN=ISE_ORACLE_ISEPANSEC.ciscoise.lab, O=Cisco Systems Organization Unit Serial number: 583226c2c4c2ffb71bb37968bcc2a2f9 (OU) Valid from: Tue Nov 08 01:06:45 CET 2022 until: Wed Nov 08 01:06:45 CET 2023 Cisco Systems Organization (O) Certificate fingerprints: City (L) SHA1: B8:4A:18:11:9E:69:AB:8E:73:85:7F:BF:DF:83:41:F7:72:53:73:6F State (ST) SHA256: B9:3A:97:4B:89:29:63:D5:4A:4E:E7:DE:23:8C:A0:53:D2:7E:4D:AC: Signature algorithm name: SHA256withRSA Country (C) Subject Public Key Algorithm: 2048-bit RSA key 58:32:26:C2:C4:C2:FF:B7:1B:B3:79:68:BC:C Serial Number Version: 1 2:A2:F9 Trust this certificate? [nol: ves

Certificate was added to keystore

DEVNET-2035

For your Reference

Data Connect - Monitor



Data Connect alerts and alarms are generated in the following scenarios:

- •License Expiry: If the Essentials license expires
- •Password Expiry: If the Data Connect password expires
- •Certificate Expiry: If the Data Connect certificate



Your Data Connect password expires in 3 days. Please update it. Update password









Wrap-Up - Monitoring and Reporting New Approach



Optimal resources utilization



Improve Visibility





Proactive Actions

Complete your Session Survey

- Please complete your session survey after each session. Your feedback is important.
- All surveys can be taken in the Cisco Events Mobile App or by logging in to the Session Catalog and clicking the "Attendee Dashboard" at

https://www.ciscolive.com/emea/learn/sessions/session-catalog.html



Continue Your Education



Visit the Cisco Showcase for related demos.



Book your one-on-one Meet the Engineer / Meet the speaker meeting.



Meet the Speaker: Area 1 02/08/23 - 12:20pm



Attend any of the related sessions at the DevNet, Capture the Flag, and Walk-in Labs zones.



Visit the On-Demand Library for more sessions at <u>ciscolive.com/on-demand</u>.



Security Technologies

Network Security

Learn about a broad range of solution and technologies which will help you better understand how to secure your network. You will find topics such as VPN, ISE, IPv6, DDoS, IoT....



Feb 5 | 19:00

LABSEC-2333

ISE integrations via pxGrid with FTD, WSA, StealthWatch

Feb 6 | 08:45

TECSEC-3781

Walking on solid ISE - Advanced Use Cases and Deployment Best Practices

Feb 7 | 08:45

BRKSEC-2445

The Art of ISE Posture, Configuration and Troubleshooting

Feb 7 | 11:30

BRKSEC-2037

Securing Starlink Internet Services

Feb 8 | 10:45

BRKSEC-2096

Securing Industrial Networks: Where do I start?

Feb 8 | 13:30

BRKSEC-2678

DDoS Mitigation: Introducing Radware Deployment on Firepower Appliances

Feb 9 | 08:30

BRKSEC-2660

ISE Deployment Staging and Planning

Feb 9 | 10:30

BRKSEC-2101

Malware Execution As A Service: a Deep Dive into CSMA Advanced File Analysis

Feb 9 | 15:45

BRKSEC-3058

Route based VPNs with Cisco Secure Firewall

Feb 9 | 15:45

BRKSEC-2044

Secure Operations for an IPv6 Network

Feb 10 | 09:00

BRKSEC-3019

Visibility, Detection and Response with Cisco Secure Network Analytics





Feb 10 | 09:00

LTRSEC-2381

Stronger Together: Uniting IT and OT Security with Cyber Vision

Feb 10 | 09:00

BRKIPV-3134

IPv6 Security in the Local Area with First Hop Security

Feb 10 | 11:00

FINISH BRKSEC-2218

Cisco Secure Hybrid SWG -Your First Step to Your SASE Journey







Thank you



References



More Resources

- Data Connect: https://developer.cisco.com/docs/dataconnect/#!introduction
- Data Connect (Open API): https://developer.cisco.com/docs/identity-services- engine/latest/#!data-connect-openapi
- ISE Public Bar: https://eurl.io/#rvJFrhiBW
- ISE Webinars and Training Videos: https://learningnetwork.cisco.com/s/cisco-isetraining-videos
- ISE Devnet: https://developer.cisco.com/identity-services-engine/
- Configure ISE 3.2 Data Connect Integration with Splunk: https://www.cisco.com/c/en/us/support/docs/security/identity-servicesengine/218190-configure-ise-3-2-data-connect-integrati.html
- GitHub Repository: https://github.com/EmmanuelCano



Appendix



Data Connect - Monitor



Logg	ed At	Administrator	Server	Interface	Object Type	Object Name	Event	IP Address
Today	, <u>~</u> ×	Administrator	Server		Object Type	Object Name		IP Address
2022-	12-05 23:15:22	.216 admin	ISE32	GUI	DataconnectSetting	DataConnect	Changed configuration	10.209.222.192
Th	o Chr	ngo Cont	figuration	Λudi+	logo —		object updated:	Value=Dataconi

The Change Configuration Audit logs are generated when the Data Connect feature is enabled or disabled by the admin, or as a result of a persona change.

object updated: Value=Dataconnect Setting has been enabled successfully


Data Connect Logging

Additional logs for UI and Open API changes related to Data Connect will be available at **ise-psc.log**



Infrastructure Monitoring - SOC VIEW!





Log Analytics - Patch 1 Known Limitationsor your






Limitation:

Custom Log Analytics dashboards that are created in ISE 3.2 are not displayed after you install ISE 3.2 patch 1

Solution:

Export the dashboards from Kibana and import them after patch install.







Thank you



cisco live!



