

EVIDENCE SCREENSHOTS

MAY 2026

Prepared by
Swamantak Roy

Approved by
internSpark



No.	Time	Source	Destination	Protocol	Length	Info
208	0.097456300	2409:4091:7:a13:f19...	2404:6800:4009:80e:...	QUIC	1292	Initial, DCID=99e15c5c46d61d6c, PKN: 3, CRYPTO, P1
256	0.107507300	2409:4091:7:a13:f19...	2404:6800:4009:816:...	QUIC	1292	Initial, DCID=3c6a76de5043bdbl, PKN: 1, CRYPTO, CR
257	0.107655600	2409:4091:7:a13:f19...	2404:6800:4009:816:...	QUIC	1292	Initial, DCID=3c6a76de5043bdbl, PKN: 2, CRYPTO, P1
283	0.123482200	2409:4091:7:a13:f19...	2404:6800:4009:825:...	QUIC	1292	Initial, DCID=214deb72dac14f7f, PKN: 2, PING, PADO
330	0.143616400	2409:4091:7:a13:f19...	2404:6800:4009:825:...	QUIC	1292	Initial, DCID=5d35dae6ac22f435, PKN: 3, CRYPTO, P1
339	0.149993100	2404:6800:4009:80e:...	2409:4091:7:a13:f19...	QUIC	1292	Initial, SCID=f9e15c5c46d61d6c, PKN: 5, CRYPTO, PA
380	0.162816500	2409:4091:7:a13:f19...	2404:6800:4009:814:...	QUIC	1292	Initial, DCID=6b750e142f4cd673, PKN: 2, PING, PING
383	0.166788800	2409:4091:7:a13:f19...	2404:6800:4009:80f:...	QUIC	1292	Initial, DCID=be558ce5ed815aa6, PKN: 1, PADDING, C
385	0.167171700	2409:4091:7:a13:f19...	2404:6800:4009:80f:...	QUIC	1292	Initial, DCID=be558ce5ed815aa6, PKN: 3, PING, CRYF
391	0.167565600	2404:6800:4009:825:...	2409:4091:7:a13:f19...	QUIC	1292	Initial, SCID=e14deb72dac14f7f, PKN: 3, CRYPTO, PA
392	0.167565600	2404:6800:4009:825:...	2409:4091:7:a13:f19...	QUIC	1292	Initial, SCID=e14deb72dac14f7f, PKN: 4, CRYPTO, PA
398	0.169668600	2404:6800:4009:816:...	2409:4091:7:a13:f19...	QUIC	1292	Initial, SCID=fc6a76de5043bdbl, PKN: 3, CRYPTO, PA
423	0.180211200	2409:4091:7:a13:f19...	2404:6800:4009:818:...	QUIC	1292	Initial, DCID=29094200ec6f4a92, PKN: 3, PING, PING
440	0.193315300	2404:6800:4009:825:...	2409:4091:7:a13:f19...	QUIC	1292	Initial, SCID=fd35dae6ac22f435, PKN: 5, CRYPTO, PA
461	0.213784400	2404:6800:4009:814:...	2409:4091:7:a13:f19...	QUIC	1292	Initial, SCID=eb750e142f4cd673, PKN: 3, CRYPTO, PA
468	0.216303500	2404:6800:4009:80f:...	2409:4091:7:a13:f19...	QUIC	1292	Initial, SCID=fe558ce5ed815aa6, PKN: 5, CRYPTO, PA
488	0.230759100	2404:6800:4009:818:...	2409:4091:7:a13:f19...	QUIC	1292	Initial, SCID=e9094200ec6f4a92, PKN: 5, CRYPTO, PA
1449	0.952471200	2409:4091:7:a13:f19...	2404:6800:4009:817:...	QUIC	1292	Initial, DCID=2d074240fbb0e5f3, PKN: 3, CRYPTO, CR
1758	1.000095700	2404:6800:4009:817:...	2409:4091:7:a13:f19...	QUIC	1292	Initial, SCID=ed074240fbb0e5f3, PKN: 5, CRYPTO, CR
1783	1.262226800	2409:4091:7:a13:f19...	2404:6800:4009:817:...	QUIC	1292	Initial, DCID=38d9ed25055a9574, PKN: 2, PING, PING
1788	1.308089300	2404:6800:4009:817:...	2409:4091:7:a13:f19...	QUIC	1292	Initial, SCID=f8d9ed25055a9574, PKN: 3, CRYPTO, PA
1805	1.667753600	2404:6800:4009:1025:...	2409:4091:7:a13:f19...	TLSv1.2	147	Application Data
1855	2.067709300	2606:4700:8d98:6eec...	2409:4091:7:a13:f19...	TLSv1.2	134	Application Data
1921	2.430982400	2409:4091:7:a13:f19...	2404:6800:4009:81d:...	QUIC	1292	Initial, DCID=e89ff17ba903dbb4, PKN: 2, CRYPTO, P1
1976	2.534982900	2404:6800:4009:81d:...	2409:4091:7:a13:f19...	QUIC	1292	Initial, SCID=e89ff17ba903dbb4, PKN: 3, CRYPTO, PA

Evidence screenshot for tls filter in wireshark

No.	Time	Source	Destination	Protocol	Length	Info
71	0.047605100	192.168.31.49	192.168.31.1	DNS	87	Standard query 0x5900 HTTPS www.gstatic.com
73	0.047948800	192.168.31.49	192.168.31.1	DNS	87	Standard query 0x538f AAAA www.gstatic.com
76	0.048734600	192.168.31.49	192.168.31.1	DNS	87	Standard query 0xfccc A www.gstatic.com
79	0.049048400	192.168.31.49	192.168.31.1	DNS	86	Standard query 0xb9f0 HTTPS www.google.com
88	0.051510000	192.168.31.49	192.168.31.1	DNS	86	Standard query 0xb9f0 AAAA www.google.com
90	0.051704800	192.168.31.49	192.168.31.1	DNS	86	Standard query 0x92d0 A www.google.com
102	0.063473300	192.168.31.1	192.168.31.49	DNS	146	Standard query response 0x5900 HTTPS www.gstatic.com
103	0.063473300	192.168.31.1	192.168.31.49	DNS	117	Standard query response 0x538f AAAA www.gstatic.com
108	0.064061700	192.168.31.1	192.168.31.49	DNS	216	Standard query response 0x92d0 A www.google.com
110	0.065008700	192.168.31.1	192.168.31.49	DNS	105	Standard query response 0xfccc A www.gstatic.com
129	0.069584900	192.168.31.1	192.168.31.49	DNS	113	Standard query response 0xb9f0 HTTPS www.google.com
133	0.069894100	192.168.31.49	192.168.31.1	DNS	97	Standard query 0xf403 A lh3.googleusercontent.com
135	0.070132600	192.168.31.49	192.168.31.1	DNS	97	Standard query 0xb9f0 AAAA lh3.googleusercontent.com
137	0.070245500	192.168.31.49	192.168.31.1	DNS	97	Standard query 0x8eb8 HTTPS lh3.googleusercontent.com
143	0.072642600	192.168.31.1	192.168.31.49	DNS	312	Standard query response 0xb9f0 AAAA www.google.com
162	0.076620900	192.168.31.49	192.168.31.1	DNS	95	Standard query 0xdc5e HTTPS safebrowsing.google.com
164	0.076770700	192.168.31.49	192.168.31.1	DNS	95	Standard query 0x3d65 AAAA safebrowsing.google.com
166	0.076971900	192.168.31.49	192.168.31.1	DNS	95	Standard query 0x17b3 A safebrowsing.google.com
168	0.077475900	192.168.31.49	192.168.31.1	DNS	90	Standard query 0x8967 A gemini.gstatic.com
170	0.077725800	192.168.31.49	192.168.31.1	DNS	90	Standard query 0x03f5 HTTPS gemini.gstatic.com
180	0.083701800	192.168.31.49	192.168.31.1	DNS	90	Standard query 0x794a AAAA gemini.gstatic.com
186	0.091362900	192.168.31.1	192.168.31.49	DNS	185	Standard query response 0x8eb8 HTTPS lh3.googleusercontent.com
187	0.091362900	192.168.31.1	192.168.31.49	DNS	144	Standard query response 0xf403 A lh3.googleusercontent.com
188	0.091362900	192.168.31.1	192.168.31.49	DNS	156	Standard query response 0xb9f0 AAAA lh3.googleusercontent.com
212	0.098131300	192.168.31.49	192.168.31.1	DNS	96	Standard query 0x9501 HTTPS www.google.com

Evidence screenshot for dns filter in wireshark

No.	Time	Source	Destination	Protocol	Length	Info
292	38.108377200	127.0.0.1	127.0.0.1	HTTP	736	GET / HTTP/1.1
296	38.115213200	127.0.0.1	127.0.0.1	HTTP	437	HTTP/1.1 304 Not Modified
330	38.216396700	127.0.0.1	127.0.0.1	HTTP	672	GET /chunk-24E2LZ4I.js HTTP/1.1
337	38.218161000	127.0.0.1	127.0.0.1	HTTP	674	GET /chunk-4MIYPPGW.js HTTP/1.1
346	38.220365300	127.0.0.1	127.0.0.1	HTTP	674	GET /chunk-LHK57QUN.js HTTP/1.1
350	38.221688400	127.0.0.1	127.0.0.1	HTTP	435	HTTP/1.1 304 Not Modified
352	38.223918700	127.0.0.1	127.0.0.1	HTTP	437	HTTP/1.1 304 Not Modified
354	38.225281000	127.0.0.1	127.0.0.1	HTTP	437	HTTP/1.1 304 Not Modified
361	38.230972500	127.0.0.1	127.0.0.1	HTTP	672	GET /chunk-TWZWSB45.js HTTP/1.1
363	38.231642000	127.0.0.1	127.0.0.1	HTTP	653	GET /polyfills.js HTTP/1.1
371	38.235206500	127.0.0.1	127.0.0.1	HTTP	654	GET /scripts.js HTTP/1.1
374	38.236228400	127.0.0.1	127.0.0.1	HTTP	435	HTTP/1.1 304 Not Modified
377	38.237084900	127.0.0.1	127.0.0.1	HTTP	436	HTTP/1.1 304 Not Modified
381	38.237519100	127.0.0.1	127.0.0.1	HTTP	673	GET /chunk-T3PSKZ45.js HTTP/1.1
389	38.238814700	127.0.0.1	127.0.0.1	HTTP	436	HTTP/1.1 304 Not Modified
393	38.239705500	127.0.0.1	127.0.0.1	HTTP	650	GET /main.js HTTP/1.1
405	38.241053000	127.0.0.1	127.0.0.1	HTTP	436	HTTP/1.1 304 Not Modified
411	38.245028900	127.0.0.1	127.0.0.1	HTTP	438	HTTP/1.1 304 Not Modified
429	38.322568900	127.0.0.1	127.0.0.1	HTTP	684	GET /styles.css HTTP/1.1
433	38.328481400	127.0.0.1	127.0.0.1	HTTP	437	HTTP/1.1 304 Not Modified
487	38.592717000	127.0.0.1	127.0.0.1	HTTP	597	GET /socket.io/?EIO=4&transport=polling&t=Pts4eud
497	38.598584800	127.0.0.1	127.0.0.1	HTTP	370	HTTP/1.1 200 OK (text/plain)
501	38.602167800	127.0.0.1	127.0.0.1	HTTP	689	GET /assets/i18n/en.json HTTP/1.1
503	38.606215000	127.0.0.1	127.0.0.1	HTTP	436	HTTP/1.1 304 Not Modified
537	38.720271700	127.0.0.1	127.0.0.1	HTTP	672	GET /rest/admin/application-configuration HTTP/1.1

Evidence screenshot for http filter in wireshark

No.	Time	Source	Destination	Protocol	Length	Info
280	38.070727900	127.0.0.1	127.0.0.1	TCP	45	54177 → 54176 [PSH, ACK] Seq=105 Ack=1 Win=65535 Len=0
281	38.070830200	127.0.0.1	127.0.0.1	TCP	44	54176 → 54177 [ACK] Seq=1 Ack=106 Win=65430 Len=0
282	38.071041900	127.0.0.1	127.0.0.1	TCP	45	54177 → 54176 [PSH, ACK] Seq=106 Ack=1 Win=65535 Len=0
283	38.071065400	127.0.0.1	127.0.0.1	TCP	44	54176 → 54177 [ACK] Seq=1 Ack=107 Win=65429 Len=0
284	38.100492100	127.0.0.1	127.0.0.1	TCP	45	54177 → 54176 [PSH, ACK] Seq=107 Ack=1 Win=65535 Len=0
285	38.100605200	127.0.0.1	127.0.0.1	TCP	44	54176 → 54177 [ACK] Seq=1 Ack=108 Win=65428 Len=0
286	38.107534800	127.0.0.1	127.0.0.1	TCP	45	54177 → 54176 [PSH, ACK] Seq=108 Ack=1 Win=65535 Len=0
287	38.107612700	127.0.0.1	127.0.0.1	TCP	44	54176 → 54177 [ACK] Seq=1 Ack=109 Win=65427 Len=0
288	38.107769600	127.0.0.1	127.0.0.1	TCP	45	54177 → 54176 [PSH, ACK] Seq=109 Ack=1 Win=65535 Len=0
289	38.107788800	127.0.0.1	127.0.0.1	TCP	44	54176 → 54177 [ACK] Seq=1 Ack=110 Win=65426 Len=0
290	38.108002100	127.0.0.1	127.0.0.1	TCP	45	54177 → 54176 [PSH, ACK] Seq=110 Ack=1 Win=65535 Len=0
291	38.108106800	127.0.0.1	127.0.0.1	TCP	44	54176 → 54177 [ACK] Seq=1 Ack=111 Win=65425 Len=0
292	38.108377200	127.0.0.1	127.0.0.1	HTTP	736	GET / HTTP/1.1
293	38.108441100	127.0.0.1	127.0.0.1	TCP	44	3000 → 10148 [ACK] Seq=1 Ack=693 Win=64768 Len=0
294	38.108897000	127.0.0.1	127.0.0.1	TCP	45	54177 → 54176 [PSH, ACK] Seq=111 Ack=1 Win=65535 Len=0
295	38.108930800	127.0.0.1	127.0.0.1	TCP	44	54176 → 54177 [ACK] Seq=1 Ack=112 Win=65424 Len=0
296	38.115213200	127.0.0.1	127.0.0.1	HTTP	437	HTTP/1.1 304 Not Modified
297	38.115302500	127.0.0.1	127.0.0.1	TCP	44	10148 → 3000 [ACK] Seq=693 Ack=394 Win=65024 Len=0
298	38.119094900	127.0.0.1	127.0.0.1	TCP	56	[TCP Port numbers reused] 10143 → 8080 [SYN] Seq=0
299	38.119168700	127.0.0.1	127.0.0.1	TCP	44	8080 → 10143 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
300	38.139184700	127.0.0.1	127.0.0.1	TCP	45	54177 → 54176 [PSH, ACK] Seq=112 Ack=1 Win=65535 Len=0
301	38.139238800	127.0.0.1	127.0.0.1	TCP	44	54176 → 54177 [ACK] Seq=1 Ack=113 Win=65423 Len=0
302	38.141258600	127.0.0.1	127.0.0.1	TCP	45	54177 → 54176 [PSH, ACK] Seq=113 Ack=1 Win=65535 Len=0
303	38.141313400	127.0.0.1	127.0.0.1	TCP	44	54176 → 54177 [ACK] Seq=1 Ack=114 Win=65422 Len=0
304	38.150871900	127.0.0.1	127.0.0.1	TCP	45	54177 → 54176 [PSH, ACK] Seq=114 Ack=1 Win=65535 Len=0

Evidence screenshot for tcp filter in wireshark

No.	Time	Source	Destination	Protocol	Length	Info
92	36.340419800	127.0.0.1	127.0.0.1	TCP	44	8080 → 10141 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
107	36.603295600	127.0.0.1	127.0.0.1	TCP	56	10143 → 8080 [SYN] Seq=0 Win=65535 Len=0 MSS=65495
108	36.603337900	127.0.0.1	127.0.0.1	TCP	44	8080 → 10143 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
109	36.853325200	127.0.0.1	127.0.0.1	TCP	56	[TCP Port numbers reused] 10141 → 8080 [SYN] Seq=0
110	36.853326500	127.0.0.1	127.0.0.1	TCP	44	8080 → 10141 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
115	37.105884900	127.0.0.1	127.0.0.1	TCP	56	[TCP Port numbers reused] 10143 → 8080 [SYN] Seq=0
116	37.105944200	127.0.0.1	127.0.0.1	TCP	44	8080 → 10143 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
143	37.356200400	127.0.0.1	127.0.0.1	TCP	56	[TCP Port numbers reused] 10141 → 8080 [SYN] Seq=0
144	37.356286200	127.0.0.1	127.0.0.1	TCP	44	8080 → 10141 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
183	37.614761300	127.0.0.1	127.0.0.1	TCP	56	[TCP Port numbers reused] 10143 → 8080 [SYN] Seq=0
184	37.614861300	127.0.0.1	127.0.0.1	TCP	44	8080 → 10143 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
244	37.867924200	127.0.0.1	127.0.0.1	TCP	56	[TCP Port numbers reused] 10141 → 8080 [SYN] Seq=0
245	37.867996700	127.0.0.1	127.0.0.1	TCP	44	8080 → 10141 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
298	38.119094900	127.0.0.1	127.0.0.1	TCP	56	[TCP Port numbers reused] 10143 → 8080 [SYN] Seq=0
299	38.119168700	127.0.0.1	127.0.0.1	TCP	44	8080 → 10143 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
435	38.370743200	127.0.0.1	127.0.0.1	TCP	56	[TCP Port numbers reused] 10141 → 8080 [SYN] Seq=0
436	38.370801400	127.0.0.1	127.0.0.1	TCP	44	8080 → 10141 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
495	38.595521300	127.0.0.1	127.0.0.1	TCP	56	10176 → 8080 [SYN] Seq=0 Win=65535 Len=0 MSS=65495
496	38.595558500	127.0.0.1	127.0.0.1	TCP	44	8080 → 10176 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
507	38.622319300	127.0.0.1	127.0.0.1	TCP	56	[TCP Port numbers reused] 10143 → 8080 [SYN] Seq=0
508	38.622377400	127.0.0.1	127.0.0.1	TCP	44	8080 → 10143 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
509	38.639939800	127.0.0.1	127.0.0.1	TCP	56	10177 → 8080 [SYN] Seq=0 Win=65535 Len=0 MSS=65495
510	38.639977800	127.0.0.1	127.0.0.1	TCP	44	8080 → 10177 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
605	38.859454400	127.0.0.1	127.0.0.1	TCP	56	10178 → 8080 [SYN] Seq=0 Win=65535 Len=0 MSS=65495
606	38.859489400	127.0.0.1	127.0.0.1	TCP	44	8080 → 10178 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0

Evidence screenshot for tcp port == 8080 filter in wireshark

No.	Time	Source	Destination	Protocol	Length	Info
8	0.030207100	127.0.0.1	127.0.0.1	TCP	44	40778 → 40777 [RST, ACK] Seq=1 Ack=3 Win=0 Len=0
10	5.433974700	fe80::2997:1ef9:b5e...	fe80::2997:1ef9:b5e...	TCP	64	1521 → 40783 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
12	5.946757300	fe80::2997:1ef9:b5e...	fe80::2997:1ef9:b5e...	TCP	64	1521 → 40783 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
14	6.451517600	fe80::2997:1ef9:b5e...	fe80::2997:1ef9:b5e...	TCP	64	1521 → 40783 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
16	6.953715000	fe80::2997:1ef9:b5e...	fe80::2997:1ef9:b5e...	TCP	64	1521 → 40783 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
18	7.465899600	fe80::2997:1ef9:b5e...	fe80::2997:1ef9:b5e...	TCP	64	1521 → 40783 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
43	29.180396400	127.0.0.1	127.0.0.1	TCP	44	54174 → 54175 [RST, ACK] Seq=1 Ack=5 Win=0 Len=0
46	29.321674200	127.0.0.1	127.0.0.1	TCP	44	54172 → 54173 [RST, ACK] Seq=1 Ack=6 Win=0 Len=0
92	36.340419800	127.0.0.1	127.0.0.1	TCP	44	8080 → 10141 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
108	36.603337900	127.0.0.1	127.0.0.1	TCP	44	8080 → 10143 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
110	36.853326500	127.0.0.1	127.0.0.1	TCP	44	8080 → 10141 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
116	37.105944200	127.0.0.1	127.0.0.1	TCP	44	8080 → 10143 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
144	37.356286200	127.0.0.1	127.0.0.1	TCP	44	8080 → 10141 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
184	37.614861300	127.0.0.1	127.0.0.1	TCP	44	8080 → 10143 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
245	37.867996700	127.0.0.1	127.0.0.1	TCP	44	8080 → 10141 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
299	38.119168700	127.0.0.1	127.0.0.1	TCP	44	8080 → 10143 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
436	38.370801400	127.0.0.1	127.0.0.1	TCP	44	8080 → 10141 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
496	38.595558500	127.0.0.1	127.0.0.1	TCP	44	8080 → 10176 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
508	38.622377400	127.0.0.1	127.0.0.1	TCP	44	8080 → 10143 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
510	38.639977800	127.0.0.1	127.0.0.1	TCP	44	8080 → 10177 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
606	38.859489400	127.0.0.1	127.0.0.1	TCP	44	8080 → 10178 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
614	38.891457300	127.0.0.1	127.0.0.1	TCP	44	8080 → 10179 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
638	39.109230200	127.0.0.1	127.0.0.1	TCP	44	8080 → 10176 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
640	39.140750300	127.0.0.1	127.0.0.1	TCP	44	8080 → 10177 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
646	39.360483500	127.0.0.1	127.0.0.1	TCP	44	8080 → 10178 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0

Evidence screenshot for tcp.flags.reset == 1 filter in wireshark

tcp.analysis.retransmission					
No.	Time	Source	Destination	Protocol	Length Info
2209	2.732329600	2404:6800:4009:81d::	2409:4091:7:a13:f19::	TCP	580 [TCP Spurious Retransmission] 443 → 28924 [PSH, ACK] Seq=
2267	2.909420500	2409:4091:7:a13:f19::	2404:6800:4000:1025::	TCP	1514 [TCP Retransmission] 33319 → 443 [PSH, ACK] Seq=382 Ack=
2350	3.015800800	2404:6800:4000:1025::	2409:4091:7:a13:f19::	TCP	1294 [TCP Retransmission] 443 → 33319 [ACK] Seq=1 Ack=1822 Wi
2431	4.404261900	2a04:4e42:59::347	2409:4091:7:a13:f19::	TCP	113 [TCP Retransmission] 443 → 44640 [PSH, ACK] Seq=1 Ack=46
2638	9.770533100	2001:4860:402b:7700::	2409:4091:7:a13:f19::	TCP	1294 [TCP Retransmission] 443 → 12551 [PSH, ACK] Seq=1221 Ack=
2639	9.770533100	2001:4860:402b:7700::	2409:4091:7:a13:f19::	TCP	1294 [TCP Retransmission] 443 → 12551 [ACK] Seq=1 Ack=1892 Wi
4542	32.598119800	104.18.156.37	192.168.31.49	TLSv1.2	78 [TCP Retransmission] , Application Data
4543	32.598119800	104.18.156.37	192.168.31.49	TCP	54 [TCP Retransmission] 443 → 44417 [FIN, ACK] Seq=1 Ack=1

Frame 2267: Packet, 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits) on interface 0		0000	c8 a3 e8 e3 67 e0 50 bb	b5 6f eb 2a 86 dd 60 0c	...	g: P
Ethernet II, Src: AzureWaveTec_6f:eb:2a (50:bb:b5:6f:eb:2a), Dst: 00:10:00:00:00:00		0010	55 b2 05 b4 06 40 24 09	40 91 00 07 0a 13 f1 9e	U...	@S
Internet Protocol Version 6, Src: 2409:4091:7:a13:f19e:32eb:9a6::5, Dst: 2404:6800:4000:1025::5		0020	32 eb 09 a6 30 4b 24 04	68 00 40 00 10 25 00 00	2...	OK\$
Transmission Control Protocol, Src Port: 33319, Dst Port: 443, Seq: 382, Win: 65535, Len: 0		0030	00 00 00 00 00 5e 82 27	01 bb dd 8e f8 4f 8e 4e	...	^
		0040	c4 9c 50 18 00 ff af 71	00 00 ef 3c f9 6e 1f 71	--P...	C

This frame is a (suspected) retransmission: Label

Packets: 4634 · Displayed: 8 (0.2%)

Profile: Default

Evidence screenshot for tcp.analysis.retransmission filter in wireshark