

Project Design Specification

1. Base Palette

	Primary	hsl(185, 72%, 45%)
	Secondary (Balanced)	hsl(210, 65%, 45%)
	Secondary (High Contrast)	hsl(245, 55%, 55%)
	Accent 1	hsl(265, 55%, 55%)
	Accent 2	hsl(210, 85%, 55%)

2. Functional Colors

	Success	hsl(145, 55%, 45%)
	Error	hsl(0, 78%, 55%)
	Info	hsl(200, 85%, 45%)
	Warning	hsl(40, 90%, 55%)

3. Neutral / Grayscale Palette

Name	Light Mode		Dark Mode	Usage
Gray 50		hsl(210, 20%, 98%)		Backgrounds
Gray 100		hsl(210, 15%, 94%)		Cards, surfaces
Gray 200		hsl(210, 10%, 88%)		Borders, dividers
Gray 300		hsl(210, 10%, 80%)		Secondary UI elements
Gray 400		hsl(210, 10%, 70%)		Tertiary text, placeholders
Gray 500		hsl(210, 10%, 60%)		Disabled text
Gray 600		hsl(210, 10%, 50%)		Strong borders, dividers
Gray 700		hsl(210, 10%, 40%)		Secondary text dark mode
Gray 800		hsl(210, 10%, 30%)		Dark text light mode
Gray 900		hsl(225, 15%, 15%)		Text primary

Project Design Specification

4. Background Variants

Element	Light Mode		Dark Mode	
Body / Page		hsl(210, 20%, 98%)		hsl(225, 15%, 15%)
Card / Surface		hsl(210, 15%, 94%)		hsl(210, 10%, 30%)
Modal		hsl(210, 20%, 98%)		hsl(215, 22%, 13%)
Input Field		hsl(210, 15%, 94%)		hsl(215, 10%, 40%)
Overlay		hsla(0,0%,0%,0.5)		hsla(0,0%,0%,0.7)

5. Border / Divider Colors

Type	Light Mode		Dark Mode	
Default		hsl(210, 10%, 88%)		hsl(210, 10%, 40%)
Strong		hsl(210, 10%, 70%)		hsl(210, 10%, 50%)
Focus Ring		hsl(210, 85%, 55%)		hsl(210, 85%, 55%)

6. Text Variants

Type	Light Mode		Dark Mode		Notes
Primary		hsl(225, 15%, 15%)		hsl(210, 20%, 98%)	Default body
Secondary		hsl(210, 10%, 40%)		hsl(210, 10%, 88%)	Subheadings
Tertiary		hsl(210, 10%, 60%)		hsl(210, 10%, 70%)	Hints, captions
Link		hsl(185, 72%, 45%)		hsl(185, 72%, 45%)	Interactive text
Disabled		hsl(210, 10%, 70%)		hsl(210, 10%, 50%)	Disabled text

7. Button States

Type	Default	Hover	Active	Disabled
Primary		hsl(185, 72%, 45%)		hsl(185, 72%, 30%)
Secondary		hsl(210, 65%, 45%)		hsl(210, 15%, 45%)
Accent		hsl(265, 55%, 55%)		hsl(265, 15%, 70%)

8. Alerts (Backgrounds)

Type	Light Mode (HSLA)		Dark Mode (HSLA)	
Success		hsla(145, 55%, 45%, 0.2)		hsla(145, 55%, 45%, 0.3)
Error		hsla(0, 78%, 55%, 0.2)		hsla(0, 78%, 55%, 0.3)
Info		hsla(200, 85%, 45%, 0.2)		hsla(200, 85%, 45%, 0.3)

Project Design Specification

Type	Light Mode (HSLA)	Dark Mode (HSLA)
Warning	 hsla(40, 90%, 55%, 0.2)	 hsla(40, 90%, 55%, 0.3)