

A DMC_x^2 Multi-channel cross-correlation analyses of a motor/imaginary human activity experiment electroencephalogram (EEG) recordings

Fernando Ferraz Ribeiro^{1,4}, Andrea de Almeida Brito³, Florêncio Mendes Oliveira Filho⁵, Juan Alberto Leyva Cruz², Gilney Figueira Zebende²

1 Federal University of Bahia, Brazil

2 State University of Feira de Santana, Bahia, Brazil

3 Department of Mathematic, Federal Institute of Education, Science and Technology , Salvador, Bahia, Brazil

4 PPGM, State University of Feira de Santana, Bahia, Brazil

5 Computation Engineeering, SENAI CIMATEC University Center, Salvador, Bahia, Brazil

These authors contributed equally to this work.

These authors also contributed equally to this work.

Current Address: Dept/Program/Center, Institution Name, City, State, Country

Deceased

Membership list can be found in the Acknowledgments section.

* correspondingauthor@institute.edu

Abstract

This paper presents an investigation of a motor/imaginary experiment electroencephalogram (EEG) 64-channels recordings, available on the Physionet on-line databank, using the detrended multiple cross-correlation coefficient (DMC_x^2). Analyzing data from 4 channels, F_{332} , F_{637} (frontal region of the head) and P_{349} , P_{654} (parietal region of the head), the DMC_x^2 was used to evaluate the correlation among one of the channels with the three others alternately. Using all the motor/imaginary experiments and 108 of the 109 subjects, our analysis points to a pattern, detected on most of the subjects, where the correlation of the channel F_{332} against the others presents the higher correlation coefficient compared to the other combinations. The reason why some persons don't match that pattern is still an open question.

Introduction

The electroencephalogram (EEG) is, in short, a technic that reads electrical signals from the brain activity with the use of sensors placed in the scalp of the patient and makes sense of this data. Impulses are amplified and recorded over time in parallel, one time serie for each sensor. The EEG equipment measures the electric potential difference from each sensor position in relation with a reference sensor, usually placed in the ear lobe. Although the EEG is almost a centenary technic, in recent decades EEG has addressed new problems as brain-triggered neurorehabilitation treatments, experimental psychology or even computational neuroscience, due to it's versatility and accessibility combined with the advances in signal processing [1].

Fig 1. Bold the figure title.




Figure
caption text here, please use this space for the figure panel descriptions instead of using
subfigure commands. A: Lorem ipsum dolor sit amet. B: Consectetur adipiscing elit.

The recordings used are available at the Physionet on-line databank
(<https://physionet.org/pn4/eegmmidb/>). The data is originated from a study that
perform 14 experiments on a population of 109 subjects, Using 64 electrodes to record
the brain signals. The first 2 experiments are baseline references, the subjects where
resting with eyes opened end the second with eyes closed (one minute for each). The
other four experiments are a combination of two categories with two possible options
each $2 \times 2 = 4$. In general, the experiments consist of making the subjects react over
visual stimulus: a target that appears on a screen. One category is about the target
position, one option is a target that will apearar on the left or the right of the screen,
in the other,the target will appear on the top or on the bottom of the screen. The second
category determines if the subject will actually execute a body action related to the
target position (Real) or if the corresponding action will be just imagined (Imaginary)
by the subject. The tasks, with duration of two minutes, are described below:

- **Task 1:** a target appears on either the left or the right side of the screen. The subject opens and closes the corresponding fist until the target disappears. Then the subject relaxes. (Real (L/R));
- **Task 2:** a target appears on either the left or the right side of the screen. The subject imagines opening and closing the corresponding fist

until the target disappears. Then the subject relaxes. (Imag (L/R));

- **Task 3:** a target appears on either the top or the bottom of the screen. The subject opens and closes either both fists (if the target is on top) or both feet (if the target is on the bottom) until the target disappears. Then the subject relaxes. (Real (T/D));
- **Task 4:** a target appears on either the top or the bottom of the screen. The subject imagines opening and closing either both fists (if the target is on top) or both feet (if the target is on the bottom) until the target disappears. Then the subject relaxes. (Imag (T/D)).

Table 1 presents witch Task is carried in each experiment number. Every subject executes the four tasks three times. Experiments 3, 7 and 11 applies Task 1 to the subjects, experiments 4, 8 and 12, Task 2, experiments 5, 9 and 13, Task 3 and experiments 6, 10 e 14 uses Task 4.

Table 1. Experiment x task relation

| Experiment n ^o | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|---------------------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|
| Baseline 1 | x | | | | | | | | | | | | | |
| Baseline 2 | | x | | | | | | | | | | | | |
| Task 1 | | | x | | | | x | | | | x | | | |
| Task 2 | | | | x | | | | x | | | | x | | |
| Task 3 | | | | | x | | | | x | | | | x | |
| Task 4 | | | | | | x | | | | x | | | | x |

The experiment and the executed tasks: Two one-minute baseline (eyes open/closed) and three two-minute of four Tasks.

To analyse the dataset, this study uses the Detrended Multiple Cross-Correlation Coefficient (DMC_x^2) [2]. This coefficient, based on the ρ_{DCCA} [3], determinates the correlation between one time serie (as the dependent variable) and a number n of time series (as independent variables).

For channels where selected to be analyzed, F_{332} , F_{637} (frontal region of the head) and P_{349} , P_{654} (parietal region of the head). The four channels are alternately picked as dependent variable and the correlation against the other three are calculated.

In the next sections we will present the dataset, the methodology used to analyze the data, the results encountered by the application of our methodology, the discussion of the results and the conclusion.

Materials and methods

The Physionet on-line databank is publicly available at <https://physionet.org/pn4/eegmmidb/>, presents recordings of the described EEG experiments. The data is stored in EDF (European data format) files. The files of all the experiments for every subject where downloaded using a web scraping script created by the authors using Python and the package Beautiful Soap.

The EDF files where opened using Python package pyedflib and reorganized . In EEG experiments, usually the end of the recordings is filled with a sequence of zeroes, corresponding to the time gap between the shooting down of the EEG machine and the recording system. In this pre-processing stage, all the tailing zeroes sequences are eliminated from the records. To properly apply the DMC_x^2 calculations and the

intended comparisons between experiments end subjects, all the time series must have the same length. The research find out the the experiment number 5 (Top/Down, Real) conducted with subject S106 has only 5808 valid recorded points. The second smallest time series has 15742 valid records (subject: S100, experiment: 12 -Left/Right, Imaginary).

The interval between each recorded value in this equipment is 6.25 ms, and the recordings on experiment 5 of subject S106 is 36.3 s. The duration is way smaller then the expected 2 minutes and the series is relatively small to the application os the DMC_x^2 method. Cutting all the subjects data to this duration implies in a great loss of data. The second smaller series of 15742 represents a total duration of 98.3875 s. The value was considered adequate to the DMC_x^2 method and the duration is about 82% of the expected duration. The decision was to eliminate subject S106 from the experiment and to cut all time series at recording point 15742. resulting in a total number of 108 subjects with all 12 experiments per subject lasting 98.3875 s.

The $DCCA$ aims to identify the existence of a correlations among two time series, and is very similar to the DFA algorithm: the steps 1, 2 and 3 are calculated for two timeseries x_{1i} and x_{2i} , generating the integrated series X_{1k} and X_{2k} in the first steps and the detrended series $\tilde{X}_{1k,i}$ and $\tilde{X}_{2k,i}$ in the third step.

$$f_{DCCA}^2(n, i) = \frac{1}{1+n} \sum_{k=i}^{i+n} (X_{1k} - \tilde{X}_{1k,i})(X_{2k} - \tilde{X}_{2k,i}) \quad (1)$$

$$\begin{aligned} DMC_x^2 = & (\rho_{X_2, X_3}^2 \times \rho_{Y, X_1}^2 - \rho_{Y, X_1}^2 + \rho_{X_1, X_3}^2 \times \rho_{Y, X_2}^2 - \rho_{Y, X_2}^2 + \\ & 2 \times \rho_{X_1, X_2} \times \rho_{Y, X_1} \times \rho_{Y, X_2} - 2 \times \rho_{X_1, X_3} \times \rho_{X_2, X_3} \times \rho_{Y, X_1} + \\ & \rho_{X_1, X_2}^2 \times \rho_{Y, X_3}^2 - \rho_{Y, X_3}^2 + 2 \times \rho_{X_1, X_3} \times \rho_{Y, X_1} \times \rho_{Y, X_3} - \\ & 2 \times \rho_{X_1, X_2} \times \rho_{X_2, X_3} \times \rho_{Y, X_1} \times \rho_{Y, X_3} - \\ & 2 \times \rho_{X_1, X_2} \times \rho_{X_1, X_3} \times \rho_{Y, X_2} \times \rho_{Y, X_3} + \\ & 2 \times \rho_{X_2, X_3} \times \rho_{Y, X_2} \times \rho_{Y, X_3}) / \\ & (\rho_{X_1, X_2}^2 + \rho_{X_1, X_3}^2 + \rho_{X_2, X_3}^2 - 2 \times \rho_{X_1, X_2} \times \rho_{X_1, X_3} \times \rho_{X_2, X_3}^{-1}) \end{aligned} \quad (2)$$

The F_{DFA} root mean square (rms) fluctuation function was already used to analyze a subset of the same dataset used here to evaluate [4] [5] [6] [7, 8], [9], [3], [10],

Results

Fig 2

Nulla mi mi, venenatis sed ipsum varius, Table 1 volutpat euismod diam. Proin rutrum vel massa non gravida. Quisque tempor sem et dignissim rutrum. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Morbi at justo vitae nulla elementum commodo eu id massa. In vitae diam ac augue semper tincidunt eu ut eros. Fusce fringilla erat porttitor lectus cursus, vel sagittis arcu lobortis. Aliquam in enim semper, aliquam massa id, cursus neque. Praesent faucibus semper libero.

LOREM and IPSUM nunc blandit a tortor

3rd level heading

Maecenas convallis mauris sit amet sem ultrices gravida. Etiam eget sapien nibh. Sed ac ipsum eget enim egestas ullamcorper nec euismod ligula. Curabitur fringilla pulvinar

Fig 2. Bold the figure title.
Subject code: S014




Figure
caption text here, please use this space for the figure panel descriptions instead of using
subfigure commands. A: Lorem ipsum dolor sit amet. B: Consectetur adipiscing elit.

Fig 3. Bold the figure title.
Subject code: S036




Figure
caption text here, please use this space for the figure panel descriptions instead of using
subfigure commands. A: Lorem ipsum dolor sit amet. B: Consectetur adipiscing elit.

lectus consectetur pellentesque. Quisque augue sem, tincidunt sit amet feugiat eget, 96
ullamcorper sed velit. Sed non aliquet felis. Lorem ipsum dolor sit amet, consectetur 97
adipiscing elit. Mauris commodo justo ac dui pretium imperdiet. Sed suscipit iaculis mi 98
at feugiat. 99

1. react 100
2. diffuse free particles 101
3. increment time by dt and go to 1 102

Sed ac quam id nisi malesuada congue 103

Nulla mi mi, venenatis sed ipsum varius, volutpat euismod diam. Proin rutrum vel 104
massa non gravida. Quisque tempor sem et dignissim rutrum. Lorem ipsum dolor sit 105
amet, consectetur adipiscing elit. Morbi at justo vitae nulla elementum commodo eu id 106

Fig 4. Bold the figure title.
Subject code: S039




Figure
caption text here, please use this space for the figure panel descriptions instead of using
subfigure commands. A: Lorem ipsum dolor sit amet. B: Consectetur adipiscing elit.

Fig 5. Bold the figure title.
Subject code: S078




Figure
caption text here, please use this space for the figure panel descriptions instead of using
subfigure commands. A: Lorem ipsum dolor sit amet. B: Consectetur adipiscing elit.

massa. In vitae diam ac augue semper tincidunt eu ut eros. Fusce fringilla erat porttitor
lectus cursus, vel sagittis arcu lobortis. Aliquam in enim semper, aliquam massa id,
cursus neque. Praesent faucibus semper libero.

- First bulleted item.
- Second bulleted item.
- Third bulleted item.

Discussion

Nulla mi mi, venenatis sed ipsum varius, Table 1 volutpat euismod diam. Proin rutrum
vel massa non gravida. Quisque tempor sem et dignissim rutrum. Lorem ipsum dolor sit
amet, consectetur adipiscing elit. Morbi at justo vitae nulla elementum commodo eu id

Fig 6. Bold the figure title.
Subject code: S099




Figure
caption text here, please use this space for the figure panel descriptions instead of using
subfigure commands. A: Lorem ipsum dolor sit amet. B: Consectetur adipiscing elit.

Fig 7. Bold the figure title.
Global stats: mean




Figure
caption text here, please use this space for the figure panel descriptions instead of using
subfigure commands. A: Lorem ipsum dolor sit amet. B: Consectetur adipiscing elit.

massa. In vitae diam ac augue semper tincidunt eu ut eros. Fusce fringilla erat porttitor
lectus cursus, vel sagittis arcu lobortis. Aliquam in enim semper, aliquam massa id,
cursus neque. Praesent faucibus semper libero.

Conclusion

CO₂ Maecenas convallis mauris sit amet sem ultrices gravida. Etiam eget sapien nibh.
Sed ac ipsum eget enim egestas ullamcorper nec euismod ligula. Curabitur fringilla
pulvinar lectus consectetur pellentesque. Quisque augue sem, tincidunt sit amet feugiat
eget, ullamcorper sed velit.

Sed non aliquet felis. Lorem ipsum dolor sit amet, consectetur adipiscing elit.
Mauris commodo justo ac dui pretium imperdiet. Sed suscipit iaculis mi at feugiat. Ut
neque ipsum, luctus id lacus ut, laoreet scelerisque urna. Phasellus venenatis, tortor nec
vestibulum mattis, massa tortor interdum felis, nec pellentesque metus tortor nec nisl.

Fig 8. Bold the figure title.
Global stats: median




Figure caption text here, please use this space for the figure panel descriptions instead of using subfigure commands. A: Lorem ipsum dolor sit amet. B: Consectetur adipiscing elit.

Fig 9. Bold the figure title.
Global stats: std pop




Figure caption text here, please use this space for the figure panel descriptions instead of using subfigure commands. A: Lorem ipsum dolor sit amet. B: Consectetur adipiscing elit.

Ut ornare mauris tellus, vel dapibus arcu suscipit sed. Nam condimentum sem eget mollis euismod. Nullam dui urna, gravida venenatis dui et, tincidunt sodales ex. Nunc est dui, sodales sed mauris nec, auctor sagittis leo. Aliquam tincidunt, ex in facilisis elementum, libero lectus luctus est, non vulputate nisl augue at dolor. For more information, see.

Supporting information

S1 Fig. Bold the title sentence. Add descriptive text after the title of the item (optional).

S2 Fig. Lorem ipsum. Maecenas convallis mauris sit amet sem ultrices gravida. Etiam eget sapien nibh. Sed ac ipsum eget enim egestas ullamcorper nec euismod ligula. Curabitur fringilla pulvinar lectus consectetur pellentesque.

S1 File. Lorem ipsum. Maecenas convallis mauris sit amet sem ultrices gravida. 140
Etiam eget sapien nibh. Sed ac ipsum eget enim egestas ullamcorper nec euismod ligula. 141
Curabitur fringilla pulvinar lectus consectetur pellentesque. 142

S1 Video. Lorem ipsum. Maecenas convallis mauris sit amet sem ultrices gravida. 143
Etiam eget sapien nibh. Sed ac ipsum eget enim egestas ullamcorper nec euismod ligula. 144
Curabitur fringilla pulvinar lectus consectetur pellentesque. 145

S1 Appendix. Lorem ipsum. Maecenas convallis mauris sit amet sem ultrices 146
gravida. Etiam eget sapien nibh. Sed ac ipsum eget enim egestas ullamcorper nec 147
euismod ligula. Curabitur fringilla pulvinar lectus consectetur pellentesque. 148

S1 Table. Lorem ipsum. Maecenas convallis mauris sit amet sem ultrices gravida. 149
Etiam eget sapien nibh. Sed ac ipsum eget enim egestas ullamcorper nec euismod ligula. 150
Curabitur fringilla pulvinar lectus consectetur pellentesque. 151

Acknowledgments 152

Cras egestas velit mauris, eu mollis turpis pellentesque sit amet. Interdum et malesuada 153
fames ac ante ipsum primis in faucibus. Nam id pretium nisi. Sed ac quam id nisi 154
malesuada congue. Sed interdum aliquet augue, at pellentesque quam rhoncus vitae. 155

References 156

1. Biasiucci A, Franceschiello B, Murray MM. Electroencephalography. Current 157
Biology. 2019;29(3):R80–R85. doi:10.1016/j.cub.2018.11.052. 158
2. Zebende GF, Silva AM. Detrended Multiple Cross-Correlation Coefficient. 159
Physica A. 2018;510:91–97. doi:10.1016/j.physa.2018.06.119. 160
3. Zebende GF. DCCA Cross-Correlation Coefficient: Quantifying Level of 161
Cross-Correlation. Physica A: Statistical Mechanics and its Applications. 162
2011;390(4):614–618. doi:10.1016/j.physa.2010.10.022. 163
4. Mesquita VB, Oliveira Filho FM, Rodrigues PC. Detection of Crossover Points in 164
Detrended Fluctuation Analysis: An Application to EEG Signals of Patients with 165
Epilepsy. Bioinformatics. 2021;37(9):1278–1284. 166
doi:10.1093/bioinformatics/btaa955. 167
5. Oliveira Filho FM, Leyva Cruz JA, Zebende GF. Analysis of the EEG Bio-Signals 168
during the Reading Task by D F A Method. Physica A: Statistical Mechanics 169
and its Applications. 2019;525:664–671. doi:10.1016/j.physa.2019.04.035. 170
6. Filho FMO, Zebende GF, Guedes EF, Filho AMdS, de Castro APN, Cruz JAL. 171
Self-Regulation in Electroencephalographic Signals during an Arithmetic 172
Performance Test: An Approach with an Rms Fluctuation Function. 173
International Journal of Health Science. 2021;1(9):2–12. 174
doi:10.22533/at.ed.15921091210. 175
7. Peng CK, Buldyrev SV, Havlin S, Simons M, Stanley HE, Goldberger AL. 176
Mosaic Organization of DNA Nucleotides. Physical Review E. 177
1994;49(2):1685–1689. doi:10.1103/PhysRevE.49.1685. 178

8. Buldyrev SV, Goldberger AL, Havlin S, Mantegna RN, Malsa ME, Peng CK,
et al. Long-Range Correlation Properties of Coding and Noncoding DNA
Sequences: GenBank Analysis. Physical Review E. 1995;51(5):5084–5091.
doi:10.1103/PhysRevE.51.5084. 179 180 181 182
9. Podobnik B, Stanley HE. Detrended Cross-Correlation Analysis: A New Method
for Analyzing Two Nonstationary Time Series. Physical Review Letters.
2008;100(8). doi:10.1103/PhysRevLett.100.084102. 183 184 185
10. Podobnik B, Jiang ZQ, Zhou WX, Stanley HE. Statistical Tests for Power-Law
Cross-Correlated Processes. Phys Rev E. 2011;84(6):66118.
doi:10.1103/PhysRevE.84.066118. 186 187 188