

HI02H04_L01_S01 — unmatched standards

चित्र देखकर वाक्य मिलाना · Picture–Sentence Matching · Grade 2 Hindi

Audit date: 9 October 2026 · File: `HI02H04_L01_S01/HI02H04_L01_S01.html` (999 KB, 14 slides, 62 audio clips, 73 MB bundle)

Checked against: the Dev_Kit fleet standards (`scripts/standards/` , 22 rulings), the design-system new-game checklist (DESIGN_SYSTEM.md §14), and the `verify_bundle` receipt.

Scope note. The Google Sheet checklist could not be opened from this session (it returned 401 on every export URL — not shared as “anyone with the link”, and the Google Sheets connector is not authorised). The items below are the written fleet standards the sheet is derived from. Share the sheet (Anyone with the link → Viewer) to get a one-to-one mapping to its rows.

Summary

#	Severity	Unmatched standard
1	High	Reveal line vo_reveal is referenced on every question page but has no file — the third-wrong-tap reveal is silent
2	Medium	Audio and image manifests in the card describe files that do not ship, and miss files that do
3	Medium	phase_distribution does not match the slides, and pages P1–P4 are tagged as guided
4	Medium	No <link rel="preload"> in the head — first-screen art and the welcome line start downloading only after the 1 MB page has parsed
5	Medium	Landing title is in the तुम register (“मिलाओ”) while every other line is आप
6	Medium	All audio ships as WAV — 58 MB of a 75 MB bundle, the background bed alone is 46 MB
7	Low	Page / stage background is #F6FBFF instead of the fleet token #F2F7FA
8	Medium	The transition gate shows the reference lesson's bird, not the standard Swiftee transition — and both animations ship
9	Low	Audio chip is 73 px and greys out while a line plays
10	Info	Built on engine stamp 2026.07.16i; the fleet is on 2026.08.04b
11	Low	Flat fail-safe timers race the audio on the train send-off
12	Low	Celebrate head is cache-busted per slide, so it re-downloads on every correct answer
13	Low	Landing Swiftee plays once; the r4 engine note says it loops

WHAT MATCHES (CHECKED, NO ACTION)

- No TTS fallback anywhere; a missing clip is silent.
- No external network calls; telemetry endpoint is null; Baloo 2 is embedded.
- 1333×750 stage scaled as one unit, portrait rotation, dev navigation only with `?dev=1`.
- Standard play disc (byte-identical to the “Standard play button” SVGs), standard BGM (same 4:00 cut, ducked under VO), all five standard SFX wired through one helper.
- Phase gate scrim `rgba(57,55,55,.6) + blur(10px)`; the three gate lines are on disk; the gate holds ≥ 4 s.
- Confetti falls from the top of the stage; celebration page shows its button at once with no other text; landing VO does not restart on the first tap.
- Tutorial pages unlock आगे on their own when the narration ends (zero taps); answer cards are untappable while a line plays, with no visual effect.
- Prompts, hints and all 49 VO lines are आप register; no GIF or PNG ships; six headless page renders had zero console errors and no overlaps or clipping.

RECEIPT ROWS THAT ARE FALSE ALARMS (NO ACTION)

- “Art: 17 images missing” — the map is stale (item 2); the `_y1w` files the slides use exist.
- “Orphaned sfx_std_* / sw_head_*” — built dynamically from a name, so the sweep cannot see them.
- “Silent hint on G2/G4/P2/P4” — the hint button falls back to the slide’s try-again line.
- “loader.webp blank” — frame 0 is transparent; later frames are 24 % opaque.
- “Pick dominates 10/10” — the two train pages are drag mechanics the receipt does not recognise.

1 High Reveal line `vo_reveal` is referenced on every question page but has no file — the third-wrong-tap reveal is silent

Checklist standard. Every clip the card references must exist on disk; a missing clip plays as silence and there is no TTS fallback (`no_tts_standard`, `vo_reference_check`). Question slides carry a spoken REVEAL (`verify_bundle` "voice roles").

WHAT THIS FILE DOES

All 8 question slides (G1–G4, P1–P4) set `audio.reveal = "vo_reveal"` ("यह सही जोड़ा है।"). `assets/Audio` has no `vo_reveal.wav`. `audioFor()` builds the path from the id without checking the file, so after the third wrong tap `revealAnswer()` plays a missing file and the engine's 1.2 s silent beat runs instead; the `correct` / `try_again` fallbacks never run because the id is present. The file's own [GUIDED-EASY-TAP] note (line 8751) records this.



वाक्य के लिए सही चित्र चुनिए।

बच्चे गेंद से खेल रहे हैं।



G1 after three wrong taps: decoys blurred, the answer pulsing with the pointing hand — at this moment nothing is spoken (headless capture).

cardData (line 1056) — excerpt, pretty-printed

vo_reveal on every question slide

```
{
  "id": "G1",
  "type": "STORY_QUESTION",
  "audio": {
    "prompt": "vo_prompt_sent_to_pic",
    "word_name": "vo_sent_children_ball",
    "try_again": "vo_try_again_read_sentence",
    "hint": "vo_sent_children_ball",
    "reveal": "vo_reveal",
    "correct": "vo_ok_pic"
  }
}
```

HI02H04_L01_S01.html		lines 1349–1352	<i>audioFor() trusts the id — no file check</i>
1349	function audioFor(slide, key){		
1350	if(!slide.audio !slide.audio[key]) return null;		
1351	return "assets/Audio/" + slide.audio[key] + "." + AUDIO_EXT;		
1352	}		

HI02H04_L01_S01.html		lines 8748–8753	<i>the file's own note on the missing clip</i>
8748	/* [GUIDED-EASY-TAP] (2026-10-07, user request) pages 5-12 (G1, G2, G3, G4, P1, P2, P3, P4 = ?slide=3..10, GUIDED_EASY_BY_SLIDE):		
8749	after the third wrong tap the reveal (revealAnswer: the decoys blurred and dead, the answer with its green guide-pulse and the		
8750	pointing hand, state.locked) waits for the child's tap on the answer - and that tap was hard to land, for three reasons:		
8751	(1) the hand came up at the very instant the reveal's play() began, and the card's reveal line vo_reveal has NO file in		
8752	assets/Audio, so the engine's missing-file beat keeps body.vo-playing on for 1.2 s - with [VO-SHIELD] every tap in that		
8753	window is swallowed, so the first tap after the hand appeared did nothing; (2) the hand sits just below the answer and took		

audit sweep output

ids referenced in the card but absent from assets/Audio

vo_tap_swiftee_replay

vo_tap_speaker_sentence

vo_hint_cat_drink

vo_hint_mom

vo_hint_boy_fill

vo_hint_cat

vo_try_again

vo_reveal

SUGGESTION TO MATCH THE STANDARD

- **Record the line** “यह सही जोड़ा है।” in the same voice and level as the other clips (–18 LUFS) and save it as assets/Audio/vo_reveal.wav. Add it to the VO manifest. Re-run the reveal check (three wrong taps on any G/P page) and confirm the line plays before the hand appears.
- **If no recording is coming**, delete "reveal": "vo_reveal" from the 8 slides so audioFor(slide,"reveal") returns null and the engine falls back to the slide's correct line (G2, G4) or its try_again line. Prefer the recording: the fallback lines do not say “this is the right pair”.

Audio and image manifests in the card describe files that do not ship, and miss files that do

Checklist standard. Asset sweep before shipping: every `assets/...` reference exists, no orphans, manifests current (DESIGN_SYSTEM §13.8; `verify_bundle` “Voice-over ... real audio” and “Art ... generated”).

WHAT THIS FILE DOES

`assets.audio_text` lists 49 ids; **8 have no file** (`vo_tap_swiftee_replay`, `vo_tap_speaker_sentence`, `vo_hint_cat_drink`, `vo_hint_mom`, `vo_hint_boy_fill`, `vo_hint_cat`, `vo_try_again`, `vo_reveal`). Four `vo_hint_*` lines and `vo_try_again` are not used by any slide; `vo_tap_speaker_sentence` was replaced by `vo_tap_speaker_sentence_story`, which ships but is **not in the manifest**; `vo_tap_swiftee_replay` belonged to the removed bird cue. `assets.image` has 17 entries and **15 point at files that do not exist**, while the 19 `_ylw/_wht` pictures the slides actually use are not in the map. `_emoji_fallback` carries the same stale keys. Runtime is unaffected (slides resolve their keys directly), but the manifests are what the VO/art hand-off and the receipt read.

cardData (line 1056) — assets.image excerpt

image map: stale entries (file missing)

```
{
  "pic_boy_run": "assets/Images/pic_boy_run.webp",
  "pic_girl_read_book": "assets/Images/pic_girl_read_book.webp",
  "pic_cat_drink": "assets/Images/pic_cat_drink.webp",
  "pic_cat_sleep": "assets/Images/pic_cat_sleep.webp",
  "pic_bird_tree": "assets/Images/pic_bird_tree.webp",
  "pic_bird_fly": "assets/Images/pic_bird_fly.webp",
  "pic_mom_cook": "assets/Images/pic_mom_cook.webp",
  "pic_mom_read": "assets/Images/pic_mom_read.webp"
}
... 7 more
```

audit sweep output

image keys the slides use but the map does not know

```
pic_bird_peck_ylw
pic_bird_tree_ylw
pic_boy_drink_water_sq_ylw
pic_boy_drink_water_ylw
pic_boy_eat_ylw
pic_boy_fill_water_ylw
pic_cat_drink_sq_ylw
pic_cat_eat_ylw
pic_cat_sleep_ylw
pic_children_circle_opt_ylw
pic_children_circle_ylw
pic_children_run_ylw
pic_girl_cycle
pic_girl_read_book_ylw
pic_goat_eat_ylw
pic_mom_read_ylw
pic_mom_water_plants_ylw
```

audit sweep output

shipped VO line missing from audio_text

```
vo_tap_speaker_sentence_story.wav  (“वाक्य सुनने के लिए यहाँ टैप करिए।” – pages 2–4 speaker cue)
```

SUGGESTION TO MATCH THE STANDARD

- **Regenerate both maps from disk.** `audio_text`: one entry per shipped `vo_*/sfx_std_*` file — add `vo_tap_speaker_sentence_story`, drop the 8 dead ids (or record the 4 `vo_hint_*` lines if the hint rung should get its own line instead of re-speaking the sentence).
- `assets.image`: list the pictures the slides use (the `_ylw/_wht` files and the train art) and prune `_emoji_fallback` to those keys. The Dev_Kit receipt's "Voice-over" and "Art" rows then turn green.

3 Medium phase_distribution does not match the slides, and pages P1–P4 are tagged as guided

Checklist standard. `phase_distribution` must equal the slide count by phase (verify_bundle hard FAIL); a slide's `phase` drives its signals, nudge timing and the phase gate.

WHAT THIS FILE DOES

`phase_distribution` = { "tutorial": 4, "guided": 4, "practice": 7 } → sums to 15 for 14 slides. By `slide.phase` the file actually has tutorial 3, guided 8, practice 3: P1–P4 carry `"phase": "guided"`. So P1–P4 report phase "guided" in every signal (`slide_entered`, `*_first_try`, `answer_wrong`), use the guided 5 s nudge, and the practice gate ("वाह! अब आपकी बारी") fires before P5, not before P1. `nudge_timeout_ms` has an `independent` key that no slide uses.

cardData (line 1056) — excerpt, pretty-printed		phase_distribution vs the slides
<pre>{ "phase_distribution": { "tutorial": 4, "guided": 4, "practice": 7 }, "scaffold_rules": { "nudge_timeout_ms": { "guided": 5000, "independent": 8000 }, "max_attempts": 3 } }</pre>		
slides by phase:		
0	T1	tutorial
1	T2	tutorial
2	T3	tutorial
3	G1	guided
4	G2	guided
5	G3	guided
6	G4	guided
7	P1	guided
8	P2	guided
9	P3	guided
10	P4	guided
11	P5	practice
12	P6	practice
13	CEL	practice

SUGGESTION TO MATCH THE STANDARD

- **Decide which phase P1–P4 are.** If they are practice (their ids say so): set `"phase": "practice"` on the four slides, rename `nudge_timeout_ms.independent` to `practice` (8000), set `phase_distribution` to { "tutorial": 3, "guided": 4, "practice": 7 }; the practice gate will then fire before P1.
- If the current flow (gate before the train pages) is the intended one, keep the phases and only fix the count: { "tutorial": 3, "guided": 8, "practice": 3 }.

4

Medium

No <link rel="preload"> in the head — first-screen art and the welcome line start downloading only after the 1 MB page has parsed

Checklist standard. [31q] preload_standard: the first slides' art is preloaded from <head> so it downloads during the loading screen (measured 7468 ms → 1463 ms to first art on a tablet profile). The Dev_Kit's built HI01H05_L01_S01 carries this block.

WHAT THIS FILE DOES

The head holds the inline favicon, the embedded font and the stylesheet, and no preload link. The landing hero, T1's picture, the 1.8 MB landing Swiftee animation and `vo_landing.wav` are requested by script after parse.

HI02H04_L01_S01.html		lines 1–12	<head> — no preload links
1	<!doctype html>		
2	<html lang="hi">		
3	<head>		
4	<meta charset="utf-8">		
5	<meta name="viewport" content="width=device-width, initial-scale=1">		
6	<title>SwiftPAL · HI02H04_L01_S01 · चित्र-वाक्य मिलान</title>		
7	<!-- inline favicon: stops the browser asking for /favicon.ico and logging a 404 -->		
8	<link rel="icon" href="data:image/gif;base64,R0lGODlhAQABAIAAAAAAAP///yH5BAEAAAAALAAAAABAAEAAAIBRAA7">		
9	<!-- LAYOUT: ported value-for-value from HIKGH01_L02_S03 (कहानी - तोता) - its base stylesheet, chrome markup,		
10	UI assets and appended layout patches. Engine 2026.07.16i-r4-unified + this lesson's card are unchanged. -->		
11	<style id="embedded-fonts">		
12	/* UNIFIED ENGINE - Baloo 2 (Devanagari member of Ek Type's Baloo superfamily; SIL OFL 1.1),		

SUGGESTION TO MATCH THE STANDARD


- Add, right after <meta charset>, preloads for the first two screens only (so they do not compete with the page): `assets/UI/new_landing_swiftee_anim.webp`, the landing background art, `assets/Images/pic_girl_play_ball.webp`, `assets/Images/pic_boy_sit.webp`, `assets/UI/sw_head_talking.webp`, and `assets/Audio/vo_landing.wav` (`as="audio"`).
- Example: `<link rel="preload" as="image" href="assets/Images/pic_girl_play_ball.webp">`. Confirm in the Network panel that these start before the script runs.

Landing title is in the तुम register (“मिलाओ”) while every other line is आप

Checklist standard. आप register fleet-wide (ruling 2026-08-02: “not तुम but आप and कीजिए / सुनिए tone”), swept across prompts, hints, tutorial lines and celebration copy (aap_register_standard).

WHAT THIS FILE DOES

Line 1012 and `title_hi` read “चित्र देखकर वाक्य मिलाओ!”. The subtitle (“पढ़िए . देखिए . चुनिए”), all 49 VO lines and every on-screen prompt are आप: चुनिए ×17, देखिए ×10, पढ़िए ×5, करिए ×4, कीजिए ×1. This is the only तुम-form in the file's content.



Landing page: the title's “मिलाओ” — the one तुम-form in the lesson.

● ● ● HI02H04_L01_S01.html	lines 1011–1013	landing title markup
1011	<code><div class="sg-content"></code>	
1012	<code><div class="sg-title" id="sgTitle">चित्र देखकर वाक्य मिलाओ!</div></code>	
1013	<code><div class="sg-sub"></div></code>	

● ● ● cardData (line 1056) — excerpt, pretty-printed	card title
<pre> { "title": { "hi": "चित्र देखकर वाक्य मिलाओ!", "en": "Picture-Sentence Matching" }, "subtitle_hi": "पढ़िए . देखिए . चुनिए" }</pre>	

SUGGESTION TO MATCH THE STANDARD

- Change to “चित्र देखकर वाक्य मिलाइए!” in both places (the markup at line 1012 and `title_hi` in the card — `boot()` may rewrite `#sgTitle` from the card).
- The title is 60 px under a 760 px one-line cap and currently has ~200 px to spare; “मिलाइए” adds one akshara, so re-take a landing screenshot to confirm it still fits on one line.

All audio ships as WAV — 58 MB of a 75 MB bundle, the background bed alone is 46 MB

Checklist standard. Hindi FLN audio is .ogg per card (DESIGN_SYSTEM §11; audio_ext ".mp3 maths / .ogg Hindi FLN"); delivery size is a gate (dist_size, verify_vo_shipped). The [BGM-DUCK] note in this file says the bed was "re-encoded 256 → 128 kbps".

WHAT THIS FILE DOES

assets.audio_ext = "wav"; all 58 clips are PCM WAV: 58.5 MB; bgm_standard_2.wav alone is 46.1 MB (4:00 stereo). Five code sites also hard-code .wav (standard SFX, train whistle, correct chime, departure, BGM), so changing audio_ext alone is not enough. On a tablet over Wi-Fi the 46 MB bed is fetched before the music can start on the landing.

audit sweep output

assets/Audio by size (top)

```
46.1 MB  bgm_standard_2.wav
0.6 MB   sfx_train_depart.wav
0.5 MB   vo_pt_guided.wav
0.5 MB   vo_pt_tutorial.wav
0.4 MB   sfx_bicycle_bell.wav
0.4 MB   sfx_morning_birds.wav
... 58 files, 58.5 MB total, every one .wav
```

HI02H04_L01_S01.html

lines 1111–1111

AUDIO_EXT comes from the card

```
1111  const AUDIO_EXT = (CARD.assets && CARD.assets.audio_ext) || "mp3"; // .mp3 (maths) / .ogg (Hindi FLN)
```

HI02H04_L01_S01.html

lines 1246–1246

hard-coded .wav: standard SFX

```
1246  const a = new Audio("assets/Audio/sfx_std_" + name + ".wav");
```

HI02H04_L01_S01.html

lines 9350–9350

hard-coded .wav: BGM bed

```
9350  var SRC = "assets/Audio/bgm_standard_2.wav", BASE = 0.13, DUCK = 0.03, DOWN_MS = 180, UP_MS = 600, 0
      UT_MS = 600;
```

SUGGESTION TO MATCH THE STANDARD

- **Re-encode:** VO and SFX → Ogg Vorbis q6 mono 48 kHz ($\approx 1/10$ the size); BGM → Ogg Vorbis q4 stereo (≈ 4 MB). Set audio_ext to "ogg" and make the five hard-coded sites use AUDIO_EXT (lines 1246, 4145, 4222, 4339, 9350). Re-run the headless sound trace.
- `ffmpeg -i in.wav -c:a libvorbis -q:a 6 -ac 1 -ar 48000 out.ogg` · BGM: `ffmpeg -i bgm_standard_2.wav -c:a libvorbis -q:a 4 bgm_standard_2.ogg`
- If WAV was a deliberate ask (e.g. the player app cannot decode Ogg), record it on the checklist and at least ship the bed as the standard MP3 it came from (≈ 7 MB) or as 16-bit mono 22 kHz WAV (≈ 10 MB).

7 Low Page / stage background is #F6FBFF instead of the fleet token #F2F7FA

Checklist standard. One stage background token `--bg:#F2F7FA` for page, stage and end screen; no theme re-tints it (20a ruling; verify_bundle “CSS token `--bg`” and “toybox keeps `var(--bg)`” — both FAIL here).


WHAT THIS FILE DOES

`html,body` (line 38), `.stage` (50), `.stage.thm-toybox` (333), `.ref-station` and `.ref-figma` all paint `#F6FBFF`, ported from the HIKGH01_L02_S03 reference. The fleet colour appears once (line 5376). Every question page shows the lighter, bluer tint.



वाक्य के लिए सही चित्र चुनिए।

बच्चे गेंद से खेल रहे हैं।



G1 at 1366×768: page and stage in `#F6FBFF`; the fleet token is the warmer `#F2F7FA`.

● ● ● **HI02H04_L01_S01.html** lines 38–38 *body background*

38 `html,body{height:100%;background:#F6FBFF;font-family:var(--font-hi);color:var(--navy);user-select:none;-webkit ...`

● ● ● **HI02H04_L01_S01.html** lines 50–50 *stage + toybox theme*

50 `.stage{width:1333px;height:750px;position:absolute;top:0;left:0;transform-origin:top left;transform:scale(var( ...`

● ● ● **HI02H04_L01_S01.html** lines 333–333

333 `.stage.thm-toybox{ background:#F6FBFF; }`

SUGGESTION TO MATCH THE STANDARD

- If the checklist wants the fleet colour: add `:root{--bg:#F2F7FA}` and replace the five `#F6FBFF` sites with `var(--bg)` (`body`, `.stage`, `.stage.thm-toybox`, `.ref-station`, `.ref-figma`).
- If the reference's `#F6FBFF` is the agreed look for this lesson family, record it on the checklist as an approved deviation so the receipt's two red rows are explained.

8


Medium

The transition gate shows the reference lesson's bird, not the standard Swiftee transition — and both animations ship

Checklist standard. Phase gates use the standard Swiftee transition animation (the “Standard Swiftee Transition Animation” file; gate_standard: scrim rgba(57,55,55,.6) + blur(10px), bird bottom-anchored). Ship only referenced assets (§13.8).

WHAT THIS FILE DOES

Since 2026-10-08 the live gate ([GATE-REF-ANIM]) shows `assets/UI/peeking_talk_up.webp` (900×900, 61 frames, loops, 1.5 MB) copied from the HI02H11_L03_S02 reference. The standard cut `assets/UI/swiftee_transition.webp` (504×440, 98 frames, 1.5 MB) is still the `<img id="phaseGateImg">` initial src (line 5035) and is still fetched at boot by the superseded [GATE-STD-ANIM] block (line 4691). Scrim, blur and the three gate lines match the ruling.



Guided gate opened headlessly: the reference's peeking bird (`peeking_talk_up.webp`), not the standard transition cut.

● ● ●	HI02H04_L01_S01.html	lines 9730–9730	live gate source
9730	var GATE_REF_SRC = "assets/UI/peeking_talk_up.webp";		
● ● ●	HI02H04_L01_S01.html	lines 5035–5035	standard cut still the initial src
5035	<div class="phase-gate" id="phaseGate"><div class="pg-title" id="phaseGateTitle"></div> src` (line 5035) and `GATE_ANIM_SRC` (line 4691) at `peeking_talk_up.webp` and delete `swiftee_transition.webp`. Either way the bundle loses 1.5 MB and one boot-time fetch.		

9 Low Audio chip is 73 px and greys out while a line plays

Checklist standard. Audio chip: 66 px, never moves (audio_chip_standard, ruling 2026-07-30 “a little slim”). VO lock = pointer-events:none only — “you don't need to show any effect for untappable” (vo_lock_standard).

WHAT THIS FILE DOES

--chip-size:73px (line 33, the [MIC-CHIP-110] change “66 → 73px”). While a line plays, the header chip, the landing chip and the tutorial chip get `opacity:.5 + grayscale(1)` (lines 9662, 9877, 9882). The answer cards themselves are compliant: `.opt-grid.spk-locked` and `.tis-hot` lock with pointer-events only. The chip's throb animation is correctly neutralised (line 5038).



वाक्य के लिए सही चित्र चुनिए।

बच्चे गेंद से खेल रहे हैं।



G1 while the prompt plays: the replay chip at Swiftie's hip is greyed out (bottom-left of the band).

	HI02H04_L01_S01.html	lines 33–33	chip size
33	<code>--chip-size:73px; --chip-right:-29.5px; --chip-bottom:-15.5px; /* [MIC-CHIP-110] 66 -> 73px (72.6 rounded), same centre */</code>		
	HI02H04_L01_S01.html	lines 9662–9662	greyed while VO plays — header chip
9662	<code>body.vo-playing #audioChip,body.vo-playing .mascot-wrap .audio-chip{pointer-events:none !important;opacity:.5 !important;filter:grayscale(1) brightness ...</code>		
	HI02H04_L01_S01.html	lines 9877–9882	landing and tutorial chips
9877	<code>.start-gate .sg-vo.sg-vo-off,body.vo-playing .start-gate .sg-vo{pointer-events:none !important;opacity:.5 !important;filter:grayscale(1) brightness(1. ...</code>		
9878	<code>.tut-card .tut-spq{position:absolute;left:92px;bottom:-16px;width:58px;height:58px;z-index:4;cursor:pointer;display:block;}</code>		
9879	<code>.tut-card .tut-spq svg{width:100%;height:100%;display:block;overflow:visible;filter:drop-shadow(0 3px 6px rgba(0,0,0,.22));}</code>		
9880	<code>.tut-card .tut-spq svg > g[filter]{filter:none;} /* the CSS drop-shadow supplies it; the in-SVG region would clip the ring's bottom */</code>		
9881	<code>.tut-card .tut-spq .wv{opacity:1;}</code>		
9882	<code>body.vo-playing .tut-card .tut-spq{pointer-events:none !important;opacity:.5 !important;filter:grayscale(1) brightness(1.2) !important;}</code>		

SUGGESTION TO MATCH THE STANDARD

- Set `--chip-size:66px` and re-derive the centre offsets (`--chip-right:-26px`; `--chip-bottom:-12px` as in the engine template).
- Remove `opacity:.5 !important; filter:grayscale(1) brightness(1.2) !important` from the three `body.vo-playing` chip rules, keeping `pointer-events:none`. If the reviewer asked for the greyed “wait” look, record it as an approved exception.

10 Info Built on engine stamp 2026.07.16i; the fleet is on 2026.08.04b

Checklist standard. verify_bundle asserts the current unified engine stamp (hard FAIL otherwise).

WHAT THIS FILE DOES

ENGINE_VERSION = "2026.07.16i-r4-unified" (line 1113). This file is a standalone monolith with ~5000 lines of lesson-specific modules; the rulings issued after 07.16 were applied by hand. Verified present: no-TTS, gate scrim/blur, celebration button at once, landing VO not restarting, top-fall confetti, tutorial autonomy, आप register (except item 5). The misses are items 4, 6, 9, 11 and 12 of this report.

	HI02H04_L01_S01.html	lines 1113–1113	engine stamp
1113	const ENGINE_VERSION = "2026.07.16i-r4-unified"; // ENGINE STAMP – the receipt (verify_bundle.py) asserts a built game carries THIS exact ...		

SUGGESTION TO MATCH THE STANDARD

- No change needed for play. On the checklist, record “standalone build, post-07.16 rulings hand-applied” with the open items listed; a rebuild on 2026.08.04b would be a large port and is not recommended for this file.

11 Low Flat fail-safe timers race the audio on the train send-off

Checklist standard. [31y] failsafe_standard: every deadline is derived from the decoded clip, never a flat timer that can fire before the line ends.

WHAT THIS FILE DOES

Train send-off: `play(voSrc, sendOff); setTimeout(sendOff, 6000)` (line 4347) and `setTimeout(showNav, 6300)` (4344). Today's sentence clips are 2.2–2.8 s so the nets never win, but a longer re-recording would be cut. The tutorial watchdogs (30 s at 3921, 15 s at 3971) are generous and fine.

HI02H04_L01_S01.html		lines 4342–4348	send-off nets
4342	const train = panel.querySelector('.ref-train');		
4343	if(train) train.addEventListener('animationend', e=>{ if(e.animationName === 'refTrainOut') showNav(); }, { once:true });		
4344	setTimeout(showNav, 6300);		
4345	}, 1600);		
4346	};		
4347	if(voSrc){ play(voSrc, sendOff); setTimeout(sendOff, 6000); } else sendOff();		
4348	};		

SUGGESTION TO MATCH THE STANDARD

- Derive the net from the clip: read `currentAudio.duration` on `loadedmetadata` and arm `setTimeout(sendOff, duration*1000 + 800)` (fallback `4000 + 800` if the duration is unknown) — the pattern `failsafe_standard.py` applies.

Celebrate head is cache-busted per slide, so it re-downloads on every correct answer

Checklist standard. [gate-cache] cachebust_standard: restart a play-once animation from the cached copy; a new URL is a repeated download.

WHAT THIS FILE DOES

setSwMood() appends `?r=<slideStart>` to `sw_head_celebrate_anim.webp` (381 KB) — a new URL per slide, i.e. 8+ downloads per play on a tablet.

HI02H04_L01_S01.html		lines 1283–1285	<i>per-slide bust</i>
1283	const bust = (animated && expression === "celebrate") ? ("?r=" + ((typeof state !== "undefined" && state.slideStart) 1)) : "";		
1284	img.onerror = () => { img.onerror = null; img.src = "assets/UI/mascot.webp"; };		
1285	img.src = "assets/UI/sw_head_" + expression + (animated ? "_anim" : "") + ".webp" + bust;		

SUGGESTION TO MATCH THE STANDARD


- Replace the bust with a same-URL reset: `img.src = ""; void img.offsetWidth; img.src = "assets/UI/sw_head_celebrate_anim.webp";` — the animation restarts from frame 0 and the browser serves it from cache.

13 Low Landing Swiftee plays once; the r4 engine note says it loops

Checklist standard. DESIGN_SYSTEM §6 (r4 reconcile): the landing mascot LOOPS (`loop=0` , continuous wave) and is set directly as the `.sg-mascot src`.

WHAT THIS FILE DOES

`new_landing_swiftee_anim.webp` is encoded `loop=1` (36 frames, plays once): the bird waves once at boot and holds its last frame while the ~7 s welcome line is still speaking.



Landing at 5 s: the mascot already on its last frame.

● ● ●	HI02H04_L01_S01.html	lines 1009–1009	landing mascot img
1009	<img class="sg-mascot" src="assets/UI/new_landing_swiftee_anim.webp" alt="Swiftee"		
● ● ●	audit sweep output		file check (PIL)
new_landing_swiftee_anim.webp 560x550 frames=36 loop=1 (play once) 1794 KB			

SUGGESTION TO MATCH THE STANDARD

- Re-encode with `loop=0` (PIL `save(..., loop=0)` , same frames) if the checklist wants the continuous wave; if the single wave was the agreed Page 1 beat (2026-10-05), note it as an approved deviation.