
ArUco id 1 DICT_4X4_50 160 mm


print at 100% - the BLACK SQUARE must measure 160.0 mm - cut on the grey line



white margin 26.7 mm (1 bit cell = 26.7 mm) + 3 mm cutting tolerance

ArUco id 2 DICT_4X4_50 160 mm


print at 100% - the BLACK SQUARE must measure 160.0 mm - cut on the grey line



white margin 26.7 mm (1 bit cell = 26.7 mm) + 3 mm cutting tolerance

ArUco id 3 DICT_4X4_50 160 mm


print at 100% - the BLACK SQUARE must measure 160.0 mm - cut on the grey line



white margin 26.7 mm (1 bit cell = 26.7 mm) + 3 mm cutting tolerance

ArUco id 4 DICT_4X4_50 160 mm


print at 100% - the BLACK SQUARE must measure 160.0 mm - cut on the grey line



white margin 26.7 mm (1 bit cell = 26.7 mm) + 3 mm cutting tolerance

ArUco id 5 DICT_4X4_50 100 mm


print at 100% - the BLACK SQUARE must measure 100.0 mm - cut on the grey line



white margin 16.7 mm (1 bit cell = 16.7 mm) + 3 mm cutting tolerance

ArUco id 6 DICT_4X4_50 100 mm


print at 100% - the BLACK SQUARE must measure 100.0 mm - cut on the grey line



white margin 16.7 mm (1 bit cell = 16.7 mm) + 3 mm cutting tolerance

ArUco id 7 DICT_4X4_50 100 mm

print at 100% - the BLACK SQUARE must measure 100.0 mm - cut on the grey line



white margin 16.7 mm (1 bit cell = 16.7 mm) + 3 mm cutting tolerance