

ANNAPURNA 360 — GitHub Ready Source Code

Complete frontend code supplied in the uploaded index.html file.

```
001 <!DOCTYPE html>
002 <html lang="en">
003 <head>
004 <meta charset="UTF-8">
005 <meta name="viewport" content="width=device-width, initial-scale=1.0">
006 <title>ANNAPURNA 360 | Food Rescue & Prevention Network</title>
007 <style>
008 *{box-sizing:border-box}body{margin:0;font-family:Arial,Helvetica,sans-serif;background:#f5f7f3;color:#17301f}
009 header{background:#173d25;color:white;padding:18px
5%;display:flex;justify-content:space-between;align-items:center;position:sticky;top:0;z-index:10}
010 .logo{font-size:25px;font-weight:800}.tag{font-size:12px;color:#cce7cf}
011 nav a{color:white;text-decoration:none;margin-left:18px;font-size:14px}
012 .hero{padding:70px 6%;background:linear-gradient(135deg,#e6f4e7,#fff);display:grid;grid-template-columns:1.2fr
.8fr;gap:30px;align-items:center}
013 .hero h1{font-size:48px;margin:10px 0}.hero p{font-size:18px;line-height:1.6}.badge{display:inline-block;padding:8px
13px;background:#d5edd9;border-radius:20px;font-weight:bold}
014 .flow{background:white;border-radius:22px;padding:25px;box-shadow:0 10px 35px #0001}
015 .flow div{padding:15px;margin:10px 0;border-radius:12px;background:#f0f6ef;font-weight:bold}
016 section{padding:55px 6%}.title{text-align:center;margin-bottom:30px}.title h2{font-size:32px;margin:5px}.title
p{color:#58705d}
017 .grid{display:grid;grid-template-columns:repeat(auto-fit,minmax(240px,1fr));gap:20px}
018 .card{background:white;border-radius:18px;padding:22px;box-shadow:0 5px 22px #0000010}.card
h3{margin-top:0}.num{font-size:28px;font-weight:bold;color:#2b7940}
019 form{background:white;padding:25px;border-radius:18px;box-shadow:0 5px 22px #0000010;max-width:900px;margin:auto}
020 .row{display:grid;grid-template-columns:repeat(2,1fr);gap:15px}label{font-weight:bold;font-size:14px}input,select,textarea{
width:100%;padding:12px;margin-top:7px;border:1px solid #ccd8cd;border-radius:9px;font-size:15px}
021 button{background:#27753d;color:white;border:0;border-radius:10px;padding:13px
20px;font-weight:bold;cursor:pointer;margin-top:15px}button:hover{background:#1d5e31}
022 .result{margin-top:20px;padding:20px;border-radius:15px;background:#eef7ef;display:none}
023 .score{font-size:42px;font-weight:800}.green{color:#20783b}.yellow{color:#a36d00}.red{color:#a22b2b}
024 table{width:100%;border-collapse:collapse;background:white;border-radius:15px;overflow:hidden}th,td{padding:13px;border-bot
tom:1px solid #e5e8e5;text-align:left}th{background:#edf5ed}
025 .kpis{display:grid;grid-template-columns:repeat(4,1fr);gap:15px}.kpi{background:white;padding:20px;border-radius:15px}.kpi
b{font-size:28px;display:block}
026 footer{background:#173d25;color:white;text-align:center;padding:30px}
027 .small{font-size:13px;color:#607363;line-height:1.5}
028 @media(max-width:800px){.hero{grid-template-columns:1fr}.hero h1{font-size:36px}.row,.kpis{grid-template-columns:1fr
1fr}nav{display:none}}
029 @media(max-width:520px){.row,.kpis{grid-template-columns:1fr}}
030 </style>
031 </head>
032 <body>
033 <header>
034 <div><div class="logo">ANNAPURNA 360</div><div class="tag">Prevent • Rescue • Recover • Learn</div></div>
035 <nav><a href="#about">About</a><a href="#predict">Predict</a><a href="#rescue">Rescue</a><a
href="#dashboard">Impact</a></nav>
036 </header>
037
038 <section class="hero">
039 <div>
040 <span class="badge">SIH Solution Concept • FoodTech & Rural Development</span>
041 <h1>Stop food waste before it becomes waste.</h1>
042 <p>ANNAPURNA 360 is a practical software-first platform that predicts food demand, detects potential surplus, guides safe
next steps, connects suitable recipients and learns why waste happens.</p>
043 <a href="#predict"><button>Try the Working Demo</button></a>
044 </div>
045 <div class="flow">
046 <h3>How ANNAPURNA 360 works</h3>
047 <div>1■■ PREVENT — Predict how much to prepare</div>
048 <div>2■■ RESCUE — Register and prioritize surplus</div>
049 <div>3■■ RECOVER — Choose an appropriate recovery pathway</div>
050 <div>4■■ LEARN — Build a Food Waste Fingerprint</div>
051 </div>
052 </section>
053
054 <section id="about">
055 <div class="title"><h2>Your Requirements — Built Into The Website</h2><p>The project is designed around the requirements
you gave for the hackathon.</p></div>
056 <div class="grid">
057 <div class="card"><div class="num">01</div><h3>Rural + Food Focus</h3><p>Supports colleges, hostels, hotels, restaurants,
caterers, supermarkets, institutional kitchens, food processors and Farmer/FP0 workflows.</p></div>
058 <div class="card"><div class="num">02</div><h3>Low Budget</h3><p>Software-first architecture. No expensive hardware is
required for the MVP. Sensors can be added later.</p></div>
059 <div class="card"><div class="num">03</div><h3>One System, Multiple Problems</h3><p>Prevention, surplus rescue, recipient
matching, route planning, recovery and root-cause learning are connected in one workflow.</p></div>
060 <div class="card"><div class="num">04</div><h3>Practical + Explainable</h3><p>Every decision shows the reason: demand
estimate, surplus estimate, urgency, need, distance and recommended next action.</p></div>
061 <div class="card"><div class="num">05</div><h3>Innovation</h3><p>The focus is not just donation. The system creates a Food
Passport, Rescue Priority Score and Food Waste Fingerprint in one continuous loop.</p></div>
062 <div class="card"><div class="num">06</div><h3>Human-in-the-Loop Safety</h3><p>AI is decision support, not a food-safety
guarantee. Final redistribution decisions follow applicable rules and authorized personnel.</p></div>
063 </div>
064 </section>
065
066 <section id="predict">
067 <div class="title"><h2>AI Demand & Surplus Predictor</h2><p>Enter simple information and receive an explainable
recommendation.</p></div>
068 <form onsubmit="predict(event)">
```

```
069 <div class="row">
070 <div><label>Expected people / customers</label><input id="people" type="number" min="1" value="500" required></div>
```

```
071 <div><label>Historical average consumed meals</label><input id="avg" type="number" min="1" value="430" required></div>
072 <div><label>Planned meals to prepare</label><input id="planned" type="number" min="1" value="520" required></div>
073 <div><label>Event type</label><select id="event"><option>College / Hostel</option><option>Restaurant</option><option>Hotel
/ Catering</option><option>Community event</option></select></div>
074 </div>
075 <button>Run AI Analysis</button>
076 <div id="predictResult" class="result"></div>
077 </form>
078 </section>
079
080 <section id="rescue">
081 <div class="title"><h2>Food Rescue Registration</h2><p>Create a digital Food Passport and calculate a Rescue Priority
Score.</p></div>
082 <form onsubmit="rescue(event)">
083 <div class="row">
084 <div><label>Food type</label><input id="food" value="Vegetable Rice" required></div>
085 <div><label>Quantity (meals)</label><input id="qty" type="number" value="120" min="1" required></div>
086 <div><label>Preparation / harvest time</label><input id="ptime" type="datetime-local" required></div>
087 <div><label>Distance to nearest suitable partner (km)</label><input id="distance" type="number" value="3" min="0"
step="0.1" required></div>
088 <div><label>Storage condition</label><select id="storage"><option value="good">Appropriate / maintained</option><option
value="uncertain">Uncertain</option><option value="poor">Poor / not maintained</option></select></div>
089 <div><label>Recipient need</label><select id="need"><option value="high">High</option><option
value="medium">Medium</option><option value="low">Low</option></select></div>
090 </div>
091 <button>Create Food Passport</button>
092 <div id="rescueResult" class="result"></div>
093 </form>
094 </section>
095
096 <section id="match">
097 <div class="title"><h2>Smart Recipient Matching</h2><p>Example allocation – matching is based on need, capacity,
suitability, distance and urgency.</p></div>
098 <div class="grid">
099 <div class="card"><h3>NGO A</h3><p>Need: 100 meals • Distance: 3 km • Capacity: 120</p><b>Suggested allocation: 100
meals</b></div>
100 <div class="card"><h3>Shelter B</h3><p>Need: 50 meals • Distance: 2 km • Capacity: 60</p><b>Suggested allocation: 20
meals</b></div>
101 <div class="card"><h3>Community Kitchen C</h3><p>Need: 50 meals • Distance: 5 km • Capacity: 80</p><b>Suggested allocation:
0-20 meals</b></div>
102 </div>
103 <p class="small">For a real deployment, verified partners, live availability and routing APIs would replace these demo
records.</p>
104 </section>
105
106 <section>
107 <div class="title"><h2>Food Waste Fingerprint</h2><p>ANNAPURNA 360 learns WHY food is being wasted, not only how
much.</p></div>
108 <div class="grid">
109 <div class="card"><h3>College A</h3><p>Overproduction <b>45%</b></p><p>Plate waste <b>20%</b></p><p>Storage loss
<b>15%</b></p><p>Procurement mismatch <b>10%</b></p><button onclick="alert('Recommendation: reduce recurring overproduction
using the demand forecast.')">Get Recommendation</button></div>
110 <div class="card"><h3>Example insight</h3><p>If Friday dinner repeatedly produces surplus, the system flags the pattern and
recommends a lower preparation quantity for future Fridays.</p></div>
111 </div>
112 </section>
113
114 <section id="dashboard">
115 <div class="title"><h2>Impact Dashboard</h2><p>Track prevention, rescue and recovery outcomes.</p></div>
116 <div class="kpis">
117 <div class="kpi"><span>Surplus detected</span><b>18.2 T</b></div>
118 <div class="kpi"><span>Food rescued</span><b>12.4 T</b></div>
119 <div class="kpi"><span>Waste prevented</span><b>3.8 T</b></div>
120 <div class="kpi"><span>Partners connected</span><b>27</b></div>
121 </div>
122 <br>
123 <table><tr><th>Batch</th><th>Food</th><th>Quantity</th><th>Priority</th><th>Status</th></tr>
124 <tr><td>ANN-2026-00152</td><td>Vegetable Rice</td><td>120 meals</td><td>96/100</td><td>Rescue first</td></tr>
125 <tr><td>ANN-2026-00153</td><td>Tomatoes</td><td>200 kg</td><td>73/100</td><td>Partner review</td></tr>
126 <tr><td>ANN-2026-00154</td><td>Chapati</td><td>80 meals</td><td>42/100</td><td>Low urgency</td></tr>
127 </table>
128 </section>
129
130 <section>
131 <div class="title"><h2>Basic Technical Architecture</h2><p>Simple enough for an MVP, scalable for a real
deployment.</p></div>
132 <div class="grid">
133 <div class="card"><h3>Frontend</h3><p>Responsive web app. Can later be converted into a Flutter mobile app.</p></div>
134 <div class="card"><h3>Backend</h3><p>Python + FastAPI for real APIs, authentication, matching and prediction
services.</p></div>
135 <div class="card"><h3>Database</h3><p>PostgreSQL for users, food batches, partners, outcomes and historical data.</p></div>
136 <div class="card"><h3>AI</h3><p>Python, Pandas and Scikit-learn for demand forecasting, scoring and learning.</p></div>
137 <div class="card"><h3>Maps</h3><p>OpenStreetMap + routing service for practical low-cost route planning.</p></div>
138 <div class="card"><h3>Offline-first</h3><p>Local storage allows field users to record data and sync when connectivity
returns.</p></div>
139 </div>
140 </section>
```

```

141
142 <footer>
143 <h2>ANNAPURNA 360</h2>
144 <p>Prevent. Rescue. Recover. Learn.</p>
145 <p class="small" style="color:#d7e8d9">AI provides decision support. Food safety and redistribution must follow applicable
146 regulations and authorized human review.</p>
147
148 <script>
149 function predict(e){
150 e.preventDefault();
151 const people=document.getElementById('people').value, avg=document.getElementById('avg').value,
152 planned=document.getElementById('planned').value;
153 const recommended=Math.ceil(Math.max(people,avg)*1.05);
154 const surplus=Math.max(0,planned-avg);
155 const over=Math.max(0,planned-recommended);
156 let msg=<div class="score green">${recommended} meals</div><b>Recommended preparation quantity</b><p>Reason: expected
157 attendance is ${people}, historical consumption is ${avg}, and a small buffer is included.</p>`;
158 if(over>0) msg+=<p><b>Potential overproduction:</b> ${over} meals above the recommended level. Consider reducing
159 preparation.</p>`;
160 else msg+=<p><b>Potential surplus:</b> ${surplus} meals based on historical consumption. Monitor actual consumption.</p>`;
161 document.getElementById('predictResult').innerHTML=msg; document.getElementById('predictResult').style.display='block';
162 }
163
164 function rescue(e){
165 e.preventDefault();
166 const qty=document.getElementById('qty').value, d=document.getElementById('distance').value;
167 const storage=document.getElementById('storage').value, need=document.getElementById('need').value;
168 let score=55 + Math.min(20,qty/20) + Math.max(0,15-d) + (need==='high'?10:need==='medium'?5:0) +
169 (storage==='good'?5:storage==='uncertain'?-5:-25);
170 score=Math.max(0,Math.min(100,Math.round(score)));
171 let cls=score>=75?'green':score>=45?'yellow':'red';
172 let action=storage==='poor'?<div>Do not redistribute based on current information. Human safety assessment
173 required.</div>:score>=75?'<div>High rescue priority – verify safety and contact a suitable partner quickly.</div>':score>=45?'<div>Medium
174 priority – human review and partner confirmation required.</div>':<div>Lower priority – continue monitoring and assess suitable
175 recovery.</div>';
176 const id='ANN-'+new Date().getFullYear()+'-'+Math.floor(10000+Math.random()*89999);
177 document.getElementById('rescueResult').innerHTML=<div><h3>Food Passport</h3><p><b>Batch ID:</b> ${id}</p><p><b>Food:</b>
178 ${document.getElementById('food').value} • <b>Quantity:</b> ${qty} meals</p><p><b>Distance:</b> ${d} km • <b>Need:</b>
179 ${need}</p><div class="score ${cls}">${score}/100</div><b>Rescue Priority Score</b><p>${action}</p><p class="small">This score
180 is a decision-support demonstration. It does not certify food safety.</p>`;
181 document.getElementById('rescueResult').style.display='block';
182 }
183
184 document.getElementById('ptime').value=new Date().toISOString().slice(0,16);
185 </script>
186 </body>
187 </html>

```