1. Write a c program to find first and last digits of a number

```
#include <stdio.h>
#include <math.h>

int main() {
    int num, first_digit, last_digit;

    printf("Enter a number: ");
    scanf("%d", &num);

    // Find last digit
    last_digit = num % 10;

    // Find first digit
    while (num >= 10) {
        num /= 10;
    }
    first_digit = num;

    printf("First digit: %d\n", first_digit);
    printf("Last digit: %d\n", last_digit);

    return 0;
}
```

2. Find the factorial of a given number

```
     #include <stdio.h>

int main() {
    int num, i;
    unsigned long long factorial = 1;

    printf("Enter a number: ");
```

```c
    scanf("%d", &num);

    for (i = 1; i <= num; i++) {
        factorial *= i;
    }

    printf("Factorial of %d = %llu\n", num, factorial);

    return 0;
}
```

3. Find the given number is prime number or not

```c
#include <stdio.h>

int main() {
    int num, i, flag = 0;

    printf("Enter a number: ");
    scanf("%d", &num);

    if (num <= 1)
        flag = 1;

    for (i = 2; i * i <= num; i++) {
        if (num % i == 0) {
            flag = 1;
            break;
        }
    }

    if (flag == 0)
        printf("%d is a prime number.\n", num);
    else
        printf("%d is not a prime number.\n", num);
```

```
    return 0;
}
```

4. Print the given number is strong number or not

```
#include <stdio.h>

int main() {
    int num, temp, digit, sum = 0, fact;

    printf("Enter a number: ");
    scanf("%d", &num);

    temp = num;

    while (temp != 0) {
        digit = temp % 10;
        fact = 1;
        for (int i = 1; i <= digit; i++) {
            fact *= i;
        }
        sum += fact;
        temp /= 10;
    }

    if (sum == num)
        printf("%d is a strong number.\n", num);
    else
        printf("%d is not a strong number.\n", num);

    return 0;
}
```

5. Find sum of all digits in a number

```
#include <stdio.h>

int main() {
    int num, sum = 0, digit;

    printf("Enter a number: ");
    scanf("%d", &num);

    while (num != 0) {
        digit = num % 10;
        sum += digit;
        num /= 10;
    }

    printf("Sum of digits: %d\n", sum);

    return 0;
}
```