

1. write a program to check following conditions

>if number is less than 10 print "one digit" on screen

>if number is greater than or equal to 10 but less than 100 print "two digits" on screen

>otherwise print "integer" on screen

```
#include <stdio.h>
```

```
int main() {  
    int num;  
  
    printf("Enter a number: ");  
    scanf("%d", &num);  
  
    if (num < 10 && num >= 0 || num > -10 && num < 0)  
        printf("one digit\n");  
    else if (num >= 10 && num < 100 || num <= -10 && num > -100)  
        printf("two digits\n");  
    else  
        printf("integer\n");  
  
    return 0;  
}
```

2. write a program to find given year is leap year or not

```
#include <stdio.h>
```

```
int main() {  
    int year;  
  
    printf("Enter a year: ");
```

```

scanf("%d", &year);

if ((year % 4 == 0 && year % 100 != 0) || (year % 400 == 0))
    printf("%d is a leap year.\n", year);
else
    printf("%d is not a leap year.\n", year);

return 0;
}

```

3. write a program to check whether a character is an alphabet, digit or special character

```

#include <stdio.h>

int main() {
    char ch;

    printf("Enter a character: ");
    scanf(" %c", &ch);

    if ((ch >= 'A' && ch <= 'Z') || (ch >= 'a' && ch <= 'z'))
        printf("%c is an alphabet.\n", ch);
    else if (ch >= '0' && ch <= '9')
        printf("%c is a digit.\n", ch);
    else
        printf("%c is a special character.\n", ch);

    return 0;
}

```

4. write a program to check whether an alphabet is a vowel or a consonant

```

#include <stdio.h>
int main() {
    char c;

```

```

int lowercase_vowel, uppercase_vowel;
printf("Enter an alphabet: ");
scanf("%c", &c);

lowercase_vowel = (c == 'a' || c == 'e' || c == 'i' || c == 'o' || c == 'u');

uppercase_vowel = (c == 'A' || c == 'E' || c == 'I' || c == 'O' || c == 'U');

if (lowercase_vowel || uppercase_vowel)
    printf("%c is a vowel.", c);
else
    printf("%c is a consonant.", c);
return 0;
}

```

5.write a program to read any day number in integer and display name in word format

```

#include <stdio.h>

int main() {
    int day;

    printf("Enter day number (1-7): ");
    scanf("%d", &day);

    switch (day) {
        case 1:
            printf("Monday\n");
            break;
        case 2:
            printf("Tuesday\n");
            break;
        case 3:
            printf("Wednesday\n");
            break;
        case 4:
            printf("Thursday\n");
            break;
    }
}

```

```
case 5:
    printf("Friday\n");
    break;
case 6:
    printf("Saturday\n");
    break;
case 7:
    printf("Sunday\n");
    break;
default:
    printf("Invalid day number. Please enter a number between 1 and 7.\n");
}

return 0;
}
```