Algorithm: Blood Donation Management System

1. **Start.**
2. **Initialize System:** * Create a data structure (**Donor**) to store ID, Name, Age, Blood Group, and Contact.
   - Initialize an empty list (**Vector**) to store multiple donors.
   - Set `nextId = 1`.
3. **Enter Main Loop:** Display the menu options (Add, View, Search, Exit).
4. **Input User Choice:** Read the user's menu selection.
5. **Process Choice:**
   - **Case 1 (Add Donor):**
     1. Increment `nextId`.
     2. Input **Name** (using a string-safe method to handle spaces).
     3. Input **Age**.
     4. **Validate Age:** If age is not between 18 and 65, display an error, decrement `nextId`, and return to the menu.
     5. Input **Blood Group** and **Contact Number**.
     6. Store the record in the list.
   - **Case 2 (View All):**

     1. If the list is empty, display "No records."
     2. Otherwise, loop through the list and print every donor's details.
   - **Case 3 (Search):**

     1. Input the target **Blood Group** string.
     2. Loop through the list and compare each donor's blood group to the input.
     3. If a match is found, display the details; if no matches exist after checking the whole list, display "Not found."
   - **Case 4 (Exit):**

     1. Terminate the loop and end the program.
6. **Loop/Repeat:** Return to Step 3 until "Exit" is chosen.
7. **End.**