

```
File Edit Selection View Go Run Terminal Help python fold

PYTHON FOLD PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
> __pycache__
> .vscode
> exe1
> programme
  adash.py 2
  static
  script.js
  style.css
  templates
  index.html
  label_encoders.pkl
  mod.py 1
  model_loader.py 1
  model_h5
  ObesityDataSet_raw_and_data_synthe...
  predict.py
  predictor.py
  x_scaler.pkl

PS C:\Users\OMEN\OneDrive\Desktop\python fold> & "C:/Program Files/Python312/python.exe" "c:/Users/OMEN/OneDrive/Desktop/python fold/predict.py"
WARNING: All log messages before absl::InitializeLog() is called are written to STDERR
I0000 00:00:1781971987.222364 9636 port.cc:153] oneDNN custom operations are on. You may see slightly different numerical results due to floating-point round-off errors from different computat
ion orders. To turn them off, set the environment variable 'TF_ENABLE_ONEDNN_OPTS=0'.
WARNING: All log messages before absl::InitializeLog() is called are written to STDERR
I0000 00:00:1781971997.115183 9636 port.cc:153] oneDNN custom operations are on. You may see slightly different numerical results due to floating-point round-off errors from different computat
ion orders. To turn them off, set the environment variable 'TF_ENABLE_ONEDNN_OPTS=0'.
I0000 00:00:1781971998.718747 9636 cpu_feature_guard.cc:227] This TensorFlow binary is optimized to use available CPU instructions in performance-critical operations.
To enable the following instructions: SSE3 SSE4.1 SSE4.2 AVX AVX2 AVX_VNNI FMA, in other operations, rebuild TensorFlow with the appropriate compiler flags.
WARNING:tensorflow:TensorFlow GPU support is not available on native Windows for TensorFlow >= 2.11. Even if CUDA/cuDNN are installed, GPU will not be used. Please use WSL2 or the TensorFlow-Dire
ctML plugin.
WARNING:absl:Compiled the loaded model, but the compiled metrics have yet to be built. 'model.compile_metrics' will be empty until you train or evaluate the model.
  * Serving Flask app 'predict'
  * Debug mode: on
INFO:werkzeug:WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
  * Running on http://127.0.0.1:5000
INFO:werkzeug:Press CTRL+C to quit
INFO:werkzeug: * Restarting with stat
WARNING: All log messages before absl::InitializeLog() is called are written to STDERR
I0000 00:00:1781971999.527773 12232 port.cc:153] oneDNN custom operations are on. You may see slightly different numerical results due to floating-point round-off errors from different computat
ion orders. To turn them off, set the environment variable 'TF_ENABLE_ONEDNN_OPTS=0'.
WARNING: All log messages before absl::InitializeLog() is called are written to STDERR
I0000 00:00:1781972000.983563 12232 port.cc:153] oneDNN custom operations are on. You may see slightly different numerical results due to floating-point round-off errors from different computat
ion orders. To turn them off, set the environment variable 'TF_ENABLE_ONEDNN_OPTS=0'.
I0000 00:00:1781972001.929375 12232 cpu_feature_guard.cc:227] This TensorFlow binary is optimized to use available CPU instructions in performance-critical operations.
To enable the following instructions: SSE3 SSE4.1 SSE4.2 AVX AVX2 AVX_VNNI FMA, in other operations, rebuild TensorFlow with the appropriate compiler flags.
WARNING:tensorflow:TensorFlow GPU support is not available on native Windows for TensorFlow >= 2.11. Even if CUDA/cuDNN are installed, GPU will not be used. Please use WSL2 or the TensorFlow-Dire
ctML plugin.
WARNING:absl:Compiled the loaded model, but the compiled metrics have yet to be built. 'model.compile_metrics' will be empty until you train or evaluate the model.
WARNING:werkzeug: * Debugger is active!
INFO:werkzeug: * Debugger PIN: 412-092-924
```

Male

21

1.72

62

no

yes

2

3

yes

yes

2

yes

2

2

no

Walking

Predict

Prediction: Overweight_Level_II

Obesity Prediction AI

Male

21

1.72

62

no

yes

2

3

yes

yes

2

yes

2

2

no

Walking