

1, which of the following is an entry-controlled loop?

A. do-while

B. for

C. goto

D. switch

Answer: A

2, A loop that never ends is called a:

A. finite loop

B. Infinite loop

C. Nested loop

D. Sentinel loop

Answer: C

3, which loop guarantees at least one execution of its body.

A. for

B. while

C. do-while

D. for each

Answer: C

4. what controls the numbers of iterations of a loop?

A. condition

B. keyword

C. parentheses

D. Indentation

Answer: A

5. what is the output of the loop: `for (i=0; i<3; i++) print(i);`

A. 0 1 2

B. 1 2 3

C. 0 1 2 3

D. error

Answer: A

6. which keyword is used to exit a loop immediately?

- A. skip
- B. continue
- C. break
- D. exit.

Answer = C.

7. The continue statement causes the loop to:

- A. exit completely
- B. restart program
- C. jump to next iteration
- D. throw an error.

Answer = A.

8. A loop inside another loop is called a:

- A. Circular loop
- B. compound
- C. nested loop.
- D. stacked loop.

Answer = C.

9. which of the following is NOT a type loop?

- A. for loop
- B. while loop
- C. Do-while loop
- D. select loop.

Answer = D.

10. A loop that never ends is called

10. How many times will this loop run?

python.

```
for i in range(5):  
    print(i)
```

- A. 4 times
- B. 5 times
- C. 6 times
- D. Infinite.

Answer: B.

11. What is the output of:
Python.

```
for i in range(2, 6):
    print(i)
```

- A. 2 3 4 5
- B. 2 3 4 5 6
- C. 1 2 3 4 5
- D. 3 4 5 6.

Answer: A.

12. What is the value of x?
Python

```
x = 0
while x < 3:
    x += 1
```

- A. 0
- B. 1
- C. 2
- D. 3.

Answer: D.

13. What happens in a nested loop?

- A. Loops run side by side
- B. one loop runs inside another
- C. Loops share the same counter
- D. Both loops run only once.

Answer: B

14, output?

Python.

count = 0

for i in range(4):

count += i

print(count)

A, 6

B, 10

C, 4

D, 3

Answer: A

$(0+1+2+3=6)$

15, what is a loop counter?

A, A variable that stops a loop.

B, A variable that counts iterations.

C, A function inside a loop.

D, An error in a loop.

Answer: B

16, what will happen?

Python

while True:

break

A, Infinite loop

B, Syntax error

C, Loop runs once

D, Runtime error

Answer: C

17, which Statement stops only the current loop in nested loops.

A. stop

B. end

C. break

D. exist

Answer: C.

18, output

int i=1

do {

i++;

} while (i < 1);

printf("%d", i);

A, 0. P

B, 1

C, 2

D, Infinite.

Answer: C.

19, which loop allows limited omitted initialization and increment parts.

A, for

B, while

C, do while.

D, None.

Answer: A.

20, output of the following

C

```
for (int i=0; i<5; i++)
```

```
printf("Hi");
```

A, Hi

B, Hi Hi

C, Hi Hi Hi

D, Error

- Answer : C.