

20 MCQ on loops.

1. which of the following is an entry-controlled loop?
a) do-while b) while c) goto d) switch.

Ans: b

2. which loop executes at least once?
a) while b) for c) do-while d) none

Ans: c

3. what is the correct syntax of a for loop?

a) for(i=0; i<n; i++) b) for i=0; i<n; i++ c) loop(i=0; i<n; i++) d) for(i<n; i++)

Ans: a

4. what will while (1) do?

a) run infinite loop b) run once c) cause error d) skip loop.

Ans: a

5. what keyword is used to exit a loop immediately?

a) exit b) break c) stop d) end.

Ans: b

6. what keyword is used to skip one iteration?

a) break b) skip c) continue d) pass.

Ans: c

7. how many times will this execute?

for(i=1; i<=5; i++)

a) 4 b) 5 c) 6 d) infinite.

Ans: b

8) which loop is best when number of iterations is known?

a) while b) do-while c) for d) switch

Ans: for

9. which loop checks condition at the end?

a) for b) while c) do-while d) all

Ans: c

10. what is the
for(i=1; i<=5; i++)
printf("%d", i);

a) 10 b) 123

Ans: 123.

11. what is

int i=5;

while(i>0)

{
printf("%d", i);

i--;

}

Ans: 10 3 4

Ans: b

12. what is

a) loop runs
after 10

Ans: b

13. which

a) for b)

Ans: d

14. what

int

do

f

}

u

a) +1

Ans:

Controlled loop?

10. what is the output?

```
for(i=1; i<=3; i++)
```

```
printf("%d", i);
```

a) 10 b) 123 c) 111 d) 331

Ans: 123.

11. what is the output

```
int i = 5;
```

```
while(i >= 0);
```

```
{
```

```
printf("%d", i);
```

```
i--;
```

```
}
```

a) 12345 b) 54321 c) 43210 d) error

Ans: b

Immediately?

12. what is infinite loop?

a) loop runs many times b) loop never stops c) loop stops after 10 times d) none.

Ans: b.

13. which loop can be used without initialization?

a) for b) while c) do-while d) both b & c.

Ans: d

14. what is the output?

```
int i = 1;
```

```
do {
```

```
printf("Hi ");
```

```
i++;
```

```
} while(i <= 3);
```

a) Hi b) Hi Hi c) Hi Hi Hi d) No output

Ans: c.

15. which loop uses 3 expressions?

a) while b) do-while c) for d) switch.

Ans: d

16. which is NOT part of for loop?

a) initialization b) condition c) increment d) break.

Ans: d

17. what does continue do in loop?

a) stops loop b) jumps to next iteration c) repeats previous step
d) none

Ans: - b

18. what will happen?

for (; ;)

a) error b) executes once c) infinite loop d) no output.

Ans: c

19. which loop is used four times?

a) for b) while c) do-while d) switch.

Ans: c

20. what is wrong in this loop?

for (i = 1; i <= 10;)

a) missing increment b) missing condition c) missing
initialization d) nothing.

Ans: a