

The screenshot displays an IDE interface with a project explorer on the left and a code editor on the right. The project explorer shows a hierarchy of files and folders, including 'Q_1_abstract', 'Q_1_cla', 'Q_1_cla.class', 'Q_1_nested.java', 'Q_1_objectTypeCasting.java', 'Q_1_Rectangle', 'Q_1_triangle', 'Q_2_Employee', 'Q_2_Full_Time_Employee', 'Q_2_Part_Time_Employee', 'Q_3_IMtech', 'Q_3_IMtech_Complex', 'Q_3_IMtech_Integer', 'Q_3_IMtech_Number', 'Test', 'Q_1_Abstract_test', 'Q_2_Test', 'Q_3_Test', '.gitignore', and 'E6_25MCCE37.iml'. The 'Q_2_Employee' folder is selected, and the file 'Q_2_Employee.java' is open in the code editor. The code editor shows the following Java code:

```
1 package Q_2_Employee;
2
3 public abstract class Q_2_Employee { 2 usages 2 inheritors
4     public int yearToDateEarnings ; 5 usages
5
6     public abstract int computePay(int number); 2 usages 2 implementations
7     public Q_2_Employee() { this.yearToDateEarnings = 0; }
8
9
10
11 }
12
```

The screenshot displays an IDE interface with a project explorer on the left and a code editor on the right.

Project Explorer (Left):

- Project
 - Q_1_abstract
 - Q_1_cla
 - Q_1_cla.class
 - Q_1_nested.java
 - A
 - Q_1_nested
 - Q_1_objectTypeCasting.java
 - Animal
 - Cat
 - Dog
 - Q_1_objectTypeCasting
 - Q_1_Rectangle
 - Q_1_triangle
 - Q_2_Employee
 - Q_2_Employee
 - Q_2_Full_Time_Employee** (selected)
 - Q_2_Part_Time_Employee
 - Q_3_IMtech
 - Q_3_IMtech_Complex
 - Q_3_IMtech_Integer
 - Q_3_IMtech_Number
 - Test
 - Q_1_Abstract_test
 - Q_2_Test
 - Q_3_Test
 - .gitignore
 - E6_25MCCE37.iml
- External Libraries
- Scratches and Consoles

Code Editor (Right):

The editor shows the file `Q_2_Full_Time_Employee.java`. The code is as follows:

```
1 package Q_2_Employee;
2
3 public class Q_2_Full_Time_Employee extends Q_2_Employee{ 2 usages
4     int monthlyRate; 2 usages
5
6     public Q_2_Full_Time_Employee(int mr) { 1 usage
7         super();
8         this.monthlyRate = mr;
9     }
10    public int computePay(int numberOfMonthsWorked){ 2 usages
11        this.yearToDateEarnings = this.monthlyRate * numberOfMonthsWorked;
12        return this.yearToDateEarnings;
13    }
14 }
15
```

The image shows a screenshot of an IDE interface. On the left is a 'Project' sidebar with a tree view of a Java project. The project is named 'E6_25MCCE37'. The tree structure includes: 'Q_1_abstract', 'Q_1_cla', 'Q_1_cla.class', 'Q_1_nested.java' (containing 'A' and 'Q_1_nested'), 'Q_1_objectTypeCasting.java' (containing 'Animal', 'Cat', 'Dog', and 'Q_1_objectTypeCasting'), 'Q_1_Rectangle', 'Q_1_triangle', 'Q_2_Employee' (containing 'Q_2_Employee', 'Q_2_Full_Time_Employee', and 'Q_2_Part_Time_Employee'), 'Q_3_IMtech' (containing 'Q_3_IMtech_Complex', 'Q_3_Imtech_Integer', and 'Q_3_Imtech_Number'), 'Test' (containing 'Q_1_Abstract_test', 'Q_2_Test', and 'Q_3_Test'), '.gitignore', and 'E6_25MCCE37.iml'. Below the tree are 'External Libraries' and 'Scratches and Consoles'. The main editor area shows the code for 'Q_2_Part_Time_Employee.java'. The code is as follows:

```
1 package Q_2_Employee;
2
3 public class Q_2_Part_Time_Employee extends Q_2_Employee{ 2 usages
4     int hourly_rate; 2 usages
5     public Q_2_Part_Time_Employee(int hourly_rate){ 1 usage
6         super();
7         this.hourly_rate = hourly_rate;
8     }
9     public int computePay(int hours_worked) { 2 usages
10         this.yearToDateEarnings = this.hourly_rate * hours_worked;
11         return this.yearToDateEarnings;
12     }
13
14 }
15
```

 The status bar at the bottom shows 'E6_25MCCE37 > src > Q_2_Employee > Q_2_Part_Time_Employee', '3:14', 'LF', 'UTF-8', '4 spaces', and a copy icon. The system tray at the bottom right shows the time '12:08 AM' and date '17/09/26'.

The image shows a screenshot of an IDE, likely IntelliJ IDEA, with a dark theme. The top bar displays the project name 'E2 E6_25MCCE37' and 'Version Control'. The right side of the top bar shows 'Current File' and several icons. The left sidebar contains a 'Project' view showing a file tree. The main editor area displays the code for 'Q_2_Test.java'. The code is a Java program that tests the 'Q_2_Employee' classes. It includes imports for 'java.util.Scanner' and 'Q_2_Employee.*'. The 'main' method prompts the user to choose between a permanent employee (1) and a temporary employee (2). For a permanent employee, it asks for a monthly rate and calculates the total pay. For a temporary employee, it asks for an hourly rate and the number of hours worked, then calculates the total pay. The code is well-formatted with comments and uses color-coding for keywords and strings. The bottom status bar shows '4:14', 'LF', 'UTF-8', '4 spaces', and a window icon. The system tray at the bottom right shows the time '12:09 AM' and date '17/09/26'.

```
/usr/lib/jvm/default/bin/java -javaagent:/usr/share/idea/lib/idea_rt.jar=40099 -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8 -Dsun.stderr.encoding=UTF-8 -classpath /home/va
please choose from one of the options :-
1)permanent employee 2)temporary employee
1
please enter the monthly rate of the employee , i.e salary
10000
enter the number of months worked
10
total pay of the employee is 10000

Process finished with exit code 0
```

