

HTML Registration Form Creation

<https://gemini.google.com/app/2a3f319dc2031157>

User prompt: create a registration form with given textboxes for "name and mobile", radio buttons for "gender", dropdown button "department", one button for "register button"

Response: Here is a clean, responsive HTML and CSS code block for the registration form you requested. You can copy and paste this into any .html file and open it in your web browser.

HTML & CSS Code

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Registration Form</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f4f7f6;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
      margin: 0;
    }
    .form-container {
      background-color: #ffffff;
      padding: 30px;
      border-radius: 8px;
      box-shadow: 0 4px 8px rgba(0,0,0,0.1);
      width: 100%;
      max-width: 400px;
    }
    h2 {
      text-align: center;
      color: #333;
      margin-bottom: 20px;
    }
    .form-group {
      margin-bottom: 15px;
    }
    label {
      display: block;
      margin-bottom: 5px;
      font-weight: bold;
      color: #555;
    }
    input[type="text"],
    input[type="tel"],
    select {
      width: 100%;
      padding: 10px;
      border: 1px solid #ccc;
      border-radius: 4px;
      box-sizing: border-box; /* Ensures padding doesn't affect width */
    }
    .radio-group {
      display: flex;
      gap: 15px;
      margin-top: 5px;
    }
    .radio-group label {
      font-weight: normal;
      display: inline-flex;
      align-items: center;
      gap: 5px;
    }
    button {
      width: 100%;
      padding: 12px;
      background-color: #28a745;
```

```

        color: white;
        border: none;
        border-radius: 4px;
        font-size: 16px;
        cursor: pointer;
        margin-top: 10px;
    }
    button:hover {
        background-color: #218838;
    }
</style>
</head>
<body>

<div class="form-container">
    <h2>Register</h2>
    <form action="#" method="POST">

        <!-- Name Textbox -->
        <div class="form-group">
            <label for="name">Full Name</label>
            <input type="text" id="name" name="name" placeholder="Enter your name" required>
        </div>

        <!-- Mobile Textbox -->
        <div class="form-group">
            <label for="mobile">Mobile Number</label>
            <input type="tel" id="mobile" name="mobile" placeholder="Enter your mobile number" required>
        </div>

        <!-- Gender Radio Buttons -->
        <div class="form-group">
            <label>Gender</label>
            <div class="radio-group">
                <label><input type="radio" name="gender" value="male" required> Male</label>
                <label><input type="radio" name="gender" value="female"> Female</label>
                <label><input type="radio" name="gender" value="other"> Other</label>
            </div>
        </div>

        <!-- Department Dropdown -->
        <div class="form-group">
            <label for="department">Department</label>
            <select id="department" name="department" required>
                <option value="" disabled selected>Select your department</option>
                <option value="engineering">Engineering</option>
                <option value="marketing">Marketing</option>
                <option value="hr">Human Resources</option>
                <option value="finance">Finance</option>
            </select>
        </div>

        <!-- Register Button -->
        <button type="submit">Register</button>

    </form>
</div>

</body>
</html>

```

Breakdown of the form elements:

- **Textboxes:** Created using `<input type="text">` for the name and `<input type="tel">` for the mobile number (which brings up the number keypad on mobile devices).
- **Radio Buttons:** Created using `<input type="radio">`. They all share the same `name="gender"` attribute so that only one can be selected at a time.
- **Dropdown:** Created using the `<select>` and `<option>` tags to allow the user to pick a specific department.
- **Register Button:** Created using a `<button type="submit">` which triggers the form submission.

User prompt: now implemnt the code, after user entring the detais it need to save in the folder with user details

Response: To save the user's details into a folder on your computer, we need to introduce a **backend**.

Web browsers are strictly designed *not* to allow HTML or standard JavaScript to directly read or write files to your computer's hard drive for security reasons. To accomplish your goal, we need a simple server to catch the data from your form and save it.

We will use **Node.js** for this, as it is one of the most common and straightforward ways to handle web forms.

Here is the complete, step-by-step guide to setting this up.

Step 1: Prepare Your Environment

1. **Install Node.js:** If you don't have it already, download and install Node.js from nodejs.org.
2. **Create a Project Folder:** Create a new folder on your computer (e.g., registration-app).
3. **Initialize the Project:** Open your terminal (Command Prompt, PowerShell, or Mac Terminal), navigate to your new folder, and run:

```
npm init -y
npm install express
```

Note: express is a lightweight web framework for Node.js that makes handling form data very easy.

Step 2: Set Up Your Folder Structure

Inside your registration-app folder, create the following structure:

-  registration-app (Main folder)
 -  public (Create this folder)
 -  index.html (Put your HTML file here)
 -  server.js (Create this file)

Step 3: Update the HTML Form

Open your index.html file (inside the public folder) and change the <form> tag. You need to tell the form to send the data to our new server using the action attribute.

Change this line:

```
<form action="#" method="POST">
```

To this:

```
<form action="/register" method="POST">
```

(Keep the rest of the HTML/CSS code exactly the same as the previous response).

Step 4: Create the Backend Code (server.js)

Open the server.js file and paste the following code. This script will listen for the form submission, extract the data, and save it into a new folder called user_data.

```
const express = require('express');
const fs = require('fs');
const path = require('path');

const app = express();
const PORT = 3000;

// Middleware to parse the form data
app.use(express.urlencoded({ extended: true }));

// Serve the static HTML file from the "public" folder
app.use(express.static('public'));

// Handle the POST request when the user clicks "Register"
app.post('/register', (req, res) => {
  // Extract the data from the form
  const { name, mobile, gender, department } = req.body;

  // 1. Define the folder where data will be saved
  const folderPath = path.join(__dirname, 'user_data');
```

```
// 2. Create the folder if it doesn't exist
if (!fs.existsSync(folderPath)) {
  fs.mkdirSync(folderPath);
}

// 3. Format the data to be saved
const userData = `Name: ${name}\nMobile: ${mobile}\nGender: ${gender}\nDepartment: ${department}\n`;

// 4. Create a unique filename (e.g., John_Doe_1234567890.txt)
const safeName = name.replace(/\s+/g, '_'); // Replaces spaces with underscores
const fileName = `${safeName}_${mobile}.txt`;
const filePath = path.join(folderPath, fileName);

// 5. Write the data to the text file
fs.writeFile(filePath, userData, (err) => {
  if (err) {
    console.error(err);
    return res.status(500).send('An error occurred while saving the data.');
```

```
  }

  // Success response
  res.send(`
    <h2>Registration Successful!</h2>
    <p>Your details have been saved.</p>
    <a href="/">Go back</a>
  `);
});

});

// Start the server
app.listen(PORT, () => {
  console.log(`Server is running! Open your browser to http://localhost:${PORT}`);
});
```

Step 5: Run the Application

1. Go back to your terminal, ensuring you are in the registration-app directory.
2. Start the server by running this command:

```
node server.js
```
3. You should see the message: Server is running! Open your browser to `http://localhost:3000`.
4. Open your web browser and go to **`http://localhost:3000`**.
5. Fill out the form and click **Register**.

The Result: Once you submit the form, check your registration-app folder. You will see a newly created folder named `user_data`. Inside that folder, you will find a text file containing the exact details the user entered!

User prompt: if not after entering the details show a box of user details in the page

Response: If you want to skip the backend entirely and just show the data directly on the screen after the user clicks "Register," we can do that using a little bit of **JavaScript**.

This approach is much simpler to run because you only need one single HTML file. The JavaScript will intercept the button click, grab the data, stop the page from reloading, and display a summary box at the bottom.

Here is the complete, updated code. You can copy and paste this into an `.html` file and open it right in your browser.

Complete HTML, CSS, and JavaScript Code

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Registration Form</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f4f7f6;
      display: flex;
```

```

        justify-content: center;
        align-items: center;
        min-height: 100vh;
        margin: 0;
        padding: 20px;
        box-sizing: border-box;
    }
    .container {
        width: 100%;
        max-width: 400px;
    }
    .form-container, .result-container {
        background-color: #ffffff;
        padding: 30px;
        border-radius: 8px;
        box-shadow: 0 4px 8px rgba(0,0,0,0.1);
    }
    .result-container {
        margin-top: 20px;
        display: none; /* Hidden by default */
        border-left: 5px solid #28a745;
        background-color: #e9f7ef;
    }
    h2 {
        text-align: center;
        color: #333;
        margin-top: 0;
        margin-bottom: 20px;
    }
    .form-group {
        margin-bottom: 15px;
    }
    label {
        display: block;
        margin-bottom: 5px;
        font-weight: bold;
        color: #555;
    }
    input[type="text"],
    input[type="tel"],
    select {
        width: 100%;
        padding: 10px;
        border: 1px solid #ccc;
        border-radius: 4px;
        box-sizing: border-box;
    }
    .radio-group {
        display: flex;
        gap: 15px;
        margin-top: 5px;
    }
    .radio-group label {
        font-weight: normal;
        display: inline-flex;
        align-items: center;
        gap: 5px;
    }
    button {
        width: 100%;
        padding: 12px;
        background-color: #28a745;
        color: white;
        border: none;
        border-radius: 4px;
        font-size: 16px;
        cursor: pointer;
        margin-top: 10px;
    }
    button:hover {
        background-color: #218838;
    }
    .result-item {
        margin-bottom: 10px;
    }

```

```

        font-size: 15px;
        color: #333;
    }
    .result-item strong {
        color: #555;
    }
</style>
</head>
<body>

<div class="container">
    <div class="form-container">
        <h2>Register</h2>
        <form id="registrationForm">

            <div class="form-group">
                <label for="name">Full Name</label>
                <input type="text" id="name" name="name" placeholder="Enter your name" required>
            </div>

            <div class="form-group">
                <label for="mobile">Mobile Number</label>
                <input type="tel" id="mobile" name="mobile" placeholder="Enter your mobile number" require
            </div>

            <div class="form-group">
                <label>Gender</label>
                <div class="radio-group">
                    <label><input type="radio" name="gender" value="Male" required> Male</label>
                    <label><input type="radio" name="gender" value="Female"> Female</label>
                    <label><input type="radio" name="gender" value="Other"> Other</label>
                </div>
            </div>

            <div class="form-group">
                <label for="department">Department</label>
                <select id="department" name="department" required>
                    <option value="" disabled selected>Select your department</option>
                    <option value="Engineering">Engineering</option>
                    <option value="Marketing">Marketing</option>
                    <option value="Human Resources">Human Resources</option>
                    <option value="Finance">Finance</option>
                </select>
            </div>

            <button type="submit">Register</button>

        </form>
    </div>

    <div id="resultBox" class="result-container">
        <h2>Registration Success!</h2>
        <div class="result-item"><strong>Name:</strong> <span id="resName"></span></div>
        <div class="result-item"><strong>Mobile:</strong> <span id="resMobile"></span></div>
        <div class="result-item"><strong>Gender:</strong> <span id="resGender"></span></div>
        <div class="result-item"><strong>Department:</strong> <span id="resDept"></span></div>
    </div>
</div>

<script>
    document.getElementById('registrationForm').addEventListener('submit', function(event) {
        // 1. Prevent the default form submission (which reloads the page)
        event.preventDefault();

        // 2. Get the values from the form inputs
        const name = document.getElementById('name').value;
        const mobile = document.getElementById('mobile').value;
        const gender = document.querySelector('input[name="gender"]:checked').value;
        const department = document.getElementById('department').value;

        // 3. Inject those values into the result box HTML
        document.getElementById('resName').textContent = name;
        document.getElementById('resMobile').textContent = mobile;
        document.getElementById('resGender').textContent = gender;
    });

```

```
document.getElementById('resDept').textContent = department;

// 4. Make the result box visible
document.getElementById('resultBox').style.display = 'block';

// Optional: Reset the form fields after successful submission
// this.reset();
});
</script>

</body>
</html>
```

What changed to make this work:

- **The Result Container:** I added a new `div` with the `id` `resultBox`. In the CSS, I set its `display` to `none` so it remains invisible when the page first loads.
- **The `id` Tags:** Every input field and every blank space in the result box was given a specific `id`. This gives JavaScript an exact target to pull data from and push data into.
- **The Script:** The `<script>` at the bottom listens for the user to submit the form. `event.preventDefault()` is the crucial line—it stops the browser from trying to send the data to a server and reloading the page, giving the script time to copy the values into the summary box and make it visible.

User prompt: now add address, year with sem, grade

Response: Here is the updated code with the **Address**, **Year & Semester**, and **Grade** fields added to both the registration form and the result box.

I used a multi-line text area for the address, a combined dropdown for the year and semester, and a text box for the grade.

Updated HTML, CSS, and JavaScript Code

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Registration Form</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f4f7f6;
      display: flex;
      justify-content: center;
      align-items: center;
      min-height: 100vh;
      margin: 0;
      padding: 20px;
      box-sizing: border-box;
    }
    .container {
      width: 100%;
      max-width: 450px; /* Slightly wider to accommodate more data gracefully */
    }
    .form-container, .result-container {
      background-color: #ffffff;
      padding: 30px;
      border-radius: 8px;
      box-shadow: 0 4px 8px rgba(0,0,0,0.1);
    }
    .result-container {
      margin-top: 20px;
      display: none;
      border-left: 5px solid #28a745;
      background-color: #e9f7ef;
    }
    h2 {
      text-align: center;
      color: #333;
      margin-top: 0;
      margin-bottom: 20px;
    }
  </style>
</head>
<body>
  <div class="container">
    <div class="form-container">
      <h2>Registration Form</h2>
      <div class="form">
        <div class="form-group">
          <input type="text" value="Name" />
        </div>
        <div class="form-group">
          <input type="text" value="Email" />
        </div>
        <div class="form-group">
          <input type="password" value="Password" />
        </div>
        <div class="form-group">
          <input type="password" value="Confirm Password" />
        </div>
        <div class="form-group">
          <input type="text" value="Phone Number" />
        </div>
        <div class="form-group">
          <input type="text" value="Address" />
        </div>
        <div class="form-group">
          <input type="text" value="City" />
        </div>
        <div class="form-group">
          <input type="text" value="State" />
        </div>
        <div class="form-group">
          <input type="text" value="Zip Code" />
        </div>
        <div class="form-group">
          <input type="button" value="Register" />
        </div>
      </div>
    </div>
    <div class="result-container">
      <div class="result">
        <div class="result-header">
          <h3>Registration Successful</h3>
        </div>
        <div class="result-body">
          <div class="result-message">
            <div class="result-message-text">
              Your registration is complete.
            </div>
            <div class="result-message-image">
              <img alt="Success icon: a green checkmark inside a circle." data-bbox="100 150 150 200" />
            </div>
            <div class="result-message-button">
              <input type="button" value="Go Home" />
            </div>
          </div>
          <div class="result-redirect">
            <div class="result-redirect-text">
              You will be redirected to the home page in 5 seconds.
            </div>
            <div class="result-redirect-image">
              <img alt="Redirect icon: a green arrow pointing right." data-bbox="100 250 150 300" />
            </div>
            <div class="result-redirect-button">
              <input type="button" value="Cancel" />
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</body>
</html>
```

```

.form-group {
  margin-bottom: 15px;
}
label {
  display: block;
  margin-bottom: 5px;
  font-weight: bold;
  color: #555;
}
/* Added textarea to the shared input styles */
input[type="text"],
input[type="tel"],
select,
textarea {
  width: 100%;
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 4px;
  box-sizing: border-box;
  font-family: Arial, sans-serif;
}
textarea {
  resize: vertical; /* Allows the user to only resize the box up and down */
}
.radio-group {
  display: flex;
  gap: 15px;
  margin-top: 5px;
}
.radio-group label {
  font-weight: normal;
  display: inline-flex;
  align-items: center;
  gap: 5px;
}
button {
  width: 100%;
  padding: 12px;
  background-color: #28a745;
  color: white;
  border: none;
  border-radius: 4px;
  font-size: 16px;
  cursor: pointer;
  margin-top: 10px;
}
button:hover {
  background-color: #218838;
}
.result-item {
  margin-bottom: 10px;
  font-size: 15px;
  color: #333;
  line-height: 1.4;
}
.result-item strong {
  color: #555;
}
</style>
</head>
<body>

<div class="container">
  <div class="form-container">
    <h2>Student Registration</h2>
    <form id="registrationForm">

      <div class="form-group">
        <label for="name">Full Name</label>
        <input type="text" id="name" name="name" placeholder="Enter your name" required>
      </div>

      <div class="form-group">
        <label for="mobile">Mobile Number</label>

```



```

        <input type="tel" id="mobile" name="mobile" placeholder="Enter your mobile number" required>
    </div>

    <div class="form-group">
        <label>Gender</label>
        <div class="radio-group">
            <label><input type="radio" name="gender" value="Male" required> Male</label>
            <label><input type="radio" name="gender" value="Female"> Female</label>
            <label><input type="radio" name="gender" value="Other"> Other</label>
        </div>
    </div>

    <div class="form-group">
        <label for="department">Department</label>
        <select id="department" name="department" required>
            <option value="" disabled selected>Select your department</option>
            <option value="Engineering">Engineering</option>
            <option value="Marketing">Marketing</option>
            <option value="Human Resources">Human Resources</option>
            <option value="Finance">Finance</option>
        </select>
    </div>

    <div class="form-group">
        <label for="yearSem">Year & Semester</label>
        <select id="yearSem" name="yearSem" required>
            <option value="" disabled selected>Select Year & Semester</option>
            <option value="1st Year - Semester 1">1st Year - Semester 1</option>
            <option value="1st Year - Semester 2">1st Year - Semester 2</option>
            <option value="2nd Year - Semester 1">2nd Year - Semester 1</option>
            <option value="2nd Year - Semester 2">2nd Year - Semester 2</option>
            <option value="3rd Year - Semester 1">3rd Year - Semester 1</option>
            <option value="3rd Year - Semester 2">3rd Year - Semester 2</option>
            <option value="4th Year - Semester 1">4th Year - Semester 1</option>
            <option value="4th Year - Semester 2">4th Year - Semester 2</option>
        </select>
    </div>

    <div class="form-group">
        <label for="grade">Grade / CGPA</label>
        <input type="text" id="grade" name="grade" placeholder="e.g., A+, 8.5" required>
    </div>

    <div class="form-group">
        <label for="address">Address</label>
        <textarea id="address" name="address" rows="3" placeholder="Enter your full residential address">
    </div>

    <button type="submit">Register</button>

</form>
</div>

<div id="resultBox" class="result-container">
    <h2>Registration Details</h2>
    <div class="result-item"><strong>Name:</strong> <span id="resName"></span></div>
    <div class="result-item"><strong>Mobile:</strong> <span id="resMobile"></span></div>
    <div class="result-item"><strong>Gender:</strong> <span id="resGender"></span></div>
    <div class="result-item"><strong>Department:</strong> <span id="resDept"></span></div>
    <div class="result-item"><strong>Year & Sem:</strong> <span id="resYearSem"></span></div>
    <div class="result-item"><strong>Grade/CGPA:</strong> <span id="resGrade"></span></div>
    <div class="result-item"><strong>Address:</strong> <span id="resAddress"></span></div>
</div>
</div>

<script>
    document.getElementById('registrationForm').addEventListener('submit', function(event) {

        event.preventDefault();

        // Get standard values
        const name = document.getElementById('name').value;
        const mobile = document.getElementById('mobile').value;
        const gender = document.querySelector('input[name="gender"]:checked').value;

```

```

const department = document.getElementById('department').value;

// Get newly added values
const yearSem = document.getElementById('yearSem').value;
const grade = document.getElementById('grade').value;
const address = document.getElementById('address').value;

// Inject standard values into result box
document.getElementById('resName').textContent = name;
document.getElementById('resMobile').textContent = mobile;
document.getElementById('resGender').textContent = gender;
document.getElementById('resDept').textContent = department;

// Inject new values into result box
document.getElementById('resYearSem').textContent = yearSem;
document.getElementById('resGrade').textContent = grade;
document.getElementById('resAddress').textContent = address;

// Display the result box
document.getElementById('resultBox').style.display = 'block';

});
</script>

</body>
</html>

```

User prompt: after entering register show the user details in next page

Response: To display the user's details on a completely new page without using a backend server, we can use a built-in browser feature called **sessionStorage**.

This allows us to save the form data temporarily on the first page, navigate to a second page, and then read that data to display it.

You will need to create two separate HTML files and keep them in the same folder.

1. The Form Page (index.html)

Create a file named `index.html` and paste this code. This is your registration form. When the user clicks "Register", it saves their data to `sessionStorage` and redirects them to the results page.

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Registration Form</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f4f7f6;
      display: flex;
      justify-content: center;
      align-items: center;
      min-height: 100vh;
      margin: 0;
      padding: 20px;
      box-sizing: border-box;
    }
    .form-container {
      background-color: #ffffff;
      padding: 30px;
      border-radius: 8px;
      box-shadow: 0 4px 8px rgba(0,0,0,0.1);
      width: 100%;
      max-width: 450px;
    }
    h2 {
      text-align: center;
      color: #333;
      margin-top: 0;
      margin-bottom: 20px;
    }
  </style>
</head>
<body>
  <h2>Registration Form</h2>
  <div class="form-container">
    <div>
      <input type="text" value="Name" />
      <input type="text" value="Mobile" />
      <input type="text" value="Gender" />
      <input type="text" value="Department" />
      <input type="text" value="YearSem" />
      <input type="text" value="Grade" />
      <input type="text" value="Address" />
      <input type="button" value="Register" />
    </div>
  </div>
</body>

```

```

.form-group {
  margin-bottom: 15px;
}
label {
  display: block;
  margin-bottom: 5px;
  font-weight: bold;
  color: #555;
}
input[type="text"],
input[type="tel"],
select,
textarea {
  width: 100%;
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 4px;
  box-sizing: border-box;
  font-family: Arial, sans-serif;
}
textarea {
  resize: vertical;
}
.radio-group {
  display: flex;
  gap: 15px;
  margin-top: 5px;
}
.radio-group label {
  font-weight: normal;
  display: inline-flex;
  align-items: center;
  gap: 5px;
}
button {
  width: 100%;
  padding: 12px;
  background-color: #28a745;
  color: white;
  border: none;
  border-radius: 4px;
  font-size: 16px;
  cursor: pointer;
  margin-top: 10px;
}
button:hover {
  background-color: #218838;
}
</style>
</head>
<body>

<div class="form-container">
  <h2>Student Registration</h2>
  <form id="registrationForm">

    <div class="form-group">
      <label for="name">Full Name</label>
      <input type="text" id="name" required>
    </div>

    <div class="form-group">
      <label for="mobile">Mobile Number</label>
      <input type="tel" id="mobile" required>
    </div>

    <div class="form-group">
      <label>Gender</label>
      <div class="radio-group">
        <label><input type="radio" name="gender" value="Male" required> Male</label>
        <label><input type="radio" name="gender" value="Female"> Female</label>
        <label><input type="radio" name="gender" value="Other"> Other</label>
      </div>
    </div>

  </form>
</div>

```

```

<div class="form-group">
  <label for="department">Department</label>
  <select id="department" required>
    <option value="" disabled selected>Select your department</option>
    <option value="Engineering">Engineering</option>
    <option value="Marketing">Marketing</option>
    <option value="Human Resources">Human Resources</option>
    <option value="Finance">Finance</option>
  </select>
</div>

<div class="form-group">
  <label for="yearSem">Year & Semester</label>
  <select id="yearSem" required>
    <option value="" disabled selected>Select Year & Semester</option>
    <option value="1st Year - Semester 1">1st Year - Semester 1</option>
    <option value="1st Year - Semester 2">1st Year - Semester 2</option>
    <option value="2nd Year - Semester 1">2nd Year - Semester 1</option>
    <option value="2nd Year - Semester 2">2nd Year - Semester 2</option>
    <option value="3rd Year - Semester 1">3rd Year - Semester 1</option>
    <option value="3rd Year - Semester 2">3rd Year - Semester 2</option>
    <option value="4th Year - Semester 1">4th Year - Semester 1</option>
    <option value="4th Year - Semester 2">4th Year - Semester 2</option>
  </select>
</div>

<div class="form-group">
  <label for="grade">Grade / CGPA</label>
  <input type="text" id="grade" required>
</div>

<div class="form-group">
  <label for="address">Address</label>
  <textarea id="address" rows="3" required></textarea>
</div>

<button type="submit">Register</button>

</form>
</div>

<script>
  document.getElementById('registrationForm').addEventListener('submit', function(event) {
    event.preventDefault(); // Stop page reload

    // Save all form values into the browser's sessionStorage
    sessionStorage.setItem('name', document.getElementById('name').value);
    sessionStorage.setItem('mobile', document.getElementById('mobile').value);
    sessionStorage.setItem('gender', document.querySelector('input[name="gender"]:checked').value);
    sessionStorage.setItem('department', document.getElementById('department').value);
    sessionStorage.setItem('yearSem', document.getElementById('yearSem').value);
    sessionStorage.setItem('grade', document.getElementById('grade').value);
    sessionStorage.setItem('address', document.getElementById('address').value);

    // Redirect to the new page
    window.location.href = 'result.html';
  });
</script>

</body>
</html>

```

2. The Results Page (result.html)

Create a second file named `result.html` in the exact same folder as the first one. This page's JavaScript will automatically load the saved data and inject it into the HTML structure.

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Registration Details</title>

```

```

<style>
  body {
    font-family: Arial, sans-serif;
    background-color: #f4f7f6;
    display: flex;
    justify-content: center;
    align-items: center;
    min-height: 100vh;
    margin: 0;
    padding: 20px;
    box-sizing: border-box;
  }
  .result-container {
    background-color: #ffffff;
    padding: 30px;
    border-radius: 8px;
    box-shadow: 0 4px 8px rgba(0,0,0,0.1);
    width: 100%;
    max-width: 450px;
    border-top: 5px solid #28a745;
  }
  h2 {
    text-align: center;
    color: #333;
    margin-top: 0;
    margin-bottom: 20px;
  }
  .result-item {
    margin-bottom: 12px;
    font-size: 16px;
    color: #333;
    line-height: 1.5;
    border-bottom: 1px solid #eee;
    padding-bottom: 8px;
  }
  .result-item:last-child {
    border-bottom: none;
  }
  .result-item strong {
    color: #555;
    display: inline-block;
    width: 120px;
  }
  .back-btn {
    display: block;
    text-align: center;
    width: 100%;
    padding: 12px;
    background-color: #007bff;
    color: white;
    text-decoration: none;
    border-radius: 4px;
    font-size: 16px;
    margin-top: 20px;
    box-sizing: border-box;
  }
  .back-btn:hover {
    background-color: #0056b3;
  }
</style>
</head>
<body>

<div class="result-container">
  <h2>Registration Details</h2>

  <div class="result-item"><strong>Name:</strong> <span id="resName"></span></div>
  <div class="result-item"><strong>Mobile:</strong> <span id="resMobile"></span></div>
  <div class="result-item"><strong>Gender:</strong> <span id="resGender"></span></div>
  <div class="result-item"><strong>Department:</strong> <span id="resDept"></span></div>
  <div class="result-item"><strong>Year & Sem:</strong> <span id="resYearSem"></span></div>
  <div class="result-item"><strong>Grade/CGPA:</strong> <span id="resGrade"></span></div>
  <div class="result-item"><strong>Address:</strong> <span id="resAddress"></span></div>

```

```

    <a href="index.html" class="back-btn">Go Back</a>
</div>

<script>
    // Check if data exists. If not, maybe the user loaded this page directly.
    if (!sessionStorage.getItem('name')) {
        alert("No data found! Please fill out the form first.");
        window.location.href = 'index.html';
    } else {
        // Retrieve data from sessionStorage and display it
        document.getElementById('resName').textContent = sessionStorage.getItem('name');
        document.getElementById('resMobile').textContent = sessionStorage.getItem('mobile');
        document.getElementById('resGender').textContent = sessionStorage.getItem('gender');
        document.getElementById('resDept').textContent = sessionStorage.getItem('department');
        document.getElementById('resYearSem').textContent = sessionStorage.getItem('yearSem');
        document.getElementById('resGrade').textContent = sessionStorage.getItem('grade');
        document.getElementById('resAddress').textContent = sessionStorage.getItem('address');
    }
</script>

</body>
</html>

```

User prompt: no within the actual code implement "show details in next page "

Response: To achieve the effect of going to a "next page" while keeping everything in a **single file of code**, we can use JavaScript to hide the form and reveal the results block. This creates the exact experience of navigating to a new page without actually needing a second HTML file.

Here is the complete, single-file code. You can copy and paste this into one .html file and it will handle everything.

Single-File "Next Page" Code

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Registration Form</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            background-color: #f4f7f6;
            display: flex;
            justify-content: center;
            align-items: center;
            min-height: 100vh;
            margin: 0;
            padding: 20px;
            box-sizing: border-box;
        }
        .container {
            width: 100%;
            max-width: 450px;
        }
        /* Both 'pages' share this style */
        .page-box {
            background-color: #ffffff;
            padding: 30px;
            border-radius: 8px;
            box-shadow: 0 4px 12px rgba(0,0,0,0.1);
        }
        /* Page 2 is hidden by default */
        #page2 {
            display: none;
            border-top: 5px solid #28a745;
        }
        h2 {
            text-align: center;
            color: #333;
            margin-top: 0;
            margin-bottom: 20px;
        }
    </style>

```

```
.form-group {
  margin-bottom: 15px;
}
label {
  display: block;
  margin-bottom: 5px;
  font-weight: bold;
  color: #555;
  font-size: 14px;
}
input[type="text"],
input[type="tel"],
select,
textarea {
  width: 100%;
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 4px;
  box-sizing: border-box;
  font-family: Arial, sans-serif;
}
textarea {
  resize: vertical;
}
.radio-group {
  display: flex;
  gap: 15px;
  margin-top: 5px;
}
.radio-group label {
  font-weight: normal;
  display: inline-flex;
  align-items: center;
  gap: 5px;
}
button {
  width: 100%;
  padding: 12px;
  background-color: #28a745;
  color: white;
  border: none;
  border-radius: 4px;
  font-size: 16px;
  cursor: pointer;
  margin-top: 10px;
}
button:hover {
  background-color: #218838;
}
.btn-secondary {
  background-color: #007bff;
  margin-top: 20px;
}
.btn-secondary:hover {
  background-color: #0056b3;
}
.result-item {
  margin-bottom: 12px;
  font-size: 15px;
  color: #333;
  line-height: 1.4;
  border-bottom: 1px solid #eee;
  padding-bottom: 8px;
}
.result-item:last-child {
  border-bottom: none;
}
.result-item strong {
  color: #555;
  display: inline-block;
  width: 120px;
}
```

</style>

</head>

```

<body>

<div class="container">

  <div id="page1" class="page-box">
    <h2>Student Registration</h2>
    <form id="registrationForm">

      <div class="form-group">
        <label for="name">Full Name</label>
        <input type="text" id="name" required>
      </div>

      <div class="form-group">
        <label for="mobile">Mobile Number</label>
        <input type="tel" id="mobile" required>
      </div>

      <div class="form-group">
        <label>Gender</label>
        <div class="radio-group">
          <label><input type="radio" name="gender" value="Male" required> Male</label>
          <label><input type="radio" name="gender" value="Female"> Female</label>
          <label><input type="radio" name="gender" value="Other"> Other</label>
        </div>
      </div>

      <div class="form-group">
        <label for="department">Department</label>
        <select id="department" required>
          <option value="" disabled selected>Select your department</option>
          <option value="Engineering">Engineering</option>
          <option value="Marketing">Marketing</option>
          <option value="Human Resources">Human Resources</option>
          <option value="Finance">Finance</option>
        </select>
      </div>

      <div class="form-group">
        <label for="yearSem">Year & Semester</label>
        <select id="yearSem" required>
          <option value="" disabled selected>Select Year & Semester</option>
          <option value="1st Year - Semester 1">1st Year - Semester 1</option>
          <option value="1st Year - Semester 2">1st Year - Semester 2</option>
          <option value="2nd Year - Semester 1">2nd Year - Semester 1</option>
          <option value="2nd Year - Semester 2">2nd Year - Semester 2</option>
          <option value="3rd Year - Semester 1">3rd Year - Semester 1</option>
          <option value="3rd Year - Semester 2">3rd Year - Semester 2</option>
          <option value="4th Year - Semester 1">4th Year - Semester 1</option>
          <option value="4th Year - Semester 2">4th Year - Semester 2</option>
        </select>
      </div>

      <div class="form-group">
        <label for="grade">Grade / CGPA</label>
        <input type="text" id="grade" required>
      </div>

      <div class="form-group">
        <label for="address">Address</label>
        <textarea id="address" rows="3" required></textarea>
      </div>

      <button type="submit">Register</button>

    </form>
  </div>

  <div id="page2" class="page-box">
    <h2>Registration Details</h2>
    <div class="result-item"><strong>Name:</strong> <span id="resName"></span></div>
    <div class="result-item"><strong>Mobile:</strong> <span id="resMobile"></span></div>
    <div class="result-item"><strong>Gender:</strong> <span id="resGender"></span></div>
    <div class="result-item"><strong>Department:</strong> <span id="resDept"></span></div>
  </div>

```



```

<div class="result-item"><strong>Year & Sem:</strong> <span id="resYearSem"></span></div>
<div class="result-item"><strong>Grade/CGPA:</strong> <span id="resGrade"></span></div>
<div class="result-item"><strong>Address:</strong> <span id="resAddress"></span></div>

<button type="button" id="goBackBtn" class="btn-secondary">Go Back</button>
</div>

</div>

<script>
  // Target the two "pages"
  const page1 = document.getElementById('page1');
  const page2 = document.getElementById('page2');

  // Handle the form submission
  document.getElementById('registrationForm').addEventListener('submit', function(event) {
    event.preventDefault(); // Stop standard form submission

    // 1. Copy data from the form to the result spans
    document.getElementById('resName').textContent = document.getElementById('name').value;
    document.getElementById('resMobile').textContent = document.getElementById('mobile').value;
    document.getElementById('resGender').textContent = document.querySelector('input[name="gender"]:checked').value;
    document.getElementById('resDept').textContent = document.getElementById('department').value;
    document.getElementById('resYearSem').textContent = document.getElementById('yearSem').value;
    document.getElementById('resGrade').textContent = document.getElementById('grade').value;
    document.getElementById('resAddress').textContent = document.getElementById('address').value;

    // 2. Hide Page 1 (Form) and Show Page 2 (Results)
    page1.style.display = 'none';
    page2.style.display = 'block';
  });

  // Handle the "Go Back" button
  document.getElementById('goBackBtn').addEventListener('click', function() {
    // Hide Page 2 and Show Page 1 to let them edit their details
    page2.style.display = 'none';
    page1.style.display = 'block';
  });
</script>

</body>
</html>

```

How it works:

- **The CSS display Property:** Both the form (#page1) and the results (#page2) are loaded at the same time. However, #page2 is given display: none; in the CSS, so it is completely invisible.
- **The "Next Page" Transition:** When you click "Register," JavaScript maps all the data over to the results block, instantly changes #page1 to display: none;, and sets #page2 to display: block;.
- **The "Go Back" Button:** I also included a "Go Back" button on the results page. When clicked, it reverses the process, allowing the user to return to the form and edit their information.

User prompt: after showing user details in next page create a save box so it can directly save the user details in folder

Response: I understand what you are trying to achieve, but there is an important rule about how web browsers work: **Web browsers do not allow web pages to automatically save files directly into specific folders on your computer behind the scenes.** This is a strict security measure to prevent websites from secretly downloading malicious files to your hard drive.

However, we can achieve exactly what you want by creating a **Download Button**. When the user clicks "Save Details," the browser will generate a text file containing all their information and trigger a standard file download (which usually goes straight to their "Downloads" folder, or prompts them to choose a save location).

Here is the fully updated, single-file code with the "Save Details" functionality added to the results page.

HTML, CSS, and JS Code with Download Feature

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

```

```
<title>Registration Form</title>
<style>
  body {
    font-family: Arial, sans-serif;
    background-color: #f4f7f6;
    display: flex;
    justify-content: center;
    align-items: center;
    min-height: 100vh;
    margin: 0;
    padding: 20px;
    box-sizing: border-box;
  }
  .container {
    width: 100%;
    max-width: 450px;
  }
  .page-box {
    background-color: #ffffff;
    padding: 30px;
    border-radius: 8px;
    box-shadow: 0 4px 12px rgba(0,0,0,0.1);
  }
  #page2 {
    display: none;
    border-top: 5px solid #28a745;
  }
  h2 {
    text-align: center;
    color: #333;
    margin-top: 0;
    margin-bottom: 20px;
  }
  .form-group {
    margin-bottom: 15px;
  }
  label {
    display: block;
    margin-bottom: 5px;
    font-weight: bold;
    color: #555;
    font-size: 14px;
  }
  input[type="text"],
  input[type="tel"],
  select,
  textarea {
    width: 100%;
    padding: 10px;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
    font-family: Arial, sans-serif;
  }
  textarea {
    resize: vertical;
  }
  .radio-group {
    display: flex;
    gap: 15px;
    margin-top: 5px;
  }
  .radio-group label {
    font-weight: normal;
    display: inline-flex;
    align-items: center;
    gap: 5px;
  }
  button {
    width: 100%;
    padding: 12px;
    color: white;
    border: none;
    border-radius: 4px;
```

```

        font-size: 16px;
        cursor: pointer;
        margin-top: 10px;
    }
    .btn-success {
        background-color: #28a745;
    }
    .btn-success:hover {
        background-color: #218838;
    }
    .btn-secondary {
        background-color: #6c757d;
    }
    .btn-secondary:hover {
        background-color: #5a6268;
    }
    .btn-primary {
        background-color: #007bff;
    }
    .btn-primary:hover {
        background-color: #0056b3;
    }
    .button-group {
        display: flex;
        gap: 10px;
        margin-top: 20px;
    }
    .result-item {
        margin-bottom: 12px;
        font-size: 15px;
        color: #333;
        line-height: 1.4;
        border-bottom: 1px solid #eee;
        padding-bottom: 8px;
    }
    .result-item:last-child {
        border-bottom: none;
    }
    .result-item strong {
        color: #555;
        display: inline-block;
        width: 120px;
    }
}
</style>
</head>
<body>

    <div class="container">

        <div id="page1" class="page-box">
            <h2>Student Registration</h2>
            <form id="registrationForm">

                <div class="form-group">
                    <label for="name">Full Name</label>
                    <input type="text" id="name" required>
                </div>

                <div class="form-group">
                    <label for="mobile">Mobile Number</label>
                    <input type="tel" id="mobile" required>
                </div>

                <div class="form-group">
                    <label>Gender</label>
                    <div class="radio-group">
                        <label><input type="radio" name="gender" value="Male" required> Male</label>
                        <label><input type="radio" name="gender" value="Female"> Female</label>
                        <label><input type="radio" name="gender" value="Other"> Other</label>
                    </div>
                </div>

                <div class="form-group">
                    <label for="department">Department</label>

```

```

        <select id="department" required>
            <option value="" disabled selected>Select your department</option>
            <option value="Engineering">Engineering</option>
            <option value="Marketing">Marketing</option>
            <option value="Human Resources">Human Resources</option>
            <option value="Finance">Finance</option>
        </select>
    </div>

    <div class="form-group">
        <label for="yearSem">Year & Semester</label>
        <select id="yearSem" required>
            <option value="" disabled selected>Select Year & Semester</option>
            <option value="1st Year - Semester 1">1st Year - Semester 1</option>
            <option value="1st Year - Semester 2">1st Year - Semester 2</option>
            <option value="2nd Year - Semester 1">2nd Year - Semester 1</option>
            <option value="2nd Year - Semester 2">2nd Year - Semester 2</option>
            <option value="3rd Year - Semester 1">3rd Year - Semester 1</option>
            <option value="3rd Year - Semester 2">3rd Year - Semester 2</option>
            <option value="4th Year - Semester 1">4th Year - Semester 1</option>
            <option value="4th Year - Semester 2">4th Year - Semester 2</option>
        </select>
    </div>

    <div class="form-group">
        <label for="grade">Grade / CGPA</label>
        <input type="text" id="grade" required>
    </div>

    <div class="form-group">
        <label for="address">Address</label>
        <textarea id="address" rows="3" required></textarea>
    </div>

    <button type="submit" class="btn-success">Register</button>

</form>
</div>

<div id="page2" class="page-box">
    <h2>Registration Details</h2>
    <div class="result-item"><strong>Name:</strong> <span id="resName"></span></div>
    <div class="result-item"><strong>Mobile:</strong> <span id="resMobile"></span></div>
    <div class="result-item"><strong>Gender:</strong> <span id="resGender"></span></div>
    <div class="result-item"><strong>Department:</strong> <span id="resDept"></span></div>
    <div class="result-item"><strong>Year & Sem:</strong> <span id="resYearSem"></span></div>
    <div class="result-item"><strong>Grade/CGPA:</strong> <span id="resGrade"></span></div>
    <div class="result-item"><strong>Address:</strong> <span id="resAddress"></span></div>

    <div class="button-group">
        <button type="button" id="goBackBtn" class="btn-secondary">Go Back</button>
        <button type="button" id="saveFileBtn" class="btn-primary">Save Details</button>
    </div>
</div>

</div>

<script>
    const page1 = document.getElementById('page1');
    const page2 = document.getElementById('page2');

    // Handle the form submission
    document.getElementById('registrationForm').addEventListener('submit', function(event) {
        event.preventDefault();

        // Copy data to Page 2
        document.getElementById('resName').textContent = document.getElementById('name').value;
        document.getElementById('resMobile').textContent = document.getElementById('mobile').value;
        document.getElementById('resGender').textContent = document.querySelector('input[name="gender"]:checked').value;
        document.getElementById('resDept').textContent = document.getElementById('department').value;
        document.getElementById('resYearSem').textContent = document.getElementById('yearSem').value;
        document.getElementById('resGrade').textContent = document.getElementById('grade').value;
        document.getElementById('resAddress').textContent = document.getElementById('address').value;
    });

```

```

    // Switch to Page 2
    page1.style.display = 'none';
    page2.style.display = 'block';
  });

  // Handle "Go Back" button
  document.getElementById('goBackBtn').addEventListener('click', function() {
    page2.style.display = 'none';
    page1.style.display = 'block';
  });

  // Handle "Save Details" button
  document.getElementById('saveFileBtn').addEventListener('click', function() {

    // 1. Gather all the text from the result page
    const name = document.getElementById('resName').textContent;
    const mobile = document.getElementById('resMobile').textContent;
    const gender = document.getElementById('resGender').textContent;
    const dept = document.getElementById('resDept').textContent;
    const yearSem = document.getElementById('resYearSem').textContent;
    const grade = document.getElementById('resGrade').textContent;
    const address = document.getElementById('resAddress').textContent;

    // 2. Format the text nicely for the file
    const fileContent = `Student Registration Details\n` +
      `=====\n` +
      `Name: ${name}\n` +
      `Mobile: ${mobile}\n` +
      `Gender: ${gender}\n` +
      `Department: ${dept}\n` +
      `Year & Sem: ${yearSem}\n` +
      `Grade/CGPA: ${grade}\n` +
      `Address: ${address}\n`;

    // 3. Create a Blob (Binary Large Object) containing the text
    const blob = new Blob([fileContent], { type: "text/plain" });

    // 4. Create an invisible download link
    const downloadLink = document.createElement("a");

    // 5. Create a safe filename (e.g., John_Doe_Details.txt)
    const safeFileName = name.replace(/ /g, "_") + "_Details.txt";
    downloadLink.download = safeFileName;

    // 6. Connect the link to the Blob and trigger the click
    downloadLink.href = window.URL.createObjectURL(blob);
    document.body.appendChild(downloadLink);
    downloadLink.click();

    // 7. Clean up the invisible link
    document.body.removeChild(downloadLink);
  });
</script>
</body>
</html>

```

How the "Save" feature works:

- **The Button:** I added a blue "Save Details" button next to the "Go Back" button using a CSS flexbox (.button-group).
- **Extracting the Data:** When you click save, JavaScript grabs the text out of the display box.
- **The Blob:** JavaScript bundles that text into a Blob format, which is the standard way browsers handle raw file data.
- **The Invisible Link:** The script instantly creates a hidden HTML <a> link, attaches the Blob to it, clicks it on your behalf, and immediately deletes the link. This is what prompts your browser to save the .txt file locally!

User prompt: before this give me login page and register account for user. in login details it must be username and password to be the rollno of the user. in register page include details to be filled to register are " name, rollno, email.id, create password, username"

Response: To make this a complete experience, we can build a **Single-Page Application (SPA)** using HTML, CSS, and JavaScript. This means all four "pages" (Login, Account Registration, Student Details Form, and Results/Download) will live in one single file. JavaScript will smoothly transition

between them.

Since we are not using a backend server, we will use the browser's `sessionStorage` to simulate an actual database. When the user registers an account, the details will be saved to the browser's memory, and the Login page will verify against those saved details.

Here is the complete, all-in-one code block.

Complete Application Code (Login → Details → Save)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Student Portal</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f4f7f6;
      display: flex;
      justify-content: center;
      align-items: center;
      min-height: 100vh;
      margin: 0;
      padding: 20px;
      box-sizing: border-box;
    }
    .container {
      width: 100%;
      max-width: 450px;
    }
    .page-box {
      background-color: #ffffff;
      padding: 30px;
      border-radius: 8px;
      box-shadow: 0 4px 12px rgba(0,0,0,0.1);
      display: none; /* All pages hidden by default */
    }
    /* Make the login page visible first */
    #loginPage {
      display: block;
      border-top: 5px solid #007bff;
    }
    #registerAccountPage {
      border-top: 5px solid #17a2b8;
    }
    #detailsFormPage {
      border-top: 5px solid #ffc107;
    }
    #resultPage {
      border-top: 5px solid #28a745;
    }
    h2 {
      text-align: center;
      color: #333;
      margin-top: 0;
      margin-bottom: 20px;
    }
    .form-group {
      margin-bottom: 15px;
    }
    label {
      display: block;
      margin-bottom: 5px;
      font-weight: bold;
      color: #555;
      font-size: 14px;
    }
    input[type="text"],
    input[type="password"],
    input[type="email"],
    input[type="tel"],
    select,
    textarea {
```

```

    width: 100%;
    padding: 10px;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
    font-family: Arial, sans-serif;
}
textarea { resize: vertical; }
.radio-group {
    display: flex;
    gap: 15px;
    margin-top: 5px;
}
.radio-group label {
    font-weight: normal;
    display: inline-flex;
    align-items: center;
    gap: 5px;
}
button {
    width: 100%;
    padding: 12px;
    color: white;
    border: none;
    border-radius: 4px;
    font-size: 16px;
    cursor: pointer;
    margin-top: 10px;
}
.btn-primary { background-color: #007bff; }
.btn-primary:hover { background-color: #0056b3; }
.btn-info { background-color: #17a2b8; }
.btn-info:hover { background-color: #117a8b; }
.btn-success { background-color: #28a745; }
.btn-success:hover { background-color: #218838; }
.btn-secondary { background-color: #6c757d; }
.btn-secondary:hover { background-color: #5a6268; }

.button-group {
    display: flex;
    gap: 10px;
    margin-top: 20px;
}
.link-text {
    text-align: center;
    margin-top: 15px;
    font-size: 14px;
}
.link-text a {
    color: #007bff;
    text-decoration: none;
    cursor: pointer;
}
.link-text a:hover {
    text-decoration: underline;
}
.result-item {
    margin-bottom: 12px;
    font-size: 15px;
    color: #333;
    line-height: 1.4;
    border-bottom: 1px solid #eee;
    padding-bottom: 8px;
}
.result-item:last-child { border-bottom: none; }
.result-item strong {
    color: #555;
    display: inline-block;
    width: 120px;
}
.error-msg {
    color: red;
    font-size: 14px;
    text-align: center;
}

```

```

        margin-bottom: 10px;
        display: none;
    }
</style>
</head>
<body>

    <div class="container">

        <div id="loginPage" class="page-box">
            <h2>Student Login</h2>
            <div id="loginError" class="error-msg">Invalid Username or Password!</div>
            <form id="loginForm">
                <div class="form-group">
                    <label for="loginUser">Username</label>
                    <input type="text" id="loginUser" required>
                </div>
                <div class="form-group">
                    <label for="loginPass">Password (Roll No)</label>
                    <input type="password" id="loginPass" placeholder="Enter your Roll No" required>
                </div>
                <button type="submit" class="btn-primary">Login</button>
            </form>
            <div class="link-text">
                Don't have an account? <a id="goToRegister">Register here</a>
            </div>
        </div>

        <div id="registerAccountPage" class="page-box">
            <h2>Create Account</h2>
            <form id="accountRegisterForm">
                <div class="form-group">
                    <label for="regName">Full Name</label>
                    <input type="text" id="regName" required>
                </div>
                <div class="form-group">
                    <label for="regRollNo">Roll Number</label>
                    <input type="text" id="regRollNo" required>
                </div>
                <div class="form-group">
                    <label for="regEmail">Email ID</label>
                    <input type="email" id="regEmail" required>
                </div>
                <div class="form-group">
                    <label for="regUser">Username</label>
                    <input type="text" id="regUser" required>
                </div>
                <div class="form-group">
                    <label for="regPass">Create Password (Must be Roll No)</label>
                    <input type="password" id="regPass" placeholder="Set your Roll No as password" required>
                </div>
                <button type="submit" class="btn-info">Register Account</button>
            </form>
            <div class="link-text">
                Already have an account? <a id="goToLogin">Back to Login</a>
            </div>
        </div>

        <div id="detailsFormPage" class="page-box">
            <h2>Complete Profile Details</h2>
            <form id="studentDetailsForm">
                <div class="form-group">
                    <label for="mobile">Mobile Number</label>
                    <input type="tel" id="mobile" required>
                </div>
                <div class="form-group">
                    <label>Gender</label>
                    <div class="radio-group">
                        <label><input type="radio" name="gender" value="Male" required> Male</label>
                        <label><input type="radio" name="gender" value="Female"> Female</label>
                        <label><input type="radio" name="gender" value="Other"> Other</label>
                    </div>
                </div>
                <div class="form-group">

```



```

        <label for="department">Department</label>
        <select id="department" required>
            <option value="" disabled selected>Select your department</option>
            <option value="Engineering">Engineering</option>
            <option value="Marketing">Marketing</option>
            <option value="Human Resources">Human Resources</option>
            <option value="Finance">Finance</option>
        </select>
    </div>
    <div class="form-group">
        <label for="yearSem">Year & Semester</label>
        <select id="yearSem" required>
            <option value="" disabled selected>Select Year & Semester</option>
            <option value="1st Year - Semester 1">1st Year - Semester 1</option>
            <option value="1st Year - Semester 2">1st Year - Semester 2</option>
            <option value="2nd Year - Semester 1">2nd Year - Semester 1</option>
            <option value="2nd Year - Semester 2">2nd Year - Semester 2</option>
        </select>
    </div>
    <div class="form-group">
        <label for="grade">Grade / CGPA</label>
        <input type="text" id="grade" required>
    </div>
    <div class="form-group">
        <label for="address">Address</label>
        <textarea id="address" rows="3" required></textarea>
    </div>
    <button type="submit" class="btn-success">Submit Details</button>
</form>
</div>

<div id="resultPage" class="page-box">
    <h2>Profile Summary</h2>
    <div class="result-item"><strong>Account Name:</strong> <span id="resAccName"></span></div>
    <div class="result-item"><strong>Roll No:</strong> <span id="resAccRoll"></span></div>
    <div class="result-item"><strong>Email:</strong> <span id="resAccEmail"></span></div>
    <div class="result-item"><strong>Username:</strong> <span id="resAccUser"></span></div>
    <hr style="border: 0; border-top: 1px solid #ddd; margin: 15px 0;">
    <div class="result-item"><strong>Mobile:</strong> <span id="resMobile"></span></div>
    <div class="result-item"><strong>Gender:</strong> <span id="resGender"></span></div>
    <div class="result-item"><strong>Department:</strong> <span id="resDept"></span></div>
    <div class="result-item"><strong>Year & Sem:</strong> <span id="resYearSem"></span></div>
    <div class="result-item"><strong>Grade/CGPA:</strong> <span id="resGrade"></span></div>
    <div class="result-item"><strong>Address:</strong> <span id="resAddress"></span></div>

    <div class="button-group">
        <button type="button" id="goBackBtn" class="btn-secondary">Edit Details</button>
        <button type="button" id="saveFileBtn" class="btn-primary">Save to PC</button>
    </div>
</div>

</div>

<script>
    // DOM Elements for the 4 Pages
    const loginPage = document.getElementById('loginPage');
    const registerAccountPage = document.getElementById('registerAccountPage');
    const detailsFormPage = document.getElementById('detailsFormPage');
    const resultPage = document.getElementById('resultPage');

    // Navigation Links
    document.getElementById('goToRegister').addEventListener('click', () => {
        loginPage.style.display = 'none';
        registerAccountPage.style.display = 'block';
    });
    document.getElementById('goToLogin').addEventListener('click', () => {
        registerAccountPage.style.display = 'none';
        loginPage.style.display = 'block';
    });

    // 1. ACCOUNT REGISTRATION LOGIC
    document.getElementById('accountRegisterForm').addEventListener('submit', function(e) {
        e.preventDefault();

```

```

const rollNo = document.getElementById('regRollNo').value;
const pass = document.getElementById('regPass').value;

// Enforce password to be Roll No as requested
if(rollNo !== pass) {
    alert("As per rules, your password must match your Roll Number.");
    return;
}

// Save account data to memory
sessionStorage.setItem('accName', document.getElementById('regName').value);
sessionStorage.setItem('accRollNo', rollNo);
sessionStorage.setItem('accEmail', document.getElementById('regEmail').value);
sessionStorage.setItem('accUser', document.getElementById('regUser').value);
sessionStorage.setItem('accPass', pass);

alert("Account created successfully! You can now log in.");

// Switch to Login Page
this.reset();
registerAccountPage.style.display = 'none';
loginPage.style.display = 'block';
});

// 2. LOGIN LOGIC
document.getElementById('loginForm').addEventListener('submit', function(e) {
    e.preventDefault();

    const enterUser = document.getElementById('loginUser').value;
    const enterPass = document.getElementById('loginPass').value;

    const savedUser = sessionStorage.getItem('accUser');
    const savedPass = sessionStorage.getItem('accPass');

    // Verify credentials
    if(enterUser === savedUser && enterPass === savedPass) {
        document.getElementById('loginError').style.display = 'none';

        // Pre-fill result page with account data right away
        document.getElementById('resAccName').textContent = sessionStorage.getItem('accName');
        document.getElementById('resAccRoll').textContent = sessionStorage.getItem('accRollNo');
        document.getElementById('resAccEmail').textContent = sessionStorage.getItem('accEmail');
        document.getElementById('resAccUser').textContent = sessionStorage.getItem('accUser');

        // Switch to Details Form
        loginPage.style.display = 'none';
        detailsFormPage.style.display = 'block';
    } else {
        document.getElementById('loginError').style.display = 'block';
    }
});

// 3. STUDENT DETAILS FORM LOGIC
document.getElementById('studentDetailsForm').addEventListener('submit', function(e) {
    e.preventDefault();

    // Map data to the Results Page
    document.getElementById('resMobile').textContent = document.getElementById('mobile').value;
    document.getElementById('resGender').textContent = document.querySelector('input[name="gender"]:checked').value;
    document.getElementById('resDept').textContent = document.getElementById('department').value;
    document.getElementById('resYearSem').textContent = document.getElementById('yearSem').value;
    document.getElementById('resGrade').textContent = document.getElementById('grade').value;
    document.getElementById('resAddress').textContent = document.getElementById('address').value;

    // Switch to Results Page
    detailsFormPage.style.display = 'none';
    resultPage.style.display = 'block';
});

// 4. GO BACK BUTTON LOGIC
document.getElementById('goBackBtn').addEventListener('click', function() {
    resultPage.style.display = 'none';
    detailsFormPage.style.display = 'block';
});

```

```
// 5. SAVE DETAILS (DOWNLOAD) LOGIC
document.getElementById('saveFileBtn').addEventListener('click', function() {

    const name = document.getElementById('resAccName').textContent;

    // Gather all text
    const fileContent = `STUDENT PROFILE DATA\n` +
        `=====\\n` +
        `Name: ${name}\\n` +
        `Roll No: ${document.getElementById('resAccRoll').textContent}\\n` +
        `Email: ${document.getElementById('resAccEmail').textContent}\\n` +
        `Username: ${document.getElementById('resAccUser').textContent}\\n` +
        `-----\\n` +
        `Mobile: ${document.getElementById('resMobile').textContent}\\n` +
        `Gender: ${document.getElementById('resGender').textContent}\\n` +
        `Department: ${document.getElementById('resDept').textContent}\\n` +
        `Year & Sem: ${document.getElementById('resYearSem').textContent}\\n` +
        `Grade/CGPA: ${document.getElementById('resGrade').textContent}\\n` +
        `Address: ${document.getElementById('resAddress').textContent}\\n`;

    const blob = new Blob([fileContent], { type: "text/plain" });
    const downloadLink = document.createElement("a");

    const safeFileName = name.replace(/ /g, "_") + "_Profile.txt";
    downloadLink.download = safeFileName;

    downloadLink.href = window.URL.createObjectURL(blob);
    document.body.appendChild(downloadLink);
    downloadLink.click();
    document.body.removeChild(downloadLink);
});
</script>

</body>
</html>
```

Key Additions Explained:

1. **Flow Logic:** The page starts on #loginPage. At the bottom, there is a link that swaps the visibility to the #registerAccountPage.
2. **Strict Password Validation:** Since you requested the password be the rollno, I added a small piece of JavaScript in the Registration form that actively prevents the user from registering if the Create Password field does not exactly match the Roll Number field.
3. **Data Bridging:** Once the user successfully registers, their basic info (Name, Roll No, Email) is saved in the background. When they pass the Login screen and finish the "Profile Details" form, the final Results page pulls data from *both* forms to create one complete summary.

User prompt: there is some missing in the above code "username, year with sem". and also include engineering branch name in the department

Response: Here is the updated code! I have expanded the **Department** dropdown to include specific Engineering branches.

I also double-checked the flow to ensure both **Username** (in the Account Registration) and **Year & Semester** (in the Details form) are clearly included, captured, and correctly displayed on the final summary page and in the downloaded text file.

Complete Updated Code

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Student Portal</title>
</style>
  body {
    font-family: Arial, sans-serif;
    background-color: #f4f7f6;
    display: flex;
    justify-content: center;
    align-items: center;
    min-height: 100vh;
    margin: 0;
    padding: 20px;
    box-sizing: border-box;
```

```

}
.container {
  width: 100%;
  max-width: 450px;
}
.page-box {
  background-color: #ffffff;
  padding: 30px;
  border-radius: 8px;
  box-shadow: 0 4px 12px rgba(0,0,0,0.1);
  display: none;
}
#loginPage {
  display: block;
  border-top: 5px solid #007bff;
}
#registerAccountPage {
  border-top: 5px solid #17a2b8;
}
#detailsFormPage {
  border-top: 5px solid #ffc107;
}
#resultPage {
  border-top: 5px solid #28a745;
}
h2 {
  text-align: center;
  color: #333;
  margin-top: 0;
  margin-bottom: 20px;
}
.form-group {
  margin-bottom: 15px;
}
label {
  display: block;
  margin-bottom: 5px;
  font-weight: bold;
  color: #555;
  font-size: 14px;
}
input[type="text"],
input[type="password"],
input[type="email"],
input[type="tel"],
select,
textarea {
  width: 100%;
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 4px;
  box-sizing: border-box;
  font-family: Arial, sans-serif;
}
textarea { resize: vertical; }
.radio-group {
  display: flex;
  gap: 15px;
  margin-top: 5px;
}
.radio-group label {
  font-weight: normal;
  display: inline-flex;
  align-items: center;
  gap: 5px;
}
button {
  width: 100%;
  padding: 12px;
  color: white;
  border: none;
  border-radius: 4px;
  font-size: 16px;
  cursor: pointer;
}

```

```

        margin-top: 10px;
    }
    .btn-primary { background-color: #007bff; }
    .btn-primary:hover { background-color: #0056b3; }
    .btn-info { background-color: #17a2b8; }
    .btn-info:hover { background-color: #117a8b; }
    .btn-success { background-color: #28a745; }
    .btn-success:hover { background-color: #218838; }
    .btn-secondary { background-color: #6c757d; }
    .btn-secondary:hover { background-color: #5a6268; }

    .button-group {
        display: flex;
        gap: 10px;
        margin-top: 20px;
    }
    .link-text {
        text-align: center;
        margin-top: 15px;
        font-size: 14px;
    }
    .link-text a {
        color: #007bff;
        text-decoration: none;
        cursor: pointer;
    }
    .link-text a:hover {
        text-decoration: underline;
    }
    .result-item {
        margin-bottom: 12px;
        font-size: 15px;
        color: #333;
        line-height: 1.4;
        border-bottom: 1px solid #eee;
        padding-bottom: 8px;
    }
    .result-item:last-child { border-bottom: none; }
    .result-item strong {
        color: #555;
        display: inline-block;
        width: 130px;
    }
    .error-msg {
        color: red;
        font-size: 14px;
        text-align: center;
        margin-bottom: 10px;
        display: none;
    }
}
</style>
</head>
<body>

<div class="container">

    <div id="loginPage" class="page-box">
        <h2>Student Login</h2>
        <div id="loginError" class="error-msg">Invalid Username or Password!</div>
        <form id="loginForm">
            <div class="form-group">
                <label for="loginUser">Username</label>
                <input type="text" id="loginUser" required>
            </div>
            <div class="form-group">
                <label for="loginPass">Password (Roll No)</label>
                <input type="password" id="loginPass" placeholder="Enter your Roll No" required>
            </div>
            <button type="submit" class="btn-primary">Login</button>
        </form>
        <div class="link-text">
            Don't have an account? <a id="goToRegister">Register here</a>
        </div>
    </div>

```

```

<div id="registerAccountPage" class="page-box">
  <h2>Create Account</h2>
  <form id="accountRegisterForm">
    <div class="form-group">
      <label for="regName">Full Name</label>
      <input type="text" id="regName" required>
    </div>
    <div class="form-group">
      <label for="regRollNo">Roll Number</label>
      <input type="text" id="regRollNo" required>
    </div>
    <div class="form-group">
      <label for="regEmail">Email ID</label>
      <input type="email" id="regEmail" required>
    </div>
    <div class="form-group">
      <label for="regUser">Username</label>
      <input type="text" id="regUser" placeholder="Choose a username" required>
    </div>
    <div class="form-group">
      <label for="regPass">Create Password (Must be Roll No)</label>
      <input type="password" id="regPass" placeholder="Set your Roll No as password" required>
    </div>
    <button type="submit" class="btn-info">Register Account</button>
  </form>
  <div class="link-text">
    Already have an account? <a id="goToLogin">Back to Login</a>
  </div>
</div>

<div id="detailsFormPage" class="page-box">
  <h2>Complete Profile Details</h2>
  <form id="studentDetailsForm">
    <div class="form-group">
      <label for="mobile">Mobile Number</label>
      <input type="tel" id="mobile" required>
    </div>
    <div class="form-group">
      <label>Gender</label>
      <div class="radio-group">
        <label><input type="radio" name="gender" value="Male" required> Male</label>
        <label><input type="radio" name="gender" value="Female"> Female</label>
        <label><input type="radio" name="gender" value="Other"> Other</label>
      </div>
    </div>

    <div class="form-group">
      <label for="department">Department / Branch</label>
      <select id="department" required>
        <option value="" disabled selected>Select your branch</option>
        <optgroup label="Engineering Branches">
          <option value="Computer Science (CSE)">Computer Science (CSE)</option>
          <option value="Information Technology (IT)">Information Technology (IT)</option>
          <option value="Electronics & Comm (ECE)">Electronics & Comm (ECE)</option>
          <option value="Electrical & Electronics (EEE)">Electrical & Electronics (EEE)</opt>
          <option value="Mechanical Engineering (ME)">Mechanical Engineering (ME)</option>
          <option value="Civil Engineering (CE)">Civil Engineering (CE)</option>
        </optgroup>
        <optgroup label="Other Departments">
          <option value="Marketing">Marketing</option>
          <option value="Human Resources">Human Resources</option>
          <option value="Finance">Finance</option>
        </optgroup>
      </select>
    </div>

    <div class="form-group">
      <label for="yearSem">Year & Semester</label>
      <select id="yearSem" required>
        <option value="" disabled selected>Select Year & Semester</option>
        <option value="1st Year - Semester 1">1st Year - Semester 1</option>
        <option value="1st Year - Semester 2">1st Year - Semester 2</option>
        <option value="2nd Year - Semester 1">2nd Year - Semester 1</option>
      </select>
    </div>
  </form>
</div>

```

```

        <option value="2nd Year - Semester 2">2nd Year - Semester 2</option>
        <option value="3rd Year - Semester 1">3rd Year - Semester 1</option>
        <option value="3rd Year - Semester 2">3rd Year - Semester 2</option>
        <option value="4th Year - Semester 1">4th Year - Semester 1</option>
        <option value="4th Year - Semester 2">4th Year - Semester 2</option>
    </select>
</div>

<div class="form-group">
    <label for="grade">Grade / CGPA</label>
    <input type="text" id="grade" required>
</div>
<div class="form-group">
    <label for="address">Address</label>
    <textarea id="address" rows="3" required></textarea>
</div>
<button type="submit" class="btn-success">Submit Details</button>
</form>
</div>

<div id="resultPage" class="page-box">
    <h2>Profile Summary</h2>
    <div class="result-item"><strong>Account Name:</strong> <span id="resAccName"></span></div>
    <div class="result-item"><strong>Roll No:</strong> <span id="resAccRoll"></span></div>
    <div class="result-item"><strong>Email:</strong> <span id="resAccEmail"></span></div>
    <div class="result-item"><strong>Username:</strong> <span id="resAccUser"></span></div>
    <hr style="border: 0; border-top: 1px solid #ddd; margin: 15px 0;">
    <div class="result-item"><strong>Mobile:</strong> <span id="resMobile"></span></div>
    <div class="result-item"><strong>Gender:</strong> <span id="resGender"></span></div>
    <div class="result-item"><strong>Dept / Branch:</strong> <span id="resDept"></span></div>
    <div class="result-item"><strong>Year & Sem:</strong> <span id="resYearSem"></span></div>
    <div class="result-item"><strong>Grade/CGPA:</strong> <span id="resGrade"></span></div>
    <div class="result-item"><strong>Address:</strong> <span id="resAddress"></span></div>

    <div class="button-group">
        <button type="button" id="goBackBtn" class="btn-secondary">Edit Details</button>
        <button type="button" id="saveFileBtn" class="btn-primary">Save to PC</button>
    </div>
</div>
</div>

<script>
    const loginPage = document.getElementById('loginPage');
    const registerAccountPage = document.getElementById('registerAccountPage');
    const detailsFormPage = document.getElementById('detailsFormPage');
    const resultPage = document.getElementById('resultPage');

    document.getElementById('goToRegister').addEventListener('click', () => {
        loginPage.style.display = 'none';
        registerAccountPage.style.display = 'block';
    });
    document.getElementById('goToLogin').addEventListener('click', () => {
        registerAccountPage.style.display = 'none';
        loginPage.style.display = 'block';
    });

    // 1. ACCOUNT REGISTRATION
    document.getElementById('accountRegisterForm').addEventListener('submit', function(e) {
        e.preventDefault();

        const rollNo = document.getElementById('regRollNo').value;
        const pass = document.getElementById('regPass').value;

        if(rollNo !== pass) {
            alert("As per rules, your password must match your Roll Number.");
            return;
        }

        sessionStorage.setItem('accName', document.getElementById('regName').value);
        sessionStorage.setItem('accRollNo', rollNo);
        sessionStorage.setItem('accEmail', document.getElementById('regEmail').value);
        sessionStorage.setItem('accUser', document.getElementById('regUser').value); // Save Username
        sessionStorage.setItem('accPass', pass);
    });
</script>

```

```

    alert("Account created successfully! You can now log in.");

    this.reset();
    registerAccountPage.style.display = 'none';
    loginPage.style.display = 'block';
  });

// 2. LOGIN
document.getElementById('loginForm').addEventListener('submit', function(e) {
  e.preventDefault();

  const enterUser = document.getElementById('loginUser').value;
  const enterPass = document.getElementById('loginPass').value;

  const savedUser = sessionStorage.getItem('accUser');
  const savedPass = sessionStorage.getItem('accPass');

  if(enterUser === savedUser && enterPass === savedPass) {
    document.getElementById('loginError').style.display = 'none';

    document.getElementById('resAccName').textContent = sessionStorage.getItem('accName');
    document.getElementById('resAccRoll').textContent = sessionStorage.getItem('accRollNo');
    document.getElementById('resAccEmail').textContent = sessionStorage.getItem('accEmail');
    document.getElementById('resAccUser').textContent = sessionStorage.getItem('accUser'); // Display

    loginPage.style.display = 'none';
    detailsFormPage.style.display = 'block';
  } else {
    document.getElementById('loginError').style.display = 'block';
  }
});

// 3. STUDENT DETAILS
document.getElementById('studentDetailsForm').addEventListener('submit', function(e) {
  e.preventDefault();

  document.getElementById('resMobile').textContent = document.getElementById('mobile').value;
  document.getElementById('resGender').textContent = document.querySelector('input[name="gender"]:checked').value;
  document.getElementById('resDept').textContent = document.getElementById('department').value;
  document.getElementById('resYearSem').textContent = document.getElementById('yearSem').value; // [
  document.getElementById('resGrade').textContent = document.getElementById('grade').value;
  document.getElementById('resAddress').textContent = document.getElementById('address').value;

  detailsFormPage.style.display = 'none';
  resultPage.style.display = 'block';
});

// 4. GO BACK BUTTON
document.getElementById('goBackBtn').addEventListener('click', function() {
  resultPage.style.display = 'none';
  detailsFormPage.style.display = 'block';
});

// 5. SAVE DETAILS (DOWNLOAD FILE)
document.getElementById('saveFileBtn').addEventListener('click', function() {

  const name = document.getElementById('resAccName').textContent;

  const fileContent = `STUDENT PROFILE DATA\n` +
    `===== \n` +
    `Name: ${name}\n` +
    `Roll No: ${document.getElementById('resAccRoll').textContent}\n` +
    `Email: ${document.getElementById('resAccEmail').textContent}\n` +
    `Username: ${document.getElementById('resAccUser').textContent}\n` +
    `----- \n` +
    `Mobile: ${document.getElementById('resMobile').textContent}\n` +
    `Gender: ${document.getElementById('resGender').textContent}\n` +
    `Dept/Branch: ${document.getElementById('resDept').textContent}\n` +
    `Year & Sem: ${document.getElementById('resYearSem').textContent}\n` +
    `Grade/CGPA: ${document.getElementById('resGrade').textContent}\n` +
    `Address: ${document.getElementById('resAddress').textContent}\n`;

  const blob = new Blob([fileContent], { type: "text/plain" });

```



```
const downloadLink = document.createElement("a");

const safeFileName = name.replace(/ /g, "_") + "_Profile.txt";
downloadLink.download = safeFileName;

downloadLink.href = window.URL.createObjectURL(blob);
document.body.appendChild(downloadLink);
downloadLink.click();
document.body.removeChild(downloadLink);
});
</script>

</body>
</html>
```

Changes Made:

- **Engineering Branches Added:** I implemented the <optgroup> HTML tag inside the Department dropdown. This clearly groups Engineering branches (CSE, IT, ECE, EEE, ME, CE) apart from other standard departments like Marketing and Finance.
 - **Username Clarification:** I added placeholder text placeholder="Choose a username" to the Username field in the registration box to make it stand out more clearly.
 - **Result Page Alignment:** I slightly widened the tags on the final results page (using width: 130px; in the CSS) so that the longer labels like "Dept / Branch:" line up perfectly with the rest of the text.
-