


İSTANBUL MEDİPOL ÜNİVERSİTESİ
YAZILIM GELİŞTİRME VE ORTAM ARAÇLARI
FİNAL PROJE RAPORU

KÜBRA NUR AKTAŞ

JENKINS

 **Jenkins**

admin | çıkış

Jenkins

[Yeni Item](#)
[Kişiler](#)
[Yapılandırma Geçmişi](#)
[Jenkins'i Yönet](#)
[My Views](#)
[Credentials](#)
[New View](#)

Jenkinsa Hoşgeldiniz!
Lütfen başlamak için **yeni işler oluşturun**

Yapılandırma Listesi
Sırada bekleyen yapılandırma yok.

Yapılandırıcı Durumu
1 Beklemede
2 Beklemede


Oluşturulmuş sayfa: 31.May.2018 14:14:17 EEST [REST API](#) [Jenkins ver. 2.107](#)

jenkins.war

Tümünü göster

Jenkins installation and s... x Jenkins'i Yönet [Jenkins] x MyCourses/SoftwareDev... x MyCourses/README.md x

localhost:8092/manage

 **Jenkins**

admin | çıkış

Jenkins

[Yeni Item](#)
[Kişiler](#)
[Yapılandırma Geçmişi](#)
[Jenkins'i Yönet](#)
[My Views](#)
[Credentials](#)
[New View](#)

Jenkins'i Yönet

Sistem Konfigürasyonunu Değiştir
Evrensel ayarları ve pathleri konfigüre et

Configure Global Security
Secure Jenkins; define who is allowed to access/use the system.

Configure Credentials
Configure the credential providers and types

Global Tool Configuration
Configure tools, their locations and automa [Global Tool Configuration](#)

Konfigürasyonu Disk'ten Yükle
Hafızada tutulan yapılmış tüm değişiklikleri iptal et ve herşeyi dosya sisteminden yükle. Konfigürasyon dosyalarını doğrudan diskten değiştirdiyseniz kullanışlıdır

Eklentileri Yönet
Jenkins fonksiyonallitesini artırmak için kullanılan eklentileri ekle, çıkar, devreye al veya devre dışı bırak

Yapılandırma Listesi
Sırada bekleyen yapılandırma yok.

Yapılandırıcı Durumu
1 Beklemede
2 Beklemede

localhost:8092/configureTools

jenkins.war

Tümünü göster

Back to Dashboard

Manage Jenkins

Global Tool Configuration

Maven Configuration

Default settings provider Use default maven settings

Default global settings provider Use default maven global settings

JDK

JDK installations Add JDK

List of JDK installations on this system

Git

Git installations

Git

Name java 8

Path to Git executable C:\Program Files\java\jdk1.8.0_172

☐ Install automatically

Save

Apply

JGit with Apache HTTP client

Delete Git

JGit

Delete Git

Add Git

Gradle

Gradle installations Add Gradle

List of Gradle installations on this system

Ant

Ant installations Add Ant

List of Ant installations on this system

Maven

Maven installations Add Maven

List of Maven installations on this system

Docker

Docker installations Add Docker

List of Docker installations on this system

Save

Apply

Jenkins installation and sGlobal Tool ConfigurationMyCourses/SoftwareDevMyCourses/README.mdlocalhost:8092/configureTools/

JenkinsGlobal Tool Configuration

Ant

Ant installations

Add Ant

List of Ant installations on this system

Maven

Maven installations

Maven

isim

Maven 3.5.2

☒ Install automatically

Install from Apache

Version3.5.2

Delete Installer

Add Installer

Delete Maven

Add Maven

List of Maven installations on this system

Docker

Docker installations

Add Docker

List of Docker installations on this system

SaveApply

Jenkins installation and sGlobal Tool ConfigurationMyCourses/SoftwareDevMyCourses/README.mdlocalhost:8092/configureTools/

JenkinsGlobal Tool Configuration

Ant

Ant installations

Add Ant

List of Ant installations on this system

Maven

Maven installations

Maven

isim

Maven 3.5.2

☒ Install automatically

Install from Apache

Version3.5.2

Delete Installer

Add Installer

Delete Maven

Add Maven

List of Maven installations on this system

Docker

Docker installations


Add Docker

List of Docker installations on this system

SaveApply



CODECOV.IO




**kubraaktas**
No repositories covered yet.
[Add a repository](#)

Don't see your team above? [Sync your team list](#).

Still nothing? Check your [Application Settings in GitHub](#). Click "Grant Access" in your team list.

 gh kubraaktas YazilimOdevi Docs Support 

 New! Install the Codecov's GitHub Integration to improve application link. Comment posting will be on-behalf-of Codecov not a bot user. [Install now](#) [Hide](#)

[Overview](#) [Commits](#) [Branches](#) [Pulls](#) [Compare](#) [Settings](#)



Hey! Let's get your project covered.

via/

At the moment, we are not able to track your code coverage. Please check your repository settings and make sure you have the correct permissions.



TRAVIS CI


Travis CI About Us Blog Status Help

Sign in with GitHub


Test and Deploy with Confidence


Easily sync your GitHub projects with Travis CI and you'll be testing your code in minutes!







ECLIPSE – SpringBootOrnek





Directory kısmından dosya seçimi yapılır.






```
kubra_aktas_odev.java
3 import java.util.*;
4 import org.springframework.web.bind.annotation.*;
5
6 @RestController
7 public class kubra_aktas_odev {
8
9     private List<Ogrenci> ogrenciler = new ArrayList<Ogrenci>();
10
11     public kubra_aktas_odev() {
12
13     }
14
15     public kubra_aktas_odev(List<Ogrenci> ogrenciler) {
16         this.ogrenciler = ogrenciler;
17     }
18
19     class Ogrenci {
20         String ad, soyad;
21         public String getAd() { return ad;}
22         public String getSoyad() { return soyad;}
23     }
24
25
26     @RequestMapping("/ogrenci/listele")
27     public List<Ogrenci> ogrenciliste() {
28         return ogrenciler;
29     }
30 }
```

```
kubra_aktas_odev.java
25
26 @RequestMapping("/ogrenci/listele")
27 public List<Ogrenci> ogrenciliste() {
28     return ogrenciler;
29 }
30
31
32 @RequestMapping(value="/ogrenci/olustur",method = RequestMethod.GET)
33 public synchronized Ogrenci ogrenciOlustur(String ad, String soyad) {
34     return ogrenciEkle(ogrenciler, ad, soyad);
35 }
36
37
38 @RequestMapping(
39     value="/ogrenci/olustur/post",
40     method = RequestMethod.POST
41 )
42 public synchronized Ogrenci ogrenciOlusturPost(String ad, String soyad) {
43     return ogrenciEkle(ogrenciler, ad, soyad);
44 }
45
46 protected Ogrenci ogrenciEkle(List<Ogrenci> liste, String ad, String soyad) {
47     Ogrenci ogrenci = new Ogrenci();
48     ogrenci.ad=ad;
49     ogrenci.soyad=soyad;
50     liste.add(ogrenci);
51     return ogrenci;
52 }
```


Task List


Find All Activate...

Outline


- com.medipol.yazilimaraclari.SpringBootOrnek
 - kubra_aktas_odev
 - ogrenciler : List<Ogrenci>
 - kubra_aktas_odev()
 - kubra_aktas_odev(List<Ogrenci>)
 - Ogrenci
 - ogrenciliste() : List<Ogrenci>
 - ogrenciOlustur(String, String) : Ogrenci
 - ogrenciOlusturPost(String, String) : Ogrenci
 - ogrenciEkle(List<Ogrenci>, String, String) : Ogrenci

POSTMAN





JUNIT TEST



GİTHUB

Owner: kubraaktas / Repository name: FinalProjem

Great repository names are short and memorable. Need inspiration? How about [stunning-umbrella](#).

Description (optional):
Yazılım Geliştirme Ve Ortam Araçları

☒ Public
Anyone can see this repository. You choose who can commit.

☐ Private
You choose who can see and commit to this repository.

☐ Initialize this repository with a README
This will let you immediately clone the repository to your computer. Skip this step if you're importing an existing repository.

Add .gitignore: None | Add a license: None

Create repository

Buradan dosya oluşturulur ve Eclipse içine import edilir.

kubraaktas / FinalProjem

Watch 0 Star 0 Fork 0

Code Issues 0 Pull requests 0 Projects 0 Wiki Insights Settings

Quick setup — if you've done this kind of thing before

Set up in Desktop or HTTPS SSH <https://github.com/kubraaktas/FinalProjem.git>

We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# FinalProjem" >> README.md
git init
git add README.md
git commit -m "first commit"
git remote add origin https://github.com/kubraaktas/FinalProjem.git
```

eclipse-workspace - final_dev_SpringBootOrnek/src/main/java/com/medipol/yazilimaraclari/SpringBootOrnek/kubra_aktas_odev.java - Eclipse

File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer

- aktas_kubra
- final_dev_SpringBootOrnek
- odev
- Proje
- SpringBootOrnek [FinalOdev master]

Source Editor

```
33 public synchronized Ogrenci ogrenciOlustur(String ad, String soyad) {
34     return ogrenciEkle(ogrenciler, ad, soyad);
35 }
36
37 @RequestMapping(
38     value = "/ogrenci/olustur/post",
39     method = RequestMethod.POST
40 )
41 public synchronized Ogrenci ogrenciOlusturPost(String ad, String soyad) {
42     return ogrenciEkle(ogrenciler, ad, soyad);
43 }
44
45 protected Ogrenci ogrenciEkle(List<Ogrenci> liste, String ad, String soyad) {
46     Ogrenci ogrenci = new Ogrenci();
47     ogrenci.ad=ad;
48     ogrenci.soyad=soyad;
49     liste.add(ogrenci);
50     return ogrenci;
51 }
52
53 }
54
```

Git Repositories (Git)

- Git Interactive Rebase (Git)
- Git Reflog (Git)
- Git Staging (Git)
- Git
- Add a Git Repository
- Clone a Git Repository
- Git Repository -
- Committing - Team/Git
- Configuration - Team/Git

Results per category are limited. Press 'Ctrl+3' to see all

Coverage

| Element | Coverage | Covered Instructio | Missed Instructions | Total Instructions |
|---------------------------|----------|--------------------|---------------------|--------------------|
| final_dev_SpringBootOrnek | 15,5 % | 22 | 120 | 142 |

aktas_kubra
final_odev_SpringBootOrnek
odev
Proje
SpringBootOrnek [FinalOdevv master]

```

33 public synchronized Ogrenci ogrenciOlustur(String ad, String soyad) {
34     return ogrenciEkle(ogrenciler, ad, soyad);
35 }
36
37
38 @RequestMapping(
39     value="/ogrenci/olustur/post",
40     method = RequestMethod.POST
41 )
42 public synchronized Ogrenci ogrenciOlusturPost(String ad, String soyad) {
43     return ogrenciEkle(ogrenciler, ad, soyad);
44 }
45
46 protected Ogrenci ogrenciEkle(List<Ogrenci> liste, String ad, String soyad) {
47     Ogrenci ogrenci = new Ogrenci();
48     ogrenci.ad=ad;
49     ogrenci.soyad=soyad;
50     liste.add(ogrenci);
51     return ogrenci;
52 }
53
54

```

Git Repositories

Paste Repository Path or URI Ctrl+V

0 items selected

| Element | Coverage | Covered Instructions | Missed Instructions |
|----------------------------|----------|----------------------|---------------------|
| final_odev_SpringBootOrnek | 15,5 % | 22 | 120 |

Package Explorer

aktas_kubra
final_odev_SpringBootOrnek
odev
Proje
SpringBootOrnek [FinalOdevv master]

Git Repositories

0 items selected

Clone Git Repository

Source Git Repository

Enter the location of the source repository.

Location

URI: <https://github.com/kubraaktas/FinalProjem.git> Local File...

Host: github.com

Repository path: /kubraaktas/FinalProjem.git

Connection

Protocol: https

Port:

Authentication

User:

Password:

☐ Store in Secure Store

< Back Next > Finish Cancel

Task List

Find

Outline

- kubra_aktas_odev()
- kubra_aktas_odev(List<Ogrenci>)
- Ogrenci
- ogrenciListele() : List<Ogrenci>
- ogrenciOlustur(String, String) : Ogrenci
- ogrenciOlusturPost(String, String) : Ogrenci
- ogrenciEkle(List<Ogrenci>, String, String) : Ogrenci

