No.
Date. / /

Station 1: Place value table

Place Value: $2^7 = 2\times2\times2\times2\times2\times2\times2 = 128$

$2^6 = 2\times2\times2\times2\times2\times2 = 64$

$2^5 = 2\times2\times2\times2\times2 = 32$

$2^4 = 2\times2\times2\times2 = 16$

$2^3 = 2\times2\times2 = 8$

$2^2 = 4$

$2^1 = 2$

$2^0 = 1$

Digit x Place Value:

$128 \times 1 = 128$ ✓

$0 \times 64 = 0$

$0 \times 32 = 0$

$1 \times 16 = 16$ ✓

$8 \times 0 = 0$ $4 \times 0 = 0$

$2 \times 0 = 0$

$2 \times 1 = 2$ ✓

$2 \times 0 = 0$

sum = 128 + 16 + 2 = 146

Convert 2364_8 to decimal

$8^3 = 512$ $8^2 = 64$ $8^1 = 8$ $8^0 = 1$

$512 \times 2 = 1024$ $64 \times 3 = 192$ $6 \times 8 = 48$ $4 \times 1 = 4$

add $1024 + 192 + 48 + 4 = 1268$

↳ Decimal Value

Place Value table Convert $6C5_{16}$ to decimal

Digit Value

6 = 6 C = 12 5 = 5

in hexadecimal C is 12

1		
Place Value	$16^2 = 256$	
	$16^1 = 16$	
	$16^0 = 1$	
Digit x place Value:	$256 \times 6 = 1,536$	Add: 1536 + 192 + 5
	$16 \times 12 = 192$	$= 1,733$
	$5 \times 1 = 5$	

Decimal value of $6C5_{16}$

Station 2: Repeated Division. Convert 133 (decimal) to Binary

113 ÷ 2 = 56 remainder = 1

56 ÷ 2 = 28 remainder = 0

28 ÷ 2 = 14 remainder = 0

14 ÷ 2 = 7 remainder = 0

7 ÷ 2 = 3 remainder = 1

3 ÷ 2 = 1 remainder = 1

1 ÷ 2 = 0 remainder = 1

Repeated Division Convert 904 (Decimal) to octal

904 ÷ 8 = 113 remainder 0

113 ÷ 8 = 14 remainder 1

14 ÷ 8 = 1 remainder 6

1 ÷ 8 = 0 remainder 1

Bottom to Top 1610_8

Repeated Division Convert 1,200 (Decimal to Hexadecimal)

1,200 ÷ 16 = 75 remainder 0 = 0

75 ÷ 16 = 4 remainder 11 = B

4 ÷ 16 = 0 remainder 4 = 4

value in Hexadecimal

Station 3: Grouping Shortcut

4 bit group = 0101 Hexadecimal = 5
1100 = C
0100 = 4

No.
Date. / /

1D1111 00 0100

Grouping Shortcut

111 101 10 10

3 bit: 001 Octal digit: 1
111 7
011 3
010 2

Expansion Shortcut

Hex = 9 3 D
4 bit = 1001 0011 1101

combine

100100111101

Two Step Shortcut

7 - 111
5 - 101 } 111101011
3 - 011

1 = 0001
E = 1110
B = 1011

Station 4: IP address

IP Address: 10.172.153.110

Decimal	8-bit binary
10	00001010
172	10101100
153	10011001
110	01101110

Total IP address 00001010.10101100.10011001.01101110

Web Colors:

a) E7BD34

Date.

E7 = 14 x 16 + 7 = 231

BD = 11 x 16 + 13 = 189

34 = 3 x 16 + 4 = 52

Red = 231

Green = 189

Blue = 52

b.) rgb (227 = E3)

(175 = AF)

(189 = BD)

Red = E3

Green = AF

Blue = BD

Linux file permission

octal - 3bit = 7 = 111 , 7 = 111 , 5 = 101

r w x r w x r w x r - x

combine rwxrwxr-x

Storage limits

Values can be stored = 2^{12} (2x2x2x2x2x2x2x2x2x2x2x2)

= 4096

largest value in decimal $2^{12} - 1$ (4096 - 1 = 4095)

largest binary is = 1

Combine 12 one : 111111111111

.largest hexadecimal : FFF

The value of this in hexa decimal is 15

F is 15, and it is a largest value in hexadecimal.