Part C: Data Request

Table 1: Account Registration & Onboarding Data

Purpose: Track the user onboarding funnel from registration through first deposit. Identifies where users drop off and which segments complete the onboarding journey.

Column Name	Data Type	Example	Additional Information
account_id	String, UUID	550e8400-e29b-41d4-a716-446655440000	Unique identifier for each registered account
registration_date	DateTime	2025-06-15 09:34:22	Date and time of initial sign-up (yyyy-MM-dd hh:mm:ss)
registration_day_of_week	String, categorical	Monday	Day of week account was created; values: Monday–Sunday
registration_hour	Numeric, integer	14	Hour of day registration occurred (0–23 24-hour format)
acquisition_channel	String, categorical	Facebook Ad	Source of user acquisition (e.g., "Facebook Ad", "Google

Column Name	Data Type	Example	Additional Information
			Search", "Referral", "Organic", "Email Campaign", "In-App Promo")
onboarding_completion_status	String, categorical	Completed	Final status of onboarding; values: "Completed", "Abandoned at KYC", "Abandoned at Bank Details", "Abandoned at ID Verification", "Abandoned Partial"
onboarding_completion_date	DateTime	2025-06-16 11:22:45	Date/time onboarding was completed or abandoned (yyyy-MM-dd hh:mm:ss); NULL if still in progress
time_to_onboarding_completion	Numeric, integer	1440	Minutes elapsed from registration to

Column Name	Data Type	Example	Additional Information
			onboarding completion; NULL if abandoned
num_onboarding_sessions	Numeric, integer	3	Count of distinct login sessions during onboarding period
onboarding_dropout_step	String, categorical	ID Verification	If abandoned, the specific step where user dropped off; values: "Personal Info", "Email Verification", "Phone Verification", "KYC", "Bank Details", "ID Verification", "Fund Account Setup"
activated	Binary, boolean	1	Target variable: 1 if first deposit made within 90 days of registration; 0 if no deposit or registration >90 days old

Column Name	Data Type	Example	Additional Information
			without deposit
first_deposit_date	DateTime	2025-07-10 16:45:30	Date/time of first deposit (yyyy-MM-dd hh:mm:ss); NULL if never deposited
days_to_first_deposit	Numeric, integer	25	Days elapsed from registration to first deposit; NULL if never deposited

Table 2: Initial Session Behavior & Engagement

Purpose: Measure early app engagement patterns during first 7 days post-registration. Captures whether users explore the platform or bounce immediately.

Column Name	Data Type	Example	Additional Information
account_id	String, UUID	550e8400-e29b-41d4-a716-446655440000	Foreign key linking to account_id in Table 1

Column Name	Data Type	Example	Additional Information
first_session_date	DateTime	2025-06-15 10:15:00	Date/time of first login after registration (yyyy-MM-dd hh:mm:ss)
first_session_duration_seconds	Numeric, integer	1240	Total time spent in app during first session (seconds)
screens_viewed_in_first_session	Numeric, integer	8	Count of unique screens/pages navigated in first session
education_content_viewed	Binary, boolean	1	Whether user viewed educational resources (tutorials, FAQs, learning modules) in first session; 1=Yes, 0=No
product_exploration_depth	String, categorical	Medium	Extent of product exploration in first week; values: "None" (landing page only), "Low" (1–2 product pages), "Medium" (3–

Column Name	Data Type	Example	Additional Information
			5 pages), "High" (6+ pages, multiple product types)
pricing_page_viewed	Binary, boolean	1	Whether user viewed pricing/fee information; 1=Yes, 0=No
faq_viewed	Binary, boolean	0	Whether user accessed FAQ or help section; 1=Yes, 0=No
promoted_feature_viewed	Binary, boolean	1	Whether user clicked on promoted feature or offer (e.g., fractional shares, low fees); 1=Yes, 0=No
first_7day_session_count	Numeric, integer	3	Number of distinct sessions (logins) in first 7 days post-registration
first_30day_session_count	Numeric, integer	7	Number of distinct sessions in first 30 days

Column Name	Data Type	Example	Additional Information
			post-registration
app_version_at_signup	String, categorical	2.14.5	Mobile app or web version used during sign-up (version number)
device_type	String, categorical	Mobile iOS	Device used for registration; values: "Mobile iOS", "Mobile Android", "Desktop Web", "Tablet"

Table 3: User Demographics & Identity Data

Purpose: Segment users by demographic characteristics. Identifies which cohorts activate at higher rates and enables segment-specific intervention strategies.

Column Name	Data Type	Example	Additional Information
account_id	String, UUID	550e8400-e29b-41d4-a716-446655440000	Foreign key linking to account_id in Table 1

Column Name	Data Type	Example	Additional Information
age_group	String, categorical	25-34	Age bracket; values: "18-24", "25-34", "35-44", "45-54", "55+"
gender	String, categorical	M	Inferred from KYC process (if provided); values: "M", "F", "Other", "Not Provided"
province	String, categorical	GP	Province of residence (South African); values: "GP", "EC", "FS", "KZN", "LP", "MP", "NC", "NW", "WC"
metro_status	String, categorical	Metro	Whether user is in major metro area or non-metro; values: "Metro", "Non-Metro"
employment_status	String, categorical	Employed	Inferred from profile or KYC; values: "Employed", "Self-Employed", "Student", "Unemployed", "Retired", "Not Disclosed"
investor_experience_level	String, categorical	Beginner	Self-reported during onboarding; values: "Beginner", "Intermediate", "Advanced", "Not Disclosed"
stated_investment_goal	String, categorical	Long-term Growth	Primary investment objective from profile; values: "Day Trading", "Short-term Gains", "Long-term Growth", "Dividend Income",

Column Name	Data Type	Example	Additional Information
			"Savings/Emergency", "Learning/Experimentation", "Not Stated"

Table 4: Communication & Support Interactions

Purpose: Track basic user communication engagement: email responses and support interactions during onboarding. Identifies communication barriers and engagement with app assistance.

Column Name	Data Type	Example	Additional Information
account_id	String, UUID	550e8400-e29b-41d4-a716-446655440000	Foreign key linking to account_id in Table 1
onboarding_emails_sent	Numeric, integer	3	Number of system-generated onboarding emails sent during sign-up and 7-day window
onboarding_email_open_rate	Numeric, decimal	0.67	Proportion of onboarding emails opened by user (0.0–1.0); 0.67 means 2 of 3 opened
promotional_emails_sent	Numeric, integer	2	Number of promotional/engagement emails sent in first 30 days

Column Name	Data Type	Example	Additional Information
promotional_email_open_rate	Numeric, decimal	0.50	Proportion of promotional emails opened (0.0–1.0)
support_tickets_opened	Numeric, integer	1	Count of support requests or inquiries raised during onboarding and 30-day window
support_ticket_type	String, categorical	Account Setup Question	If support_tickets_opened > 0, the primary type of inquiry; values: "Account Setup Question", "Technical Issue", "Fee/Pricing Question", "KYC/Verification Issue", "Other"
support_resolution_time_hours	Numeric, decimal	4.5	Time in hours from support ticket creation to resolution; NULL if unresolved
in_app_help_viewed	Binary, boolean	0	Whether user accessed in-app help/chat feature; 1=Yes, 0=No
feedback_submitted	Binary, boolean	0	Whether user submitted in-app feedback or feature request; 1=Yes, 0=No

Table 5: Platform Interaction Before First Deposit (or Abandonment Window)

Purpose: Track platform feature usage BEFORE first deposit. Measures investment research behaviors, intent signals, and platform familiarity that predict deposit likelihood.

Column Name	Data Type	Example	Additional Information
account_id	String, UUID	550e8400-e29b-41d4-a716-446655440000	Foreign key linking to account_id in Table 1
pre_deposit_window_days	Numeric, integer	30	Number of days analyzed before first deposit or abandonment threshold (typically 30–90 days from registration)
search_page_visits	Numeric, integer	5	Count of visits to stock/ETF search or discovery pages
watchlist_created	Binary, boolean	1	Whether user created a watchlist; 1=Yes, 0=No
watchlist_items	Numeric, integer	4	Number of stocks/ETFs added to watchlist if watchlist_created=1

Column Name	Data Type	Example	Additional Information
detailed_stock_views	Numeric, integer	8	Count of times user opened detailed stock/ETF information pages
price_alert_set	Binary, boolean	0	Whether user set any price alerts; 1=Yes, 0=No
comparison_tool_used	Binary, boolean	1	Whether user used product comparison or calculator tools; 1=Yes, 0=No
trading_simulation_engaged	Binary, boolean	0	Whether user engaged with paper trading or simulation feature; 1=Yes, 0=No
account_balance_before_first_action	Numeric, decimal	0.00	Available balance (in ZAR) before first deposit; 0.00 if never deposited
total_pre_deposit_minutes	Numeric, integer	4230	Total minutes spent on platform before first deposit (or in 90-day abandonment window)

Table 6: Feature Requests & In-App Messaging Responses

Purpose: Track user response to in-app promotions, notifications, and feature requests. Identifies messaging effectiveness and what users want from the platform.

Column Name	Data Type	Example	Additional Information
account_id	String, UUID	550e8400-e29b-41d4-a716-446655440000	Foreign key linking to account_id in Table 1
app_notification_opt_in	Binary, boolean	1	Whether user opted in to push notifications during onboarding; 1=Yes, 0=No
push_notifications_received	Numeric, integer	5	Count of push notifications sent to user in pre-deposit window
push_notification_open_rate	Numeric, decimal	0.40	Proportion of push notifications opened (0.0–1.0)
in_app_promo_banner_impressions	Numeric, integer	12	Count of times promotional banners were displayed to user
in_app_promo_banner_clicks	Numeric, integer	2	Count of clicks on promotional banners

Column Name	Data Type	Example	Additional Information
premium_subscription_offer_shown	Binary, boolean	1	Whether premium subscription offer was displayed during onboarding/early engagement; 1=Yes, 0=No
premium_subscription_offer_clicked	Binary, boolean	0	Whether user clicked on premium offer; 1=Yes, 0=No
feature_request_submitted	Binary, boolean	0	Whether user submitted feature request; 1=Yes, 0=No

Table 7: Support Ticket and Customer Service Interactions

Purpose: Track detailed customer support interactions during onboarding and early engagement. Identifies support barriers, friction points, resolution quality, and support-driven abandonment.

Column Name	Data Type	Example	Additional Information
account_id	String, UUID	550e8400-...	Foreign key to Table 1
ticket_id	String, UUID	T-20250615-00347	Unique ticket identifier

Column Name	Data Type	Example	Additional Information
ticket_category	String, categorical	Account Verification Issue	Type: Account Setup, KYC, Technical, Fee Question, etc.
ticket_priority	String, categorical	High	Values: Urgent, High, Medium, Low
support_channel	String, categorical	In-app Chat	Channel: Chat, Email, Phone, Social, FAQ, Help Center
first_response_time_minutes	Numeric, integer	12	Minutes to first response
resolution_time_minutes	Numeric, integer	187	Minutes to resolution
resolution_status	String, categorical	Resolved	Status: Resolved, Workaround, Closed Without Resolution, etc.
follow_up_rating	Numeric, integer (1-5)	3	User satisfaction rating; NULL if no survey

Table 8: Marketing Campaing and spend data

Purpose: Track marketing campaigns, user acquisition attribution, and campaign performance. Identifies which marketing channels and messages drive activation.

Column Name	Data Type	Example	Additional Information
account_id	String, UUID	550e8400-...	Foreign key to Table 1
marketing_campaign_id	String, categorical	SUMMER_2025_FACEBOOK	Campaign identifier
campaign_channel	String, categorical	Facebook Ads	Channels: FB, Google, Instagram, LinkedIn, Email, Referral, etc.
campaign_message_theme	String, categorical	Fractional Shares / Low Cost	Message: Fractional Shares, Low Fees, Easy Onboarding, etc.
user_exposed_date	DateTime	2025-06-10 08:15:22	Campaign exposure date
user_clicked	Binary, boolean	1	Whether user clicked on campaign asset
conversion_within_30days	Binary, boolean	1	Activation within 30

Column Name	Data Type	Example	Additional Information
			days of exposure
campaign_spend_per_user_zar	Numeric, decimal	2.47	Cost per user (ZAR)
campaign_roi_percent	Numeric, decimal	18.5	ROI of campaign (%)
is_first_touch_attribution	Binary, boolean	1	Was this campaign first marketing touch

Table 9: Compliance and KYC Verification Data

Purpose: Track regulatory compliance, KYC verification, and risk assessments. Identifies compliance barriers to activation.

Column Name	Data Type	Example	Additional Information
account_id	String, UUID	550e8400-...	Foreign key to Table 1
kyc_status	String, categorical	Verified	Status: Not Started, In Progress, Verified, Rejected, Suspended
kyc_days_to_verification	Numeric, integer	1	Days from submission to verification

Column Name	Data Type	Example	Additional Information
kyc_rejection_count	Numeric, integer	0	Number of rejections and resubmissions
aml_risk_score	Numeric, integer (0-100)	23	AML risk score (0=Low, 100=High)
pep_list_check	Binary, boolean	0	Politically Exposed Person match (1=Match)
sanctions_list_check	Binary, boolean	0	International sanctions list match
compliance_flags_count	Numeric, integer	0	Count of compliance concerns
document_expired	Binary, boolean	0	Identity document expired

Table 10: User Feedback and Satisfaction Survey Data

Purpose: Track NPS, CSAT, feature requests, and user feedback. Identifies pain points and satisfaction drivers.

Column Name	Data Type	Example	Additional Information
account_id	String, UUID	550e8400-...	Foreign key to Table 1
feedback_type	String, categorical	NPS Survey	Type: NPS, CSAT, Feature Request, Bug Report, etc.

Column Name	Data Type	Example	Additional Information
nps_score	Numeric, integer (0-10)	8	Net Promoter Score (0-10)
nps_category	String, categorical	Promoter	Classification: Promoter (9-10), Passive (7-8), Detractor (0-6)
csat_score	Numeric, integer (1-5)	4	Customer Satisfaction (1=Unsatisfied, 5=Satisfied)
feature_request_submitted	Binary, boolean	1	Whether feature was requested
pain_point_mentioned	Binary, boolean	1	Whether friction/barrier identified
barrier_to_activation	Binary, boolean	0	Whether barrier to first deposit identified
sentiment_analysis_score	Numeric, decimal (-1 to 1)	0.67	ML sentiment score of open-text feedback

Table 11: Device, Browser and Technical Environment Data

Purpose: Track device, browser, and technical environment. Identifies technical barriers and platform-specific activation patterns.

Column Name	Data Type	Example	Additional Information
account_id	String, UUID	550e8400-...	Foreign key to Table 1
signup_device_type	String, categorical	Mobile iPhone	Device at sign-up
signup_os_name	String, categorical	iOS	OS: iOS, Android, Windows, macOS
signup_browser_name	String, categorical	Safari	Browser: Safari, Chrome, Firefox, Edge, etc.
connection_type	String, categorical	WiFi	Network: WiFi, Mobile 4G, Mobile 5G, etc.
device_switch_count	Numeric, integer	0	Times user switched devices
vpn_detected	Binary, boolean	0	VPN usage detected (compliance flag)
ad_blocker_detected	Binary, boolean	0	Ad blocker enabled
timezone_offset	String, categorical	UTC+2	User timezone (e.g., SAST)

Table 12: Account Activity Post-Deposit (Post-Activation Engagement)

Purpose: Track account activity AFTER first deposit to assess activation quality and long-term engagement.

Column Name	Data Type	Example	Additional Information
account_id	String, UUID	550e8400-...	Foreign key to Table 1 (activated accounts only)
first_deposit_date	DateTime	2025-07-10 16:45:30	First deposit date
first_deposit_amount_zar	Numeric, decimal	5000.00	First deposit amount (ZAR)
post_deposit_session_count_90days	Numeric, integer	18	Sessions in first 90 days post-deposit
first_trade_date	DateTime	2025-07-15 09:22:14	Date of first trade/investment
total_trades_90days	Numeric, integer	12	Count of trades in 90 days
account_balance_90days	Numeric, decimal	4850.00	Account balance 90 days later
realized_gains_losses_zar	Numeric, decimal	-150.00	P&L from executed trades
subsequent_deposit_made	Binary, boolean	1	Additional deposit after first
quality_of_activation	String, categorical	Genuine Active	Classification: Genuine Active,

Column Name	Data Type	Example	Additional Information
			Dormant, Suspicious

Summary: All 12 Data Domains

Table	Domain	Features	Est. Rows	Purpose
1	Registration & Onboarding	13	100K	Funnel completion
2	Session Behaviour	10	100K	Early engagement
3	Demographics	7	100K	Segmentation
4	Communication & Support	8	250K	Email engagement
5	Platform Interaction	7	100K	Pre-deposit intent
6	Feature Requests	7	150K	Engagement response
7	Support Tickets	16	200K	Support friction
8	Marketing Attribution	22	500K	Channel ROI
9	Compliance & KYC	19	100K	Regulatory barriers
10	User Feedback	17	300K	Pain points & NPS
11	Device & Browser	18	100K	Technical barriers
12	Post-Deposit Activity	24	40K	Activation quality