




• Innovation • Technology • Excellence



Screw Blowers

Advance Technology
Latest **AXCEL SERIES** Profile Screw Blowers





Swam a leader in Rotary Blower technology, has during its nearly 3 decades of experience in design & manufacturing of blowers has acquired exceptional product development capabilities to meet the stringent quality and performance requirements and to conform to the customers' tough and diversified specification. Emphasis has been on innovative design, precision engineering and responsiveness to customers.

Swam, thus offers its advance technology **AXCEL-SERIES SCREW BLOWERS**; equipped with latest features, enabling it more reliable, energy efficient and lower maintenance.

Blowers are ruggedly built with appropriate rotor shaft design, aiming at low deflection and critical speed consideration. The rotors are supported on heavy duty antifriction oil lubricated bearings.

The blowers are suitable for continuous operation to work as compressors or as exhausters.

Blowers are offered in the range of:

- Intake flows up to - 9600m³ / hr
- Discharge pressure - max. 1.2kg / cm²g

FOCUS ON QUALITY & RELIABILITY

Emphasis on quality and performance is a commitment of every individual at SWAM beginning at grass root level.

The quality control is practiced at all levels of the organization and all its aspects are thoroughly complied with the specified standard and specification, till the product gets delivered.

The quality assurance system encompasses self quality control by each worker, supervised by quality control engineers. Each blower undergoes thorough and stringent tests at different stages of manufacturing and are test run for several hours prior to despatch as per the relevant code, customers' specification and approved quality plan.

In pursuit and in recognition thereof, our products are accredited to ISO 9001:2000 certification. Our blowers comply to European standards of machinery directive.



AXCEL-SERIES BLOWERS

SWAM's Screw Blowers incorporate latest technology AXCEL profile Screw rotors and have been designed to meet the specialized needs associated with blower applications. SWAM blower air end and the premium quality mechanical and electrical components create powerful, energy-efficient blowers with latest design features.

EFFICIENT DESIGN & OPERATION

SWAM screw blowers use up to 25% less energy than conventional rotary lobe blowers and also achieve significant energy savings compared to other type of blowers. The SWAM AXCEL SERIES screw blowers with AXCEL profile rotors are designed to deliver optimal performance with higher power transmission efficiency and high efficiency drive motors. These features ensure exceptional performance, guaranteed by SWAM in accordance with the stringent tolerances.

HIGHLY DEPENDABLE MACHINE

SWAM a name synonym for technology, innovation & excellence is known for their quality design. SWAM products provide long-term machine and process reliability you can count on. Quality features include highly durable & heavy duty rotor bearings, dependable power transmission, specifically sized drive motors, torsion-free sound enclosures with effective cooling airflow, special machine controller for efficient and dependable operation.

QUIET & SMOOTH OPERATION

SWAM screw blowers are smooth & quiet in operation. They are balanced to very fine grades and each blower is provided with pulsation dampeners. In fact the reduction of fluid - borne noise – i.e. pulsations caused by the compressed process air conveyed in the connected pipework – has been refined to the degree of perfection.

COMPRESSED AIR DELIVERED IMMEDIATELY

The turnkey systems of SWAM screw blowers are simple & user friendly. They need to be installed in position, connected to the air distribution pipework and the electrical supply and you're ready to go! The laborious processes of oil-filling, drive belt installation, motor adjustment, procurement of a suitable frequency converter, programming, are all eliminated thereby saving installation costs.

MAXIMUM EFFICIENCY: IE3 MOTORS

Users can enjoy the benefits that these premium efficiency motors offer by choosing SWAM screw blowers.



AXCEL - SERIES SCREW BLOWERS OFFER SUPER EFFICIENCIES THROUGH THE ADVANCED ENERGY EFFICIENT AXCEL PROFILE ROTORS

Developed by SWAM the company's proprietary AXCEL PROFILE rotor technology revolutionized energy efficiency in the rotary screw blowers. Further with continuous efforts in design & development in our SWAM Research and Development Centers in Noida we have developed more high-efficiency compressor technology.

DURABLE BEARINGS

All radial forces are borne by four to six nos of robust cylinder roller bearings, which are rated to ensure long screw blower airend service life. The rollers are encased in high-tech cages for optimum lubrication at all speeds.





AXCEL-SERIES BLOWERS DRIVE ARRANGEMENT

In some of the screw blowers, power is transferred from the motor to the blower airend via an integrated gear transmission. Following detailed examination in the SWAM Research and Development Centres, this was found to be the most effective transmission solution for the speeds in this power and size class with regards to efficiency, dependability and durability. The transmission ratio can be varied using various gear sets so that the motor, speed remains at all times within the optimum frequency range of the SFC frequency control, with fixed speed operation the flow rate can be matched to suit actual demand. Highly durable and wear-free, this power transmission system operates at near 100 percent transmission efficiency and enables the use of standard electrical motors for the blower drive.




AXCEL-SERIES BLOWERS BELT DRIVE (OPTION)

SWAM screw blowers with V-belt drive provide outstanding efficiency and reliability. As a result of SWAM's decades of experience in compressor design and engineering, this power transmission method has been refined to perfection.

The automatic tensioning device ensures that the V-belt drive provides the best possible degree of transmission efficiency at all times throughout the SWAM screw blower's service life. This, of course, also reduces maintenance costs.

AUTOMATIC TENSIONING AND TENSION INDICATOR

The motor base provided with tensioning spring ensures precision belt tensioning irrespective of motor weight to provide optimum transmission efficiency.





SWAM SCREW AXCEL SERIES BLOWERS DEPENDABLE, USER FRIENDLY & EASY PLUG & PLAY INSTALLATION

SWAM Screw Blowers are complete packaged turnkey machines. Users therefore benefit from not having to endure a time- and cost-intensive installation procedure. Moreover, the machines are ready ex-works for integration into Industry.

- The Blower Controller
- Cool Inlet Air
- Comprehensive Sensor
- PLC / micro process (brand used Schneider / Siemens / ABB / Rockwell make)
- VFD (brand used Schneider / Siemens / ABB / Hitachi / Allen Bradley Make)



- SWAM Frequency Control Starts for model with Frequency Drives
- SWAM Start Control Start for model with star delta Starter



TECHNICAL SPECIFICATIONS

Model	Operating Parameters		Max. rated motor power	Pipe connection	Mass max. approx
	Max. pressure differential mbar	Max. flow rate (FAD) m ³ /min	kW	DN	kg
SSB 30 a	655	23	30	100	820
SSB 37 a	1200	22	37		850
SSB 22 b	655	19	22		800
SSB 37 b	1200	18	37		850
SSB 45 a	655	38	45	150	1400
SSB 75 a	1200	37	75		1600
SSB 45 b	655	36.5	45		1400
SSB 75 a	1200	36	75		1600
SSB 75 a	655	67	75	200	1850
SSB 110 a	1200	66	110		2200
SSB 75 b	655	66	75		1850
SSB 110 b	1200	65	110		2200
SSB 150 b	650	90	110	300	*
SSB 150 a	1200	90	160		*
SSB 200 a	650	120	160		*
SSB 200 b	1200	120	225		*
SSB 250 a	650	160	180	400	*
SSB 250 b	1200	160	300		*

* Weights of models SSB 150, 200 & 250 would be given on request.

*) Performance testing as per BS 1571 and details are subject to change for other models of higher capacity refer no.

Customer Support Services:

There is a team of experienced and qualified engineers for rendering all kinds of technical post supply services to all clients; such as pre-commissioning and post commissioning services, trouble shooting etc., so as to make the equipment run to user's satisfaction.

Professionally & technically competent personnel are deployed to render these services, promptly and expeditiously. For the details of the nearest service network kindly contact H.O.

Diversified Product Range:

Swam offers a comprehensive and diversified product range for the process, chemical, Oil & Gas Industries:

- **Blowers & Fans**
 - ▶ Rotary Piston blowers (Tri & Twin)
 - ▶ Truck Blowers
 - ▶ Process Air Blowers
 - ▶ Centrifugal Fans
 - ▶ Gas Booster
 - ▶ Process Air Fans
 - ▶ Turbo Blowers
- **Vacuum Pumps & Systems**
 - ▶ Dry Screw Vacuum Pumps
 - ▶ Mechanical Vacuum Boosters
 - ▶ Vacuum System
- **Noise reduction equipments**
 - ▶ Industrial Silencers
 - ▶ Acoustic enclosures



• Innovation • Technology • Excellence

SWAM PNEUMATICS PVT. LTD.

(ISO-9001:2000 Quality Certified)

Corporate Head Office & Plant-I :

C-2, Sector-3, Noida-201301, Gautam Budh Nagar (INDIA)

Tel : +91-120-4696222, Fax : +91-120-2443283, 4696200

E-mail : sales@swamatics.com

Plant-II : B-9, Sector-57, Noida-201301 (INDIA)

Plant-III : B-111, Sector-67, Noida-201307 (INDIA)

Plant-IV : C-52, Sector-57, Noida-201301 (INDIA)

Website: www.swamatics.com

For details of our local contact office in your region, contact H.O. or log on to website

Leader in Air-Gas Conveying Boosting & Vacuum Technology