

# Coffee And Code

---

成都活动社区

2016-11-06



晴珍 

冰岛



扫一扫上面的二维码图案，加我微信

FreeCodeCamp介绍

chap  
ter1

freeCodeCamp (🔥)

<https://www.freecodecamp.com/>



中文社区

[www.freecodecamp.cn](http://www.freecodecamp.cn)

Learn to code and help nonprofits



## 可以学到的技术栈



HTML5



CSS3

JS

JavaScript



Databases



Git & GitHub



Node.js



React.js



D3.js

# FCC证书

## CONTENTS

1 前端开发证书(400小时)

---

2 数据可视化证书(400小时)

---

3 后端开发证书(400小时)

---

4 非盈利项目(800小时)

---

5 面试攻略

---

# 基于MEAN的架构的网站

MEAN = MongoDB + Express + AngularJS



创始人 Quincy Larson

Learn to code and help nonprofits







# 全球线下活动社区

1

40W+ 程序员

2

8w+ 同时在线聊天

3

Github排名第一 19W+

4

1500+ 城市

5

400+ 国家

# FreeCodeCamp中文社区—猿生态




中文社区发起人Jack晋剑



中文社区组织者Miya刘于瑜

# 授权许可



Qunicy、Jack、Miya





# FCC中文社区

1

4个月

2

20+ 志愿者

3

30+ 城市

4

1.5W+ 开发者

# FreeCodeCamp之放大招

主动解决问题，不做伸手党

# FreeCodeCamp放大招-读





# FreeCodeCamp放大招-搜

The screenshot shows the Stack Overflow homepage. At the top, there's a navigation bar with links for 'Stackexchange', 'sign up', 'log in', 'tour', and 'help'. A search bar is also present. Below the navigation bar, the 'stackoverflow' logo is displayed. To the right of the logo are links for 'Questions', 'Jobs', 'Documentation', 'Tags', 'Users', 'Badges', and 'Ask Question'. A large blue banner in the center reads 'Announcing Stack Overflow Documentation' and includes a call to action: 'Sign up and start helping --'. Below the banner, the 'Top Questions' section is visible, featuring a list of questions with their respective tags and view counts. The questions include topics like 'How can I save and read variable size images in TensorFlow's protobuf format', 'How to get all contributors in a git history between 10 branches', 'MPRemoteCommandCenter Command handlers are not getting executed on remote signals', and 'How to link sodium to my C program'. On the right side, there's a 'Hot Network Questions' section with a list of trending questions.

Stackexchange sign up log in tour help Search Q&A

stackoverflow Questions Jobs Documentation Tags Users Badges Ask Question

Announcing Stack Overflow Documentation

We started with Q&A. Technical documentation is next, and we need your help. Whether you're a beginner or an experienced developer, you can contribute.

Sign up and start helping -- Learn more about Documentation --

Dismiss

Top Questions

interesting 441 featured hot week month

0 votes 0 answers 2 views How can I save and read variable size images in TensorFlow's protobuf format

python tensorflow protocol-buffers asked 21 secs ago Xochipilli 54

0 votes 0 answers 2 views How to get all contributors in a git history between 10 branches

git asked 31 mins ago Nathan 721

0 votes 0 answers 2 views MPRemoteCommandCenter Command handlers are not getting executed on remote signals

ios swift2 npxwebkitpersoncontroller external-accessory remotecommand asked 30 secs ago ANIRVIND 13


0 votes 0 answers 2 views How to link sodium to my C program

c hyperlink sodium asked 01 mins ago Jack 22

Hot Network Questions

- Are curses(ncurses) effective in Kali Linux?
- Random forest regression not predicting higher than training data
- Can I just tune my guitar how ever I like?
- I'm invisible until I'm lost
- The 'this' variable in Java. How is it actually set to the current object?
- Our teacher is encouraging us to use cracked software
- How do I describe this circuit?
- How to protect shops in the medieval era against robbery?
- Why would an assigning employee be immediately escorted out?
- Invert a boolean array
- Are there any people of Indian descent in Star Trek?
- How to convey the scale of my humanoid without a camera or ruler?

# FreeCodeCamp放大招-问




## Where communities thrive

FREE FOR COMMUNITIES



JOIN OVER 50K PEOPLE  
JOIN OVER 500 COMMUNITIES  
CREATE YOUR OWN COMMUNITY


EXPLORE MORE COMMUNITIES

Browser, desktop and mobile apps.



### FreeCodeCamp/chinese







#hufangyuan @ChinaSIVEN 11:28

死了  
排号太高了  
黑白排了


11:28



#iris ku @irisXuxu 11:28

真的登不上了。。。。。。。。。。

11:28



#yz\_xlame @yoxlame 11:26

是啊


11:26



#Clayling @clayla 11:25

还以为被电脑坏了  
重新启动了一下


11:25



#iris ku @irisXuxu 11:25

==天啦。。才做好了一个。。


11:25



#ClanLing @clayla 11:25


[Link to Codecademy course: FreeCodeCamp](#)  
Link to Codecademy course: FreeCodeCamp  
Link to Codecademy course: FreeCodeCamp  
Link to Codecademy course: FreeCodeCamp  
Link to Codecademy course: FreeCodeCamp  
Link to Codecademy course: FreeCodeCamp  
Link to Codecademy course: FreeCodeCamp  
Link to Codecademy course: FreeCodeCamp  
Link to Codecademy course: FreeCodeCamp  
Link to Codecademy course: FreeCodeCamp

11:25



是放假想好好学习的。


11:23



#Chunyang Xu @xuchunyang 11:23

FreeCodeCamp.com 是正版的。FreeCodeCamp.cn 挂掉了

11:23



#iris ku @irisXuxu 11:23


以前出现没

11:23

SIGN IN TO START TALKING

Search...

People



SEE ALL (438 PEOPLE)

Activity

@hexa2030 banned @KarlarkR 5/1 01

@hexa2030 banned @Ganzish 5/1 04

@hexa2030 banned @xia12 5/1 03

@hexa2030 banned 5/1 03

@unknown999

@hexa2030 banned @paula909 5/1 03

@hexa2030 banned @polak96 5/1 01


@dwd2019 banned @silver531 5/1 18

@dwd2019 banned @ekansha 6/3 05

der


@dwd2019 banned @sknegas 5/1 01

# 学习方法



遇到问题了吗？小伙伴一起解决

chap  
ter2



jiangyuzhen

china sichuan chengdu

[ 377 ]

查看我的前端开发认证



前端导航

chap  
ter3



前端技能导航

前端工具资源汇总

前端面试题库

面试宝典

面试题

HTML5学习指南

前端大会社区

在线学习平台

优秀团队

前端大神

项目案例

工具插件

前端技术博客

前端工具资源汇总

标签: 前端 资源



Node.js

是一个运行在Linux/Windows/macOS等操作系统上的JavaScript运行环境。它提供了对JavaScript语言的支持，并允许开发者在服务器端运行JavaScript代码。



Bower

一个前端包管理工具。



npm

npm是node.js的包管理工具。



Yeoman

一个用于快速搭建前端项目的工具。



Gulp

流式构建工具。



Grunt

流行的构建工具。



Fis3

流行的构建工具。



Browserify

将浏览器API打包成模块，方便在服务器端使用。



Duo

流行的构建工具。



webpack

流行的构建工具。





 HIGHCHARTS

[在线编辑](#) [文档教程](#) [更多图表](#) [帮助中心](#)

[关于我们](#) [联系我们](#)

```
    lineDash: [5, 5],
    lineColor: 'black'
  }, {
    name: 'Range',
    data: ranges,
    type: 'arearange',
    lineDash: [5, 5],
    lineColor: 'green',
    fill: 'green',
    zIndex: 1
  }
];
```

 HIGHCHARTS

# 让数据可视化更简单

兼容 IE6+、完美支持移动端、图表类型丰富、方便快捷的 HTML5 交互式图表库

## Average sales

[查看示例](#) [获取授权](#)[在线编辑](#)





## ECMAScript 6 入门

作者：阮一峰

授权：署名-非商业性使用许可证

### 目录

- 0 前言
- 1 ECMAScript 简介
- 2 JavaScript 简介
- 3 变量的声明规则
- 4 字符串的拼接
- 5 正则表达式
- 6 数组的遍历
- 7 数组的扩展
- 8 面向对象编程
- 9 面向对象编程
- 10 Symbol
- 11 Proxy 与 Reflect
- 12 Set 与 Map 数据结构
- 13 Iterator 与 for...of 循环
- 14 Generator 函数
- 15 Promise 对象
- 16 异步操作的两种模式
- 17 Class
- 18 Decorator
- 19 Module
- 20 兼容性处理
- 21 本书风格
- 22 附录 A
- 23 附录 B
- 24 参考文献

### 其他

- 源码
- 微信历史
- 反馈



## ECMAScript 6 入门

[back to top](#)

[edit](#)

《ECMAScript 6 入门》是一本介绍 JavaScript 语言新特性的书，本书介绍 ECMAScript 6 的新特性，并给出相应的代码示例。



本书是 ECMAScript 6 的入门书，对 ECMAScript 6 的新特性进行了详细的介绍，并给出了大量的代码示例。

本书为 ECMAScript 6 的入门书，旨在为读者提供 ECMAScript 6 的入门知识，并帮助读者了解 ECMAScript 6 的新特性。

本书由阮一峰编写，目前为第二版，书名为《ES6 标准入门》。新版书已于 2015 年出版，并得到了广泛的好评。

本书由阮一峰编写，目前为第二版，书名为《ES6 标准入门》。新版书已于 2015 年出版，并得到了广泛的好评。



731,957 icons

每个图标都是设计师精心设计的，每个图标都是！

[www.iconfont.cn](http://www.iconfont.cn)

图标网



用户



个人中心





Unicode®  
字符百科



中文

例子: hammer and sickle

## 特殊符号



→ 箭头图案

♥ 心形图案

☺ 特殊符号

☆ 花形图案

★ 星形图案

😊 Emoji

☺ 特殊符号

€ 货币符号

Σ 希腊字母



«	»	“	”	×	÷	-	-	☑		⬇		—
—	—	~	~	•	°	%	‰	‰	&	∞	§	÷
±	!!	!	!	?	??	!?	?!	?	!	¼	½	¾
²	³	¼	½	¾	①	②	TM	SM	Fax	‰	‰	¼
¶	¶	≠	✓	⬇	↓	↓	≈	β	Φ	Σ	€	£
\$	©	©	©	©	©	©	©	©	★	↑	↓	



# chrome插件

Google翻译

01

02

WEB前端助手

CSSViewer

03

04

Wappalyzer

Lorem ipsum dolor

05

06

前端呢别闹



# 微信公众号

前端早读课

01

02

前端大全

InfoQ

03

04

web开发

DHC REST Client

05

06

Dimensions

# 九个Console命令

chap  
ter4

# 显示信息的命令

## CONTENTS

1 `console.log('hello')`

---

2 `console.info('信息')`

---

3 `console.error('错误')`

---

4 `console.warn('警告')`


---



## 占位符

```
<script type="text/javascript">  
    console.log("%d=%d月%d日",2011,1,26);  
</script>
```

效果：



console 上述的集中度支持 printf 的占位符格式，支持的占位符有：字符（%s）、整数（%d 或 %i）、浮点数（%f）和对象（%o）

## 信息分组



```
console.group("第一组信息");

    console.log("第一组第一条:我的博客(http://www.ido321.com)");

    console.log("第一组第二条:CSDN(http://blog.csdn.net/u011043843)");

console.groupEnd();

console.group("第二组信息");

    console.log("第二组第一条:程序猿们QQ群: 259280571");

    console.log("第二组第二条:欢迎你加入");

console.groupEnd();
```

## 查看对象的信息


```
<script type="text/javascript">  
  var info = {  
    blog:"http://www.ido321.com",  
    QQGroup:259280570,  
    message:"程序爱好者欢迎你的加入"  
  };  
  console.dir(info);  
</script>
```






判断变量是否是真

```
<script type="text/javascript">  
    var result = 1;  
    console.assert( result );  
    var year = 2014;  
    console.assert(year == 2018 );  
</script>
```



console.assert()用来判断一个表达式或变量是否为真。如果结果为否，则在控制台输出一条相应信息，并且抛出一个异常



## 追踪函数的调用轨迹

```
add()
  a = 1
  b = 1

add1()
  a = 1
  b = 1

add2()
  a = 1
  b = 1

add3()
  a = 1
  b = 1

test.html()
```

```
function add(a,b){
  console.trace();
  return a+b;
}

var x = add3(1,1);

function add3(a,b){return add2(a,b);}


function add2(a,b){return add1(a,b);}

function add1(a,b){return add(a,b);}
```




计时功能

38.84ms




```
console.time("控制台计时器一");  
for(var i=0;i<1000;i++){  
    for(var j=0;j<1000;j++){  
    }  
console.timeEnd("控制台计时器一");
```




## console.profile()的性能分析

```
function All(){  
  alert(11);  
  for(var i=0;i<10;i++){  
    funcA(1000);  
  }  
  funcB(10000);  
}  
  
function funcA(count){  
  for(var i=0;i<count;i++){  
  }  
}  
  
function funcB(count){  
  for(var i=0;i<count;i++){  
  }  
}  
  
console.profile('性能分析器');  
All();  
console.profileEnd();
```



# Web 前端 开发三大 语言基石





特别鸣谢

**3W COFFICE**



中文社区

[www.freecodecamp.cn](http://www.freecodecamp.cn)

Learn to code and help nonprofits



感

谢

聆

听

~