TypeScript

Hu Huanming

自我介绍一下

- 胡桓铭 huhuanming
- 麦子学院讲师
- 极客学院布道师
- ThoughtWorks 新晋咨询师
- 膜法师



Look

```
function greeter(person) {
  return "Hello, " + person;
}
```

- person is string (happy path :-D)
- person is undefined or null
- person is number

```
function greeter(person) {
  return person.substr(0, 3) +
  '...';
}
```

Check Params

• Expose Problem By Crash

How do it with TypeScript

```
function greeter(person:
string) {
  return "Hello, " + person;
}
```

```
function greeter(person: string
| number) {
  return "Hello, " + person;
}
```

```
function greeter(person?:
string | number) {
  return "Hello, " + person;
}
```

```
function greeter(person:
string) {
  return person.substr(0, 3) +
  '...';
}
```

Compiled Code

```
function greeter(person) {
  return person.substr(0, 3) +
  '...';
}
```

```
const itemCreator = (item) => {
 if (item.readCount > 100) {
  return {
    ...item,
    isHot: true
 return item
```

```
interface Article {
    readCount : number
    text: string
    isHot?: boolean
```

```
const itemCreator = (item: Article) => {
 if (item.readCount > 100) {
  return {
    ...item,
    isHot: true
 return item
```

编译时检查


提升可读性

紧跟 ECMAScript 标准

Basic

Show Code

Trend



- ant-design
- Angular
- RxJS
- Other Companies...

Advantage & Disadvantage

"动态语言一时爽,代码重构火葬场"

-杜甫(712-770)



- 可读性
- 编译时检查
- IDE 智能提示
- 易于重构

• 第三方库类型文件缺失或者更新慢

• 有类型无法表达的情况

Thanks