

JIST2018 Tutorial

Practical use of Knowledge Graph with Case Studies using Semantic Web Publishing tools

Hands-on session

2018.11.26 Fujitsu Laboratories LTD.

(http://lod4all.net/resource/corporate/jp/1020001071491)

Outline & Schedule (13:00-15:00)



- Introduction: 13:00-13:10 (10mins)
- Trials: 13:10-14:55 (95mins)
 - Trial1: Visualizing a corporate data. (About 30mins)
 - Trial2: Developing a financial analysis application. (About 65mins)
 - If you understand a sample program, you can develop <u>freely</u>.
 - If you do NOT understand a sample program, work with me.
- Closing: 14:55-15:00 (5mins)
 - Closing

Please feel free to take a break when needed.




INTRODUCTION

Introduction: Using Data




- FDIC: Federal Deposit Insurance Corporation
 - https://www.fdic.gov/
 - The Federal Deposit Insurance Corporation (FDIC) is an independent agency created by the U.S. Congress to maintain stability and public confidence in the nation's financial system by insuring deposits, examining and supervising financial institutions for safety and soundness and consumer protection, and managing receiverships.



Introduction: Creating Linked Data



- We have converted FDIC data to RDF data, and have linked to DBpedia.
- We have published this dataset on LOD4ALL.



Introduction : Data example



■ We welcome comments about this RDF.

```
<a href="http://lod4all.net/resource/financial/fdicCert-3511">http://lod4all.net/resource/financial/fdicCert-3511</a> a <a href="http://lod4all.net/ontology/financial/fdicCert-3511">http://lod4all.net/ontology/financial/fdicCert-3511</a> a <a hre
                                                  a <a href="http://www.w3.org/ns/org#0rganization">http://www.w3.org/ns/org#0rganization">http://www.w3.org/ns/org#0rganization</a>;
                                                   <a href="http://lod4all.net/ontology/financial/cbsaMetroFlg">http://lod4all.net/ontology/financial/cbsaMetroFlg</a> "1"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/bkClass">http://lod4all.net/ontology/financial/bkClass</a> "N"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/simsProjection""^^xsd:string;</a>
                                                                                                                                                                                                                                                                                              FDIC RDF data
                                                   <a href="http://lod4all.net/ontology/financial/csaFlg">http://lod4all.net/ontology/financial/csaFlg</a> "0"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/cbsaNo">http://lod4all.net/ontology/financial/cbsaNo</a> "43620"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/cbsaMetro">http://lod4all.net/ontology/financial/cbsaMetro</a> "43620"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/cbsaDiv">http://lod4all.net/ontology/financial/cbsaDiv">http://lod4all.net/ontology/financial/cbsaDiv</a>
                                                   <a href="http://lod4all.net/ontology/financial/county">http://lod4all.net/ontology/financial/county</a> "Minnehaha"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/fiUninum">http://lod4all.net/ontology/financial/fiUninum</a> "2239"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/city">http://lod4all.net/ontology/financial/city</a> "Sioux Falls"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/fdicCert">http://lod4all.net/ontology/financial/fdicCert</a> "3511"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/simsLatitude">http://lod4all.net/ontology/financial/simsLatitude</a> ""^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/stCnty">http://lod4all.net/ontology/financial/stCnty</a> "46099"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/stname">http://lod4all.net/ontology/financial/stname</a> "South Dakota"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/simsLongitude">http://lod4all.net/ontology/financial/simsLongitude</a>
                                                   <a href="http://lod4all.net/ontology/financial/stAlp">http://lod4all.net/ontology/financial/stAlp</a> "SD"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/cbsa">http://lod4all.net/ontology/financial/cbsa</a> "Sioux Falls, SD"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/address">http://lod4all.net/ontology/financial/address</a> "101 N. Phillips Avenue"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/cbsaMicroFlg">http://lod4all.net/ontology/financial/cbsaMicroFlg</a> "0"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/cbsaDivFlg">http://lod4all.net/ontology/financial/cbsaDivFlg</a> "0"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/name">http://lod4all.net/ontology/financial/name</a> "Wells Fargo Bank, National Association"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/offNum"> ""^^xsd:string;" <a href="http://lod4all.net/ontology/financial/offNum"> ""^xsd:string;" <a href="http://lod4all.net/ontology/financial/offNum"> ""</a>
                                                   <a href="http://lod4all.net/ontology/financial/estYmd">http://lod4all.net/ontology/financial/estYmd</a> "1870-01-01"^^xsd:string;
                                                   <a href="http://lod4all.net/ontology/financial/uninum">http://lod4all.net/ontology/financial/uninum</a> "2239"^^xsd:string;
                                                   skos:prefLabel "Wells Fargo Bank, National Association"@en;
                                              <a href="http://xmlns.com/foaf/0.1/primaryTopic">http://dbpedia.org/resource/Wells Fargo>.</a>.
```




Introduction: QD4ALL



https://lod4all.net/




Crawl LOD from around the world (several tens of billion data items), and provide a high-speed search service



Introduction: Setup




■ Fork hands-on materials to your account from "https://github.com/lod4all/jist2018-hands-on"



Introduction: Setup (cont.)



- LOD4ALL GitHub top page describes today's hands-on work sequences and some useful information.
- If you have any questions or troubles, please raise a hand.




You can reference today's hands-on work sequences and some useful information

Introduction: Setup (cont.)




Active GitHub Pages in your repository.



How to edit materials from GitHub



- Need to wait a few minutes until activating GitHub Pages...
- During this time, I introduce how to edit materials from GitHub.



Introduction: Setup (cont.)



Check your GitHub page using a browser.



JIST 2018 Hands-on mate https://<your account name>.github.io/jist2018-hands-on/

These materials are used in "Practical use of Knowledge Graph ~Case Studies using Semantic Web Publishing tools~" tutorial session.

Information about JIST 2018 tutorial is referred a following page: http://jist2018.knowledge-graph.jp/pages/program/tutorials.html

Queries and some information for this hands-on

Queries and some information

Trial 1

- Sgvizler sample
- D3SPARQL sample

Trial 2

Sample Dashboard

Copyright © 2018 FUJITSU LABORATORIES LTD.

This work is licensed under a Creative Commons Attribution 4.0 Unported License.

Trial1:Visualizing corporate data



- Using a javascript based library
 - ■Sgvizler or D3SPARQL
- Merit: Both libraries run on Web Browser, and do not need a specific environment.
- ■You may choose whichever suits you best.
- ■In this session, I use Sgvizler for my example.

Trial1:Visualizing corporate data



Click "Sgvizler sample"



JIST 2018 Hands-on materials

These materials are used in "Practical use of Knowledge Graph ~Case Studies using Semantic Web Publishing tools~" tutorial session.

Information about JIST 2018 tutorial is referred a following page: http://jist2018.knowledge-graph.jp/pages/program/tutorials.html

Procedure for this hands-on

Procedure



Trial 2

Sample Dashboard

Copyright © 2018 FUJITSU LABORATORIES LTD.


This work is licensed under a Creative Commons Attribution 4.0 Unported License.

Trial1:Visualizing corporate data



■ Test page using Sgvizler

sgvizler sample



14

Trial1-1:Visualizing corporate data




Data: A changes in total assets of banks by quarter

?financial_data l4a-fin:date ?org_date . ?financial data l4a-fin:asset ?org value. BIND(strbefore(?org date,"T") as ?date)

} ORDER BY (?date)

■ How: By Line chart




Trial1-2: Visualizing corporate data



Change Company

?financial data l4a-fin:date ?org date . ?financial data l4a-fin:asset ?org value. BIND(strbefore(?org date,"T") as ?date)

} ORDER BY (?date)



Trial1-3: Visualizing corporate data



Change KPI


} ORDER BY (?date)

■ KPI: Total interest income

?financial data l4a-fin:date ?org date . ?financial data l4a-fin:intinc ?org value. BIND(strbefore(?orq_date,"T") as ?date)

I4a-fin:intinc

sgvizler sample




Search other Companies



Using LOD4ALL Instance Search

URL: http://lod4all.net/datasetdetail.html?graph=http://lod4all.net/graph/fdic





- We see "Company URI List" from a following URL.
 - https://lod4all.github.io/jist2018-hands-on/companies_uri.txt

FYIG: American National Bank?



- Different Banks of the same name in USA
 - I4a-fin-r:19300 https://american.bank/
 - I4a-fin-r:26398 https://www.americannationalbank.com/
- The "Company URI List" contains banks of same name.





https://american.bank/

https://www.americannationalbank.com/

KPI List



PREFIX I4a-fin: < http://lod4all.net/ontology/financial/> .

PREFIX 14a-rin: < nttp://iod4aii.net/ontology/rinanciai/ > .			
Predicate URI	Label	Label(Japanese 日本語)	Label(Chinese 中文)
l4a-fin:asset	Total assets	総資産	总资产
l4a-fin:assetfor	Total assets in foreign offices	外国の総資産	国外资产总额
l4a-fin:chbal	Cash & Balances due from depository institutions	現金と、預貯金取扱金融機関の 残高	处理存款和储蓄的金融机构 的现金和未结余额
l4a-fin:dep	Total deposits	総預金	总存款
l4a-fin:depi	Interest-bearing deposits	利息付き預金	利息存款
l4a-fin:eintexp	Total interest expense	総利息費用	毛利费用
l4a-fin:eq	Bank equity capital	銀行自己資本	银行资本
l4a-fin:eqtot	Total equity capital	総自己資本	总资本
l4a-fin:idtrngov	U.S. Government	米国政府とのトランザクション総額	与美国政府的交易总额
l4a-fin:idtrnmu	States and political subdivisions in the U.S.	州および行政的小区域との総トラ ンザクション総額	具有州和行政子区域的总交 易金额
l4a-fin:iIndom	Interest income: Domestic office loans	国内法人ローンの利息収入	国内公司贷款利息收入
l4a-fin:iInfor	Interest income: Foreign office loans	国外法人ローンの利息収入	外国公司贷款的利息收入
l4a-fin:intan	Goodwill and other intangibles	営業権と他の無形財産	商誉和其他无形财产
l4a-fin:intinc	Total interest income	総利息収入	利息总收入
l4a-fin:liab	Total Liabilities	負債総額	总债务
l4a-fin:noni	Total noninterest income	総非金利収入	非利息收入总额
l4a-fin:nonix	Total noninterest expense	総非金利経費	非利息费用总额
l4a-fin:numemp	Total employees (full-time equivalent)	総従業員 (常勤職換算)	员工总数 (全职工作转换)



WORKING TIME (-13:40)

Trial2: Developing a financial analysis application



Click "Sample Dashboard"



JIST 2018 Tutorial and Hands-on


This page is constructing...

For further information, see as following page: http://jist2018.knowledge-graph.jp/pages/program/tutorials.html

- D3SPARQL sample
- Sgvizler sample
- Search corporate entities using LOD4ALL
- <u>Sample Dashboard</u> Here

Trial2: Sample Application






Trial2: Sample Application



- Supported browsers
 - Chrome or Firefox or Safari version 12
 - Internet Explorer is **not** supported
- Application structure
 - app.html : HTML page
 - sparql-queries.js : Manage SPARQL queries for using this application
 - update-gadgets.js: Manage a visualization configuration for using this application



Trial2: Enhancing sample application



- **Until ~14:55**
 - Break as appropriate by your timing


If it is a hard work for you, please work together with me.


- Example
 - ■Change gadgets
 - Change queries (KPI), Change Chart type etc...
 - ■Add new gadget
 - ■Add new function

Trial2-1: Changing gadgets



Financial analysis application





Before After

Trial2-1: Changing gadgets



Edit sparql-queries.js

```
function getSPARQL002()
{
    var sparql_query = `
    PREFIX l4a-fin: <a href="http://lod4all.net/ontology/financial/">http://lod4all.net/ontology/financial/</a>

SELECT ?date (xsd:decimal(?org_value) as ?value) WHERE {
    <%URI%> l4a-fin:data ?financial_data.
    ?financial_data l4a-fin:date ?org_date .
    ?financial_data l4a-fin:asset ?org_value .
    BIND(strbefore(?org_date,"T") as ?date)
} ORDER BY (?date)

return sparql_query;
}
```



```
function getSPARQL002()
{
    var sparql_query = `
    PREFIX l4a-fin: <a href="http://lod4all.net/ontology/financial/">http://lod4all.net/ontology/financial/</a>


SELECT ?date (xsd:decimal(?org_asset) as ?asset)
(xsd:decimal(?org_liab) as ?liab) WHERE {
    <%URI%> l4a-fin:data ?financial_data.
    ?financial_data l4a-fin:date ?org_date .
    ?financial_data l4a-fin:asset ?org_asset.
    ?financial_data l4a-fin:liab ?org_liab.
    BIND(strbefore(?org_date,"T") as ?date)
} ORDER BY (?date)

return sparql_query;
}
```


Trial2-1: Changing gadgets



Check your dashboard



Before




After

Trial2-2: Changing gadgets



Change a chart type



Trial2-2: Changing gadgets



- Edit : update-gadgets.js
- Line chart -> Area chart

```
function updateGadget002(click_uri)
{
    $('#gadget-002').empty();
    var sparql_val = getSPARQL002().trim();
    sparql_val = sparql_val.replace(/<%URI%>/g,
    '<'+click_uri+'>');
    var Q = new sgvizler.Query();
    Q.query(sparql_val)
        .endpointURL("https://lod4all.net/api/sparql")
        .endpointOutputFormat("json")
        .chartFunction("google.visualization.LineChart")
        .draw("gadget-002");
}
```




```
function updateGadget002(click_uri)
{
    $('#gadget-002').empty();
    var sparql_val = getSPARQL002().trim();
    sparql_val = sparql_val.replace(/<%URI%>/g,
    '<'+click_uri+'>');
    var Q = new sgvizler.Query();
    Q.query(sparql_val)
        .endpointURL("https://lod4all.net/api/sparql")
        .endpointOutputFormat("json")
        .chartFunction("google.visualization.AreaChart")
        .draw("gadget-002");
}
```

- You can check other chart types from following URL
 - http://mgskjaeveland.github.io/sgvizler/


Trial2-2: Changing gadgets



Check your dashboard



Before



After


Trial2-3: Changing gadgets




Change a KPI

Financial analysis application

powerded by LOD4ALL
Keyword:





Before After

32

Trial2-3: Changing gadgets



Edit : update-queries.js

```
function getSPARQL002()
{
    var sparql_query = `
    PREFIX l4a-fin: <a href="http://lod4all.net/ontology/financial/">http://lod4all.net/ontology/financial/</a>

SELECT ?date (xsd:decimal(?org_value) as ?value) WHERE {
    <%URI%> l4a-fin:data ?financial_data.
    ?financial_data l4a-fin:date ?org_date .
    ?financial_data l4a-fin:asset ?org_value .
    BIND(strbefore(?org_date,"T") as ?date)
} ORDER BY (?date)

return sparql_query;
}
```



```
function getSPARQL002()
{
   var sparql_query = `
   PREFIX I4a-fin: <a href="http://lod4all.net/ontology/financial/">http://lod4all.net/ontology/financial/</a>


SELECT ?date ?insolvency WHERE {
   <%URI%> I4a-fin:data ?financial_data.
   ?financial_data I4a-fin:date ?org_date.
   ?financial_data I4a-fin:asset ?asset.
   ?financial_data I4a-fin:liab ?liab.
   BIND(xsd:decimal(xsd:decimal(?asset) -
   xsd:decimal(?liab)) as ?insolvency).
   BIND(strbefore(?org_date,"T") as ?date)
} ORDER BY (?date)

   return sparql_query;
}
```


Trial2-3: Changing gadgets



Check your dashboard




Before After





- Add a "Counting branches by region" gadget on the right side bottom of the application.
- Procedure
 - Design SPARQL
 - Add new gadget code
 - Edit sample-dashboard.html





- Edit sparql-queries.js
 - Add a following code in this file.

```
function getSPARQL004()
{
    var sparql_query = `
    PREFIX l4a-fin: <http://lod4all.net/ontology/financial/>

SELECT ?county (xsd:decimal(count(?branch)) as ?num_of_branches) where
{
    <%URI%> l4a-fin:branch ?branch.
    ?branch l4a-fin:county ?county.
} group by ?county order by desc(?num_of_branches)

    return sparql_query;
}
```



Edit update-gadgets.js

```
function updateGadget004(click_uri)
  $('#gadget-004').empty();
  var sparql_val = getSPARQL004().trim();
  sparql_val = sparql_val.replace(/<%URI%>/q, '<'+click_uri+'>');
  var Q = new sqvizler.Query();
  Q.query(sparql_val)
    .endpointURL("https://lod4all.net/api/sparql?token=jist2018-
data")
    .endpointOutputFormat("json")
    .chartFunction("google.visualization.PieChart")
    .draw("gadget-004");
function updateGadgets(click uri)
  setSqvizler();
  updateGadget001(click uri);
  updateGadget002(click_uri);
  updateGadget003(click uri);
  updateGadget004(click_uri);
```



- Add new HTML code
 - In "docs/sample-dashboard.html"


```
<div class="col-lg-7">
  <div id="gadget-001" style="border: dashed 0.5px #5b8bd0; height:300px; overflow:scroll;"></div>
  <div id="gadget-002" style="border: dashed 0.5px #5b8bd0; height:300px; overflow:scroll;"></div>
  <div id="gadget-003" style="border: dashed 0.5px #5b8bd0; height:300px; overflow:scroll;"></div>
  <div id="gadget-004" style="border: dashed 0.5px #5b8bd0; height:300px; overflow:scroll;"></div>
  </div>
  </div>
```



Check your dashboard

Financial analysis application

powerded by OD4ALL Wells Fargo Bank, National Association Wells Fargo Bank South Dakota Stname Address City Sioux Falls County Minnehaha 57104 EstYmd 1870-01-01 http://lod4all.net/resource/financial/fdicCert-3511 Wells Fargo Bank Dbpedia http://dbpedia.org/resource/Wells Fargo Name Comment Wells Fargo & Company is an American multinational banking and financial services holding company headquartered in San Francisco, California, with \"hubquarters\" throughout the country. It is the third largest bank in the U.S. Financial analysis application



Before

by assets and the largest bank by market capitalization. Wells Fargo

mortgage servicing, and debit cards

https://www.wellsfargo.com/com/securities/

surpassed Citigroup Inc. to become the third-largest U.S. bank by assets at

the end of 2015. Wells Fargo is the second largest bank in deposits, home


After

Trial2: Result of enhancing sample application Fujitsu



Financial analysis application

powerded by OD4ALL Wells Fargo Bank http://lod4all.net/resource/financial/fdicCert-3511 Wells Fargo Bank



Financial analysis application

powerded by OD4ALL Wells Fargo Bank http://lod4all.net/resource/financial/fdicCert-3511 Wells Fargo Bank



Before

After




CLOSING

Closing



- Thank you for attending our lecture and hands-on session today.
- Feel free to use/share today's material as you wish.
- If you develop any applications using LOD4ALL, please contact us so we can introduce your application in the LOD4ALL application page.
- If you have any questions, you may contact us from a LOD4ALL contact page.
- Page information
 - LOD4ALL application page: http://lod4all.net/application.html
 - LOD4ALL contact page: http://lod4all.net/contact.html



shaping tomorrow with you