

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by ☐ css

```
</span>
<div class="icon-text-under mt-3">POSTED NEWS</div>
</a>

<a href="#" class="btn w-200 text-center mx-5 position-relative">
  <i class="fa-regular fa-hashtag fa-7x" onclick="openFollowedTagsList()">
</i>
  <span class="position-absolute top-0 start-10 translate-middle-x badge
rounded-pill bg-primary" style="font-size: 1.5em;">
    0
  </span>
  <div class="icon-text-under mt-3">FOLLOWED TAGS</div>
</a>

<a href="#" class="btn w-200 text-center mx-5 position-relative">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.
[From line 1, column 1; to line 1, column 16](#)
`<html lang="en"><head>`
- Warning** The `type` attribute is unnecessary for JavaScript resources.
[From line 16, column 9; to line 16, column 39](#)
`><script type="text/javascript">`
- Warning** The `type` attribute is unnecessary for JavaScript resources.
[From line 131, column 17; to line 131, column 94](#)

```
<script type="text/javascript" src="http://127.0.0.1:8000/js/app.js"
defer="">
```

4. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

[From line 34, column 9; to line 34, column 12](#)

```
> <h1>
```

Document checking completed.

Source

```
1. <html lang="en"><head>
2.     <meta charset="utf-8">
3.     <meta http-equiv="X-UA-Compatible" content="IE=edge">
4.     <meta name="viewport" content="width=device-width, initial-scale=1">
5.
6.     <!-- CSRF Token -->
7.     <meta name="csrf-token"
content="16w5eokSle0NMvHd7rilVaV5i25awZeK0FSzS702">
8.
9.     <title>TheBulletin</title>
10.
11.     <!-- Styles -->
12.     <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhJY6hW+ALEwIH"
crossorigin="anonymous">
13.     <link href="http://127.0.0.1:8000/css/milligram.min.css"
rel="stylesheet">
14.     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.7.1/css/all.min.css" integrity="sha512-
5Hs3dF2AEPkpNAR7UiOHba+lrSjNeM2EckwUIxC1Q/FLycGTbNapWXB4tP889k5T5Ju8fs4b1P5z/iB4
nMfSQ==" crossorigin="anonymous" referrerpolicy="no-referrer">
15.     <link href="http://127.0.0.1:8000/css/app.css" rel="stylesheet">
16.     <script type="text/javascript">
17.         // Fix for Firefox autofocus CSS bug
18.         // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951
19.     </script>
20. </head>
21. <body>
22.     <main>
23.         <header>
24.             <h1><a href="http://127.0.0.1:8000/home">The Bulletin</a></h1>
25.             <a class="button"
href="http://127.0.0.1:8000/login"> Login </a> <a class="button"
href="http://127.0.0.1:8000/register"> Register </a>
26.             </header>
27.             <section id="content">
28.                 <div class="profile-container">
29.                     <div class="d-flex justify-content-center">
30.                         ↵
31.     ↵
32.     </div>↵
33.     <div class="d-flex justify-content-between">↵
34.         <h1>↵
35.             Rafa↵
36.         </h1>↵
37.     </div>↵
38.     <div class="d-flex flex-row justify-content-center align-items-center border-
top border-bottom py-4">↵
39.         <a href="http://127.0.0.1:8000/user/1/posts" class="btn w-200 text-center
mx-5 position-relative">↵
40.             <i class="fa-solid fa-newspaper fa-7x"></i>↵
41.             <span class="icon position-absolute top-0 start-10 translate-middle-x
badge rounded-pill bg-primary">↵
42.                 25↵
43.             </span>↵
44.             <div class="icon-text-under mt-3">POSTED NEWS</div>↵
45.         </a>↵
46.     ↵
47.     <a href="#" class="btn w-200 text-center mx-5 position-relative">↵
48.         <i class="fa-regular fa-hashtag fa-7x"
onclick="openFollowedTagsList()"></i>↵
49.         <span class="position-absolute top-0 start-10 translate-middle-x
badge rounded-pill bg-primary" style="font-size: 1.5em;">↵
50.             0↵
51.         </span>↵
52.         <div class="icon-text-under mt-3">FOLLOWED TAGS</div>↵
53.     </a>↵
54.     ↵
55.     <a href="#" class="btn w-200 text-center mx-5 position-relative">↵
56.         <i class="fa-duotone fa-solid fa-users fa-7x"
onclick="openFollowersList()"></i>↵
57.         <span class="position-absolute top-0 start-10 translate-middle-x
badge rounded-pill bg-primary" style="font-size: 1.5em;">↵
58.             1↵
59.         </span>↵
60.         <div class="icon-text-under mt-3">FOLLOWERS</div>↵
61.     </a>↵
62.     ↵
63.     <a href="#" class="btn w-200 text-center mx-5 position-relative">↵
64.         <i class="fa-duotone fa-solid fa-users fa-7x"
onclick="openFollowingList()"></i>↵
65.         <span class="position-absolute top-0 start-10 translate-middle-x
badge rounded-pill bg-primary" style="font-size: 1.5em;">↵
66.             1↵
67.         </span>↵
68.         <div class="icon-text-under mt-3">FOLLOWING</div>↵
69.     </a>↵
70. </div>↵
71. <!-- Followed List -->↵
72. <script>↵
73.     const userId = 1;↵
74. </script>↵
75. <div id="followersModal" class="modal" style="display: none; position: fixed;
top: 0; left: 0; width: 100%; height: 100%; background: rgba(0, 0, 0, 0.5); z-
index: 1050;">↵
76.     <div style="margin: 10% auto; background: white; padding: 20px; max-
width: 400px; border-radius: 8px;">↵
77.         <h4 class="mb-4">Users following you</h4>↵
78.         <ul id="followersList" style="list-style-type: none; padding: 0;
margin: 0;"></ul> ↵
79.         <div class="d-flex justify-content-end gap-4">↵
80.             <button type="button" class="btn btn-secondary"
onclick="closeFollowersList()" style="font-size: 1.2rem;">Go Back</button>↵
81.         </div>↵
82.     </div>↵

```

```

83.     </div>↵
84.     <div id="followingModal" class="modal" style="display: none; position: fixed;
top: 0; left: 0; width: 100%; height: 100%; background: rgba(0, 0, 0, 0.5); z-
index: 1050;">↵
85.         <div style="margin: 10% auto; background: white; padding: 20px; max-
width: 400px; border-radius: 8px;">↵
86.             <h4 class="mb-4">Users you follow</h4>↵
87.             <ul id="followingList" style="list-style-type: none; padding: 0;
margin: 0;"></ul> ↵
88.                 <div class="d-flex justify-content-end gap-4">↵
89.                     <button type="button" class="btn btn-secondary"
onclick="closeFollowingList()" style="font-size:1.2rem;">Go Back</button>↵
90.                 </div>↵
91.             </div>↵
92.         </div>↵
93.         <div id="followedTagsModal" class="modal" style="display: none; position:
fixed; top: 0; left: 0; width: 100%; height: 100%; background: rgba(0, 0, 0,
0.5); z-index: 1050;">↵
94.             <div style="margin: 10% auto; background: white; padding: 20px; max-
width: 400px; border-radius: 8px;">↵
95.                 <h4 class="mb-4">Tags you follow</h4>↵
96.                 <ul id="followedTagsList" style="list-style-type: none; padding: 0;
margin: 0;"></ul> ↵
97.                     <div class="d-flex justify-content-end gap-4">↵
98.                         <button type="button" class="btn btn-secondary"
onclick="closeFollowedTagsList()" style="font-size:1.2rem;">Go Back</button>↵
99.                     </div>↵
100.                 </div>↵
101.             </div>↵
102. ↵
103.         <p>Reputation: 0</p>↵
104.         <div class="vote-bar">↵
105.             <div class="upvotes" style="flex: 1;">↵
106.                 1↵
107.             </div>↵
108.             <div class="downvotes" style="flex: 0;">↵
109.                 0↵
110.             </div>↵
111.         </div>↵
112. ↵
113. ↵
114.     ↵
115. </div>↵
116.         </section>↵
117.         <div class="container">↵
118.             <hr>↵
119.             <footer>↵
120.                 <div class="row">↵
121.                     <div class="col-lg-12">↵
122.                         <p>Copyright © The Bulletin 2024</p>↵
123.                         <a class="button"
href="http://127.0.0.1:8000/features">Features</a>↵
124.                         <a class="button"
href="http://127.0.0.1:8000/contacts">Contacts</a>↵
125.                         <a class="button"
href="http://127.0.0.1:8000/aboutUs">About Us</a> ↵
126.                     </div>↵
127.                 </div>↵
128.             </footer>↵
129.         </div>↵
130.     </main>↵
131.         <script type="text/javascript"
src="http://127.0.0.1:8000/js/app.js" defer="">↵
132.     </script>↵
133.     ↵
134. </body></html>

```

Used the HTML parser.

Total execution time 7 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.12.23