Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Error Start tag seen without seeing a doctype first. Expected <!DOCTYPE html>.

Erom line 1, column 1; to line 1, column 16

<html lang="en"><head>

2. Warning The type attribute is unnecessary for JavaScript resources.

From line 16, column 9; to line 16, column 39

> \( \rightarrow \) <script type="text/javascript">\( \rightarrow \)
```

```
Warning The first occurrence of ID users-table was here.
    From line 105, column 29; to line 105, column 50
               <div id="users-table">←
 5.
     Error Duplicate ID deleteAccount .
     From line 127, column 33; to line 127, column 195
                <button type="button" id="deleteAccount" class="delete-account px-3</pre>
    ms-2 black-button" data-delete-url="http://127.0.0.1:8000/admin/delete/1" data-
    context="admin">↔
     Warning The first occurrence of ID deleteAccount was here.
 6.
     From line 107, column 33; to line 107, column 195
               <button type="button" id="deleteAccount" class="delete-account px-3</pre>
     ms-2 black-button" data-delete-url="http://127.0.0.1:8000/admin/delete/2" data-
     context="admin">↔
 7.
     Error Duplicate ID users-table.
    From line 139, column 29; to line 139, column 50
                <div id="users-table">←
     Warning The first occurrence of ID users-table was here.
 8.
    From line 105, column 29; to line 105, column 50
               <div id="users-table">↔
     [ Error ] Duplicate ID | deleteAccount |.
 9.
     From line 141, column 33; to line 141, column 195
                <button type="button" id="deleteAccount" class="delete-account px-3</pre>
     ms-2 black-button" data-delete-url="http://127.0.0.1:8000/admin/delete/3" data-
     context="admin">↔
     Warning The first occurrence of ID deleteAccount was here.
10.
    From line 107, column 33; to line 107, column 195
               <button type="button" id="deleteAccount" class="delete-account px-3</pre>
    ms-2 black-button" data-delete-url="http://127.0.0.1:8000/admin/delete/2" data-
     context="admin">↔
     [Error] An input element with a type attribute whose value is hidden must
11.
     not have an autocomplete attribute whose value is on or off.
```

```
From line 186, column 13; to line 186, column 115

<input type="hidden" name="_token"

value="u6P2ZF4MngBkQ1wvZu90wrQasPcWFuTAH2zEpR50" autocomplete="off">←
```

- 13. Warning Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings by many screen readers and other tools).

 From line 85, column 5; to line 85, column 8 ner">← <h1>Admin

Document checking completed.

Source

```
1. <html lang="en"><head>←
            <meta charset="utf-8">↔
 2.
3.
            <meta http-equiv="X-UA-Compatible" content="IE=edge">←
 4.
            <meta name="viewport" content="width=device-width, initial-scale=1">↔
 5. ↩
            <!-- CSRF Token -->€
 6.
            <meta name="csrf-token"</pre>
 7.
    content="u6P2ZF4MngBk01wvZu90wr0asPcWFuTAH2zEpR50">←
8. ←
9.
            <title>TheBulletin</title>↔
10. ب
            <!-- Styles -->↔
11.
12.
            k
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
    rel="stylesheet" integrity="sha384-
    QWTKZyjpPEjISv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
    crossorigin="anonymous">↔
13.
            <link href="http://127.0.0.1:8000/css/milligram.min.css"</pre>
    rel="stvlesheet">↔
14.
            <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
    awesome/6.7.1/css/all.min.css" integrity="sha512-
    5Hs3dF2AEPkpNAR7UiOHba+lRSJNeM2ECkwxUIxC1Q/FLycGTbNapWXB4tP889k5T5Ju8fs4b1P5z/iB4
    nMfSQ==" crossorigin="anonymous" referrerpolicy="no-referrer">↔
15.
            <link href="http://127.0.0.1:8000/css/app.css" rel="stylesheet">\leftrightarrow
16.
            <script type="text/javascript">←
17.
                // Fix for Firefox autofocus CSS bug←
                // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
18.
    messes-up-css-loading/18945951#18945951↔
19.
            </script>↔
        </head>↔
20.
        <body>↔
21.
22.
            <main>←
23.
                <header>←
```

```
24.
                  <h1><a href="http://127.0.0.1:8000/home">The Bulletin</a></h1>↔
25.
                                  <a class="button"</pre>
   href="http://127.0.0.1:8000/createPosts"> Post News </a> <a class="button"
   href="http://127.0.0.1:8000/logout"> Logout </a> <a
   href="http://127.0.0.1:8000/users/1">Rafa</a>↔
                                                <a class="button"</pre>
26.
   href="http://127.0.0.1:8000/admin">Dashboard</a>↔
27.
                                                    <span class="dropdown"><i</pre>
   class="fa-solid fa-bell"></i></span>↔
                                         ↔
28.
29.
               data-id="2024-12-23 16:45:10.079393" class="dropdown-content">↔
30.
                              %lt;name> liked one of your posts <a
   href="http://127.0.0.1:8000/post/26">see</a>↔
31.
                  <button data-type="like_post" data-id="1">←
                      <i class="fa-solid fa-check"></i>↔
32.
33.
                  </button>↔
34.
                                             ↔
35. ←
               ←
36.
37.
                                         Rafa commented on one of your
   posts↔
                  <button data-type="comment" data-id="24">←
38.
39.
                      <i class="fa-solid fa-check"></i>↔
40.
                   </button>↔
                                  ↩
41.
42. ب
43.
               data-id="2024-12-23 14:50:31.963013" class="dropdown-content">↔
44.
                                         Rafa commented on one of your
   posts↔
45.
                  <button data-type="comment" data-id="23">←
                      <i class="fa-solid fa-check"></i>↔
46.
47.
                   </button>↔
48.
                                  ↩
49. ↔
50.
               data-id="2024-12-23 14:49:42.301203" class="dropdown-content">↔
51.
                                         Rafa commented on one of your
   posts↔
                  <button data-type="comment" data-id="22">←
52.
                      <i class="fa-solid fa-check"></i>↔
53.
54.
                  </button>↔
55.
                                 ↔
56. ←
               data-id="2024-12-23 14:49:14.863093" class="dropdown-content">↔
57.
58.
                                         Rafa commented on one of your
   posts↔
59.
                  <button data-type="comment" data-id="21">←
                      <i class="fa-solid fa-check"></i>↔
60.
                   </button>↔
61.
62.
                                  ↩
63. ←
64.
               data-id="2024-12-22 22:00:15.339251" class="dropdown-content">↔
65.
                                         Rafa commented on one of your
   posts↔
                  <button data-type="comment" data-id="19">←
66.
                      <i class="fa-solid fa-check"></i>↔
67.
                   </button>↔
68.
69.
                                 ↔
70. ←
71.
               data-id="2024-12-22 18:51:37.962803" class="dropdown-content">↔
72.
                                         Rafa commented on one of your
   posts↔
                  <button data-type="comment" data-id="18">←
73.
                      <i class="fa-solid fa-check"></i>↔
74.
75.
                  </button>↔
76.
                                 ↔
77. ↩
           </o1>↔
78.
```

```
79. ←
80.
        ے
81.
        4
                             </header>↔
82.
               <section id="content">←
83.
                   <div class="container">↔
84.
85.
        <h1>Admin Dashboard</h1>←
86. ↔
87.
        <h2>Users</h2>↔
88.
        <div class="container">←
89.
           ↔
90.
               <thead class="">↔
91.
                   →
92.
                      ID↔
93.
                      Username↔
94.
                      Email↔
                      Actions↔
95.
                  ♣
96.
97.
               </thead>↔
98.
               ←
99.
                              ے
100.
                      →
101.
                          2←
102.
                          new↔
103.
                          new@test.com←
                          ←
104.
105.
                             <div id="users-table">←
106.
                                 <a href="http://127.0.0.1:8000/users/2"</pre>
    class="view-link mx-2">[view]</a>↔
107.
                                 <button type="button" id="deleteAccount"</pre>
    class="delete-account px-3 ms-2 black-button" data-delete-
    url="http://127.0.0.1:8000/admin/delete/2" data-context="admin">←
108.
                                     Delete↩
109.
                                 </button>↔
110.
                                 <button type="button" class="block-unblock btn</pre>
    btn-danger btn-lg block-user" data-block-
    url="http://127.0.0.1:8000/admin/block/2">↔
111.
               Block User↔
112.
           </button>↔
113.
                                                                     <button
    type="button" class="btn btn-warning promote-user mb-2" data-promote-
    url="http://127.0.0.1:8000/admin/promote/2" style="height:45px; color:black;
    font-size: 1.25rem; margin-right: 10px;">←
114.
                                        Promote to Admin↔
115.
                                     </button>↔
116.
                                                          </div>↔
                          ↩
117.
118.
                      ↩
                                             ے
119.
120.
                      →
121.
                          1←
122.
                          Rafa↔
123.
                          rafa2@example.com←
124.
                          ←
125.
                              <div id="users-table">↩
126.
                                 <a href="http://127.0.0.1:8000/users/1"</pre>
    class="view-link mx-2">[view]</a>↔
127.
                                 <button type="button" id="deleteAccount"</pre>
    class="delete-account px-3 ms-2 black-button" data-delete-
    url="http://127.0.0.1:8000/admin/delete/1" data-context="admin">←
128.
                                    Delete↔
129.
                                 </button>↔
130.
    </div>↔
131.
                          €
132.
                      ↩
                                             ب
133.
```

```
134.
                       →
135.
                           3←
136.
                           <name&gt;←
137.
                           hack@test.com←
                           ↔
138.
139.
                               <div id="users-table">↩
                                  <a href="http://127.0.0.1:8000/users/3"</pre>
140.
    class="view-link mx-2">[view]</a>↔
141.
                                  <button type="button" id="deleteAccount"</pre>
    class="delete-account px-3 ms-2 black-button" data-delete-
    url="http://127.0.0.1:8000/admin/delete/3" data-context="admin">←
142.
                                      Delete↩
143.
                                  </button>↔
144.
                                  <button type="button" class="block-unblock btn</pre>
    btn-danger btn-lg block-user" data-block-
    url="http://127.0.0.1:8000/admin/block/3">↔
145.
               Block User↔
            </button>↔
146.
147.
                                                                        <button
    type="button" class="btn btn-warning promote-user mb-2" data-promote-
    url="http://127.0.0.1:8000/admin/promote/3" style="height:45px; color:black;
    font-size: 1.25rem; margin-right: 10px;">↔
148.
                                          Promote to Admin↔
149.
                                      </button>↔
150.
                                                             </div>↔
151.
                           ↩
152.
                       ↩
153.
                                          ←
154.
            ↔
155.
            <div class="pagination">←
156.
157.
            </div>↔
158.
        </div>↔
159. ↔
160.
        <h2>Manage Topic Proposals</h2>←
161.
        <div class="container">←
162.
            ↔
163.
                <thead>←
164.
                   →
165.
                       ID←
                       Title↔
166.
                       Actions←
167.
168.
                   ↩
169.
                </thead>↔
170.
                ←
171.
                           ←
172.
            ↔
            <div class="pagination">←
173.
174.
175.
            </div>↔
176.
        </div>↔
177. </div>↔
178. ←
179. <div class="container">←
180.
        <h2>Create New User</h2>↔
        <div id="userCreatedMessage" class="alert alert-success" style="display:</pre>
181.
    none;">↔
182.
            User created successfully!←
183.
        </div>↔
184.
        <div class="form-container">←
            <form id="adminCreateUser" class="d-flex flex-column">←
185.
                <input type="hidden" name=" token"</pre>
186.
    value="u6P2ZF4MngBkQ1wvZu90wrQasPcWFuTAH2zEpR50" autocomplete="off">↔
187.
                <div class="form-group mw-75">←
                   <label for="username">Username</label>←
188.
                   <input type="text" name="username" id="username" value=""</pre>
189.
    class="form-control">
```

```
190.
                      <span class="error"></span>←
191.
                  </div>↔
192. ←
193.
                  <div class="form-group">←
194.
                      <label for="email">Email</label>←
                      <input type="email" name="email" id="email" class="form-</pre>
195.
     control">↔
196.
                      <span class="error"></span>←
197.
                  </div>€
198. ←
199.
                  <div class="form-group">←
200.
                      <label for="password">Password</label>↔
201.
                      <input type="password" name="password" id="password" class="form-</pre>
     control">↔
202.
                      <span class="error"></span>←
203.
                  </div>↔
204. ←
205.
                  <div class="form-group">←
                      <label for="password_confirmation">Confirm Password</label>←
206.
                      \verb|\cinput type=| "password" name="password_confirmation"| \\
207.
     id="password_confirmation" class="form-control">←
                      <span class="error"></span>↔
208.
209.
                  </div>€
210.
                  <div class="align-self-center">←
211.
                      <button class="black-button" type="button" id="generateUser"</pre>
     data-action-url="http://127.0.0.1:8000/admin/create">Create User</button>↔
212.
                  </div>
             </form>←
213.
         </div>↔
214.
215. </div>↔
216. ←
217.
                  </section>↔
218.
                  <div class="container">←
219.
                      <hr>→
220.
                      <footer>↔
221.
                          <div class="row">↔
222.
                              <div class="col-lg-12">←
223.
                                   Copyright © The Bulletin 2024↔
224.
                                   <a class="button"</pre>
     href="http://127.0.0.1:8000/features">Features</a>↔
                                   <a class="button"</pre>
225.
     href="http://127.0.0.1:8000/contacts">Contacts</a>↔
226.
                                   <a class="button"
     href="http://127.0.0.1:8000/aboutUs">About Us</a> ↔
227.
                              </div>↔
228.
                          </div>↔
229.
                      </footer>↔
230.
                  </div>↔
231.
             </main>↔
                      <script type="text/javascript"</pre>
232.
     src="http://127.0.0.1:8000/js/app.js" defer="">←
233.
              </script>↔
234.
235. </body></html>
```

Used the HTML parser.

Total execution time 8 milliseconds.

About this checker • Report an issue • Version: 24.12.23