

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by ☐ css

```
<html lang="en"><head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- CSRF Token -->
  <meta name="csrf-token" content="l6w5eokS1e0NMvHd7rilVaV5i25awZeK0FSzS702">

  <title>TheBulletin</title>

  <!-- Styles -->
  <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhY6hW+ALEwIH"
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.
[From line 1, column 1; to line 1, column 16](#)
`<html lang="en"><head>`
- Warning** The `type` attribute is unnecessary for JavaScript resources.
[From line 16, column 9; to line 16, column 39](#)
`><script type="text/javascript">`
- Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.
[From line 29, column 5; to line 29, column 107](#)

```
gin"><input type="hidden" name="_token"
value="l6w5eokSle0NMvHd7rilVaV5i25awZeK0FSzS702" autocomplete="off">
```

4. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 27, column 13; to line 27, column 34](#)

```
<section id="content">
```

5. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 62, column 17; to line 62, column 94](#)

```
<script type="text/javascript" src="http://127.0.0.1:8000/js/app.js"
defer="">
```

Document checking completed.

Source

```
1. <html lang="en"><head>
2.     <meta charset="utf-8">
3.     <meta http-equiv="X-UA-Compatible" content="IE=edge">
4.     <meta name="viewport" content="width=device-width, initial-scale=1">
5.
6.     <!-- CSRF Token -->
7.     <meta name="csrf-token"
content="l6w5eokSle0NMvHd7rilVaV5i25awZeK0FSzS702">
8.
9.     <title>TheBulletin</title>
10.
11.     <!-- Styles -->
12.     <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhJy6hW+ALEwIH"
crossorigin="anonymous">
13.     <link href="http://127.0.0.1:8000/css/milligram.min.css"
rel="stylesheet">
14.     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.7.1/css/all.min.css" integrity="sha512-
5Hs3dF2AEPkpNAR7UiOHba+lrSjNeM2ECKwxUIxC1Q/FLycGTbNapWXB4tP889k5T5Ju8fs4b1P5z/iB4
nMfSQ==" crossorigin="anonymous" referrerpolicy="no-referrer">
15.     <link href="http://127.0.0.1:8000/css/app.css" rel="stylesheet">
16.     <script type="text/javascript">
17.         // Fix for Firefox autofocus CSS bug
18.         // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951
19.     </script>
20. </head>
21. <body>
22.     <main>
23.         <header>
24.             <h1><a href="http://127.0.0.1:8000/home">The Bulletin</a></h1>
```

```

25.             <a class="button"
href="http://127.0.0.1:8000/login"> Login </a> <a class="button"
href="http://127.0.0.1:8000/register"> Register </a><
26.                                                     </header><
27.             <section id="content"><
28.                 <form method="POST" action="http://127.0.0.1:8000/login"><
29.                     <input type="hidden" name="_token"
value="16w5eokS1e0NMvHd7r1lVaV5i25awZeK0FSzS702" autocomplete="off"><
30.                 <
31.                     <label for="email">E-mail</label><
32.                     <input id="email" type="email" name="email" value="" required=""
autofocus=""><
33.                 <
34.                     <label for="password">Password</label><
35.                     <input id="password" type="password" name="password" required=""><
36.                 <
37.                     <label><
38.                         <input type="checkbox" name="remember"> Remember Me<
39.                     </label><
40.                 <
41.                     <button type="submit"><
42.                         Login<
43.                     </button><
44.                     <a class="button button-outline"
href="http://127.0.0.1:8000/register">Register</a><
45.                     <a class="button button-outline"
href="http://127.0.0.1:8000/password/reset">Forgot Password?</a><
46.                 </form><
47.                 </section><
48.                 <div class="container"><
49.                     <hr><
50.                     <footer><
51.                         <div class="row"><
52.                             <div class="col-lg-12"><
53.                                 <p>Copyright © The Bulletin 2024</p><
54.                                 <a class="button"
href="http://127.0.0.1:8000/features">Features</a><
55.                                 <a class="button"
href="http://127.0.0.1:8000/contacts">Contacts</a><
56.                                 <a class="button"
href="http://127.0.0.1:8000/aboutUs">About Us</a> <
57.                             </div><
58.                         </div><
59.                     </footer><
60.                 </div><
61.             </main><
62.             <script type="text/javascript"
src="http://127.0.0.1:8000/js/app.js" defer=""><
63.             </script><
64.         <
65.     </body></html>

```

Used the HTML parser.

Total execution time 5 milliseconds.