

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ☐ css

```
// See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951
</script>
</head>
<body>
  <main>
    <header>
      <h1><a href="http://127.0.0.1:8000/home">The Bulletin</a></h1>
      <a class="button" href="http://127.0.0.1:8000/login">
Login </a> <a class="button" href="http://127.0.0.1:8000/register"> Register </a>
      </header>

      <section id="content">
        <div class="container">
<h1>The Bulletin - About Us</h1>
<p>Welcome to The Bulletin! We are a group of 3rd year students from FEUP, who
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.
[From line 1, column 1; to line 1, column 16](#)
`<html lang="en"><head>`
- Warning** The `type` attribute is unnecessary for JavaScript resources.
[From line 16, column 9; to line 16, column 39](#)
`><script type="text/javascript">`
- Warning** The `type` attribute is unnecessary for JavaScript resources.
[From line 54, column 17; to line 54, column 94](#)

```
<script type="text/javascript" src="http://127.0.0.1:8000/js/app.js"
defer="">
```

4. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

[From line 29, column 5; to line 29, column 8](#)

```
ner">
<h1>The Bu
```

Document checking completed.

Source

```
1. <html lang="en"><head>
2.     <meta charset="utf-8">
3.     <meta http-equiv="X-UA-Compatible" content="IE=edge">
4.     <meta name="viewport" content="width=device-width, initial-scale=1">
5.
6.     <!-- CSRF Token -->
7.     <meta name="csrf-token"
content="16w5eokSle0NMvHd7rilVaV5i25awZeK0FSzS702">
8.
9.     <title>TheBulletin</title>
10.
11.     <!-- Styles -->
12.     <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhY6hW+ALEwIH"
crossorigin="anonymous">
13.     <link href="http://127.0.0.1:8000/css/milligram.min.css"
rel="stylesheet">
14.     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.7.1/css/all.min.css" integrity="sha512-
5Hs3dF2AEPkpNAR7UiOHba+lrSjNeM2ECKwxUIxC1Q/FLycGTbNapWXB4tP889k5T5Ju8fs4b1P5z/iB4
nMfSQ==" crossorigin="anonymous" referrerpolicy="no-referrer">
15.     <link href="http://127.0.0.1:8000/css/app.css" rel="stylesheet">
16.     <script type="text/javascript">
17.         // Fix for Firefox autofocus CSS bug
18.         // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951
19.     </script>
20. </head>
21. <body>
22.     <main>
23.         <header>
24.             <h1><a href="http://127.0.0.1:8000/home">The Bulletin</a></h1>
25.             <a class="button"
href="http://127.0.0.1:8000/login"> Login </a> <a class="button"
href="http://127.0.0.1:8000/register"> Register </a>
26.             </header>
27.             <section id="content">
28.                 <div class="container">
29.                     <h1>The Bulletin - About Us</h1>
30.                     <p>Welcome to The Bulletin! We are a group of 3rd year students from FEUP,
who passionately built this website in the context of our LBAW class, we hope to
```

```

31.     <p>This website was thought, designed and developed by:</p>↵
32.     <ul style="list-style-type: none; padding: 0;">↵
33.         <li>João Cordeiro, up202205682@up.pt</li>↵
34.         <li>Luana Lima, up202205682@up.pt</li>↵
35.         <li>Miguel Neri, up202006475@up.pt</li>↵
36.         <li>Rafael Campeão, up202207553@up.pt</li>↵
37.     </ul>↵
38. </div>↵
39.         </section>↵
40.         <div class="container">↵
41.             <hr>↵
42.             <footer>↵
43.                 <div class="row">↵
44.                     <div class="col-lg-12">↵
45.                         <p>Copyright © The Bulletin 2024</p>↵
46.                         <a class="button"
href="http://127.0.0.1:8000/features">Features</a>↵
47.                         <a class="button"
href="http://127.0.0.1:8000/contacts">Contacts</a>↵
48.                         <a class="button"
href="http://127.0.0.1:8000/aboutUs">About Us</a> ↵
49.                     </div>↵
50.                 </div>↵
51.             </footer>↵
52.         </div>↵
53.     </main>↵
54.         <script type="text/javascript"
src="http://127.0.0.1:8000/js/app.js" defer="">↵
55.     </script>↵
56.     ↵
57. </body></html>

```

Used the HTML parser.

Total execution time 4 milliseconds.