

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ▼ ☐ css

```
<body>
  <main>
    <header>
      <h1><a href="http://127.0.0.1:8000/home">The Bulletin</a></h1>
      <a class="button" href="http://127.0.0.1:8000/login">
Login </a> <a class="button" href="http://127.0.0.1:8000/register"> Register </a>
      </header>

      <section id="content">
        <div class="container">
          <h1>The Bulletin Main Features</h1>
          <p>Welcome to The Bulletin! Here are some of the main features that make our
platform unique and valuable:</p>
          <ul class="list-group">
            <li class="list-group-item"><strong>Personalized News Feed:</strong> Stay up
to date with news tailored to your interests.</li>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE`

`html>`.

[From line 1, column 1; to line 1, column 16](#)

`<html lang="en"><head>`

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 16, column 9; to line 16, column 39](#)

`><script type="text/javascript">`

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 65, column 17; to line 65, column 94](#)

```
<script type="text/javascript" src="http://127.0.0.1:8000/js/app.js"
defer="">
```

4. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

[From line 29, column 5; to line 29, column 8](#)

```
ner">
<h1>The Bu
```

Document checking completed.

Source

```
1. <html lang="en"><head>
2.     <meta charset="utf-8">
3.     <meta http-equiv="X-UA-Compatible" content="IE=edge">
4.     <meta name="viewport" content="width=device-width, initial-scale=1">
5.
6.     <!-- CSRF Token -->
7.     <meta name="csrf-token"
content="16w5eokS1e0NMvHd7rilVaV5i25awZeK0FSzS702">
8.
9.     <title>TheBulletin</title>
10.
11.     <!-- Styles -->
12.     <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
13.     <link href="http://127.0.0.1:8000/css/milligram.min.css"
rel="stylesheet">
14.     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.7.1/css/all.min.css" integrity="sha512-
5Hs3dF2AEPkpNAR7UiOHba+lrSjNeM2ECKwxUIxC1Q/FLycGTbNapWXB4tP889k5T5Ju8fs4b1P5z/iB4
nMfSQ==" crossorigin="anonymous" referrerpolicy="no-referrer">
15.     <link href="http://127.0.0.1:8000/css/app.css" rel="stylesheet">
16.     <script type="text/javascript">
17.         // Fix for Firefox autofocus CSS bug
18.         // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951
19.     </script>
20. </head>
21. <body>
22.     <main>
23.         <header>
24.             <h1><a href="http://127.0.0.1:8000/home">The Bulletin</a></h1>
25.             <a class="button"
href="http://127.0.0.1:8000/login"> Login </a> <a class="button"
href="http://127.0.0.1:8000/register"> Register </a>
26.             </header>
27.             <section id="content">
28.                 <div class="container">
29.                     <h1>The Bulletin Main Features</h1>
30.                     <p>Welcome to The Bulletin! Here are some of the main features that make our
platform unique and valuable:</p>
```

```

31.     <ul class="list-group">↵
32.         <li class="list-group-item"><strong>Personalized News Feed:</strong> Stay
up to date with news tailored to your interests.</li>↵
33.         <li class="list-group-item"><strong>Top News Feed:</strong> See the top
news feed to remain up to date with popular topics.</li>↵
34.         <li class="list-group-item"><strong>Recent News Feed:</strong> Browse
through the most recent topics by viewing the recent news feed.</li>↵
35.         <li class="list-group-item"><strong>Search and Filters:</strong> Easily
find articles, comments, or tags using advanced search and filtering options.
</li>↵
36.         <li class="list-group-item"><strong>Exact Match Search:</strong> Search
for news articles using an exact phrase to quickly find specific content.</li>↵
37.         <li class="list-group-item"><strong>Full-Text Search:</strong> Perform a
full-text search across all articles to find content containing specific keywords
or phrases.</li>↵
38.         <li class="list-group-item"><strong>Interaction:</strong> Engage with
posts through comments, upvotes, and downvotes.</li>↵
39.         <li class="list-group-item"><strong>View News Items Comments:</strong>
See what other people think about a news article by viewing its comments.</li>↵
40.         <li class="list-group-item"><strong>Profile Customization:</strong> Add a
profile picture, update your details, and showcase your reputation.</li>↵
41.         <li class="list-group-item"><strong>Follow Users and Tags:</strong> Keep
up to date with your interests by following users and tags.</li>↵
42.         <li class="list-group-item"><strong>Notifications:</strong> Stay informed
with personalized notifications about interactions on your posts and comments.
</li>↵
43.         <li class="list-group-item"><strong>Favorites:</strong> Add news items to
your favorites to revisit them easily.</li>↵
44.         <li class="list-group-item"><strong>Propose News Topics:</strong> Tailor
the website to your liking by proposing new news topics.</li>↵
45.         <li class="list-group-item"><strong>Reputation System:</strong> Verify
how trustworthy other users are by seeing their reputation.</li>↵
46.         <li class="list-group-item"><strong>Tags:</strong> See the tags of a post
to determine if it is within your interests.</li>↵
47.     </ul>↵
48.     <p class="mt-3">Explore The Bulletin and make the most of these features!
</p>↵
49. </div>↵
50.         </section>↵
51.         <div class="container">↵
52.             <hr>↵
53.             <footer>↵
54.                 <div class="row">↵
55.                     <div class="col-lg-12">↵
56.                         <p>Copyright © The Bulletin 2024</p>↵
57.                         <a class="button"
href="http://127.0.0.1:8000/features">Features</a>↵
58.                         <a class="button"
href="http://127.0.0.1:8000/contacts">Contacts</a>↵
59.                         <a class="button"
href="http://127.0.0.1:8000/aboutUs">About Us</a> ↵
60.                     </div>↵
61.                 </div>↵
62.             </footer>↵
63.         </div>↵
64.     </main>↵
65.         <script type="text/javascript"
src="http://127.0.0.1:8000/js/app.js" defer="">↵
66.     </script>↵
67.     ↵
68. </body></html>

```

Used the HTML parser.

Total execution time 4 milliseconds.

