

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ☐ css

```
        </div>
        <div class="form-check">
            <input id="checkBody" class="form-check-input"
type="checkbox" name="search_in[]" value="body">
            <label class="form-check-label"
for="searchBody">Body</label>
        </div>
        <div class="form-check">
            <input id="checkComments" class="form-check-input"
type="checkbox" name="search_in[]" value="comments">
            <label class="form-check-label"
for="searchComments">Comments</label>
        </div>
    </div>
    <!-- Botão de pesquisa -->
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.
[From line 1, column 1; to line 1, column 16](#)
`<html lang="en"><head>`
- Warning** The `type` attribute is unnecessary for JavaScript resources.
[From line 16, column 9; to line 16, column 39](#)
`><script type="text/javascript">`
- Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.
[From line 48, column 29; to line 48, column 131](#)

```
<input type="hidden" name="_token"
value="16w5eokS1e0NMvHd7rilVaV5i25awZeK0FSzS702" autocomplete="off">
```

4. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 123, column 21; to line 123, column 40](#)

```
<section id="posts"><↵
.....
```

5. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 195, column 17; to line 195, column 94](#)

```
<script type="text/javascript" src="http://127.0.0.1:8000/js/app.js"
defer=""><↵
.....
```

6. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

[From line 71, column 33; to line 71, column 82](#)

```
<label class="form-check-label" for="searchTitle">Title<
```

7. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

[From line 75, column 33; to line 75, column 81](#)

```
<label class="form-check-label" for="searchBody">Body</
```

8. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

[From line 79, column 33; to line 79, column 85](#)

```
<label class="form-check-label" for="searchComments">Commen
```

9. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

[From line 121, column 9; to line 121, column 12](#)

```
><↵ <h1>Latest
.....
```

Source

```
1. <html lang="en"><head>↵
2.     <meta charset="utf-8">↵
3.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
4.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
5. ↵
6.     <!-- CSRF Token -->↵
7.     <meta name="csrf-token"
content="l6w5eokSle0NMvHd7rilVaV5i25awZeK0FSzS702">↵
8. ↵
9.     <title>TheBulletin</title>↵
10. ↵
11.     <!-- Styles -->↵
12.     <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhJy6hW+ALEwIH"
crossorigin="anonymous">↵
13.     <link href="http://127.0.0.1:8000/css/milligram.min.css"
rel="stylesheet">↵
14.     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.7.1/css/all.min.css" integrity="sha512-
5Hs3dF2AEPkpNAR7UiOHba+lrSjNeM2EckwUIxC1Q/FLycGTbNapWXB4tP889k5T5Ju8fs4b1P5z/iB4
nMfSQ==" crossorigin="anonymous" referrerpolicy="no-referrer">↵
15.     <link href="http://127.0.0.1:8000/css/app.css" rel="stylesheet">↵
16.     <script type="text/javascript">↵
17.         // Fix for Firefox autofocus CSS bug↵
18.         // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951↵
19.     </script>↵
20. </head>↵
21. <body>↵
22.     <main>↵
23.         <header>↵
24.             <h1><a href="http://127.0.0.1:8000/home">The Bulletin</a></h1>↵
25.             <a class="button"
href="http://127.0.0.1:8000/login"> Login </a> <a class="button"
href="http://127.0.0.1:8000/register"> Register </a>↵
26.             </header>↵
27.             <section id="content">↵
28.                 ↵
29.                 <div class="container mt-4">↵
30.                     <div class="d-flex justify-content-start align-items-start gap-4">↵
31.                         <div class="content" style="max-width: 215px;"> ↵
32.                             <div class="d-flex flex-column h-100">↵
33.                                 <h3>Topics</h3>↵
34.                                 <ul class="list-group mb-4">↵
35.                                     <li class="list-
group-item">↵
36.                                         <a
href="http://127.0.0.1:8000/posts/tag/games">games</a>↵
37.                                         </li>↵
38.                                     </ul>↵
39.                                     <div class="mt-auto">↵
40.                                         <button type="submit" class="btn w-90" style="background-
color:rgb(133, 9, 25); color:white; font-size: 1.25rem;" id="proposeTopicButton"
onclick="openProposalForm()">Propose a Topic</button>↵
41.                                     </div>↵
42.                                     ↵
43.                                     <!-- Proposal Form Modal -->↵
44.                                     <div id="proposalModal" class="modal" style="display: none;
position: fixed; top: 0; left: 0; width: 100%; height: 100%; background: rgba(0,
0, 0, 0.5); z-index: 1050;">↵
45.                                         <div style="margin: 10% auto; background: white; padding:
20px; max-width: 400px; border-radius: 8px;">↵
```

```

46.         <h4 class="mb-4">Propose a New Topic</h4><↵
47.         <form id="proposeTopicForm" method="POST"
action="http://127.0.0.1:8000/user/propose-topic"><↵
48.             <input type="hidden" name="_token"
value="16w5eokSle0NMvHd7rilVaV5i25awZeK0FSzS702" autocomplete="off">
<div class="form-group mb-3"><↵
49.                 <label for="topicTitle" class="form-label">Topic
Title</label><↵
50.                 <input type="text" name="title" id="topicTitle"
class="form-control" placeholder="Enter topic title" style="font-size:1.5rem;"
required=""><↵
51.             </div><↵
52.             <div class="d-flex justify-content-end gap-4"><↵
53.                 <button type="button" class="btn btn-secondary"
onclick="closeProposalForm()" style="font-size:1.2rem;">Cancel</button><↵
54.                 <button type="submit" class="btn btn-primary"
style="font-size:1.2rem;">Propose</button><↵
55.             </div><↵
56.         </form><↵
57.     </div><↵
58. </div><↵
59. </div><↵
60. <!-- Barra de Pesquisa --><↵
61. <div class="d-flex justify-content-center gap-4" style="flex-grow:
1;"><↵
62.         <div class="search" style="padding: 1em; max-width: 20em; border:
1px solid rgb(10, 10, 10);"><↵
63.             <form method="GET" action="http://127.0.0.1:8000" class="d-
flex flex-column gap-2"><↵
64.                 <label for="search">Looking for news?</label><↵
65.                 <p style="font-size: 0.8em; color: rgb(88,88,88)">Use
Exact Match Search</p><↵
66.                 <input type="text" name="search" id="search"
placeholder="Search posts" value="" required=""><↵
67.                 <!-- Checkboxes para escolher os atributos --><↵
68.                 <div class="d-flex gap-3 align-items-center flex-wrap"><↵
69.                     <div class="form-check"><↵
70.                         <input id="checkTitle" class="form-check-input"
type="checkbox" name="search_in[]" value="title"><↵
71.                         <label class="form-check-label"
for="searchTitle">Title</label><↵
72.                     </div><↵
73.                     <div class="form-check"><↵
74.                         <input id="checkBody" class="form-check-input"
type="checkbox" name="search_in[]" value="body"><↵
75.                         <label class="form-check-label"
for="searchBody">Body</label><↵
76.                     </div><↵
77.                     <div class="form-check"><↵
78.                         <input id="checkComments" class="form-check-
input" type="checkbox" name="search in[]" value="comments"><↵
79.                         <label class="form-check-label"
for="searchComments">Comments</label><↵
80.                     </div><↵
81.                 </div><↵
82.                 <!-- Botão de pesquisa --><↵
83.                 <div class="form-group d-flex flex-row justify-content-
between gap-2"><↵
84.                     <button type="submit" class="btn" style="background-
color:rgb(133, 9, 25); color:white; font-size: 1.25rem;">Search</button><↵
85.                     <button type="button" class="btn gray-button"
onclick="window.location='http://127.0.0.1:8000'">Clear</button><↵
86.                 </div><↵
87.             </form><↵
88.         </div><↵
89.         <div class="search" style="padding: 1em; border: 1px solid
rgb(10, 10, 10); max-width: 25em;"><↵

```

```

90.         <form action="http://127.0.0.1:8000/search" method="GET"
class="d-flex flex-column gap-2">↵
91.             <label for="search">Looking for someone?</label>↵
92.             <p style="font-size: 0.8em; color: rgb(88,88,88)">Use
Full-Text Search</p>↵
93.             <input type="text" name="username" placeholder="Search
for a username" required="">↵
94.             <div class="form-group d-flex flex-row justify-content-
between gap-2">↵
95.                 <button type="submit" class="btn" style="background-
color:rgb(133, 9, 25); color:white; font-size: 1.25rem;">Search</button>↵
96.                 <button type="button" class="btn gray-button"
onclick="window.location='http://127.0.0.1:8000'">Clear</button>↵
97.             </div>↵
98.         </form>↵
99.     </div>↵
100. </div>↵
101. <form method="GET" action="http://127.0.0.1:8000" class="d-flex
align-items-center">↵
102.     <!-- Campo de Pesquisa Preservado -->↵
103.     <input type="hidden" name="search" value="">↵
104. ↵
105.     <!-- Dropdown de Filtros -->↵
106.     <select id="sortBy" name="sort" class="form-select me-2" style="max-
width: 200px;" onchange="this.form.submit()">↵
107.         <option value="date">Sort by Date</option>↵
108.         <option value="popularity">Sort by Popularity</option>↵
109.     </select>↵
110. ↵
111.     <!-- Dropdown de Ordem -->↵
112.     <select id="orderBy" name="order" class="form-select me-2"
style="max-width: 200px;" onchange="this.form.submit()">↵
113.         <option value="desc">Descending</option>↵
114.         <option value="asc">Ascending</option>↵
115.     </select>↵
116. </form></div>↵
117. </div>↵
118. ↵
119. <!-- Exibição dos Posts -->↵
120. <div class="container" style="margin-top: 5em">↵
121.     <h1>Latest Posts</h1>↵
122.     ↵
123.         <section id="posts">↵
124.             <article class="post">↵
125.                 <header>↵
126.                     <h2>&lt;&gt; "" ""</h2>↵
127.                 </header>↵
128.                 <p>""""""↵
129. ↵
130. ↵
131.                 &gt;&gt;&gt;&gt;&gt;&lt;&lt;&lt;&lt;&lt;&lt;&lt;&lt;&lt;&lt;&lt;&lt;&lt;</p>↵
132.                 <a href="http://127.0.0.1:8000/post/26">Read More</a>↵
133.             </article>↵
134.             <article class="post">↵
135.                 <header>↵
136.                     <h2>one more for games &lt;main&gt;&lt;/main&gt;
</h2>↵
137.                 </header>↵
138.                 <p>a""&lt;&lt;↵
139. a↵
140. a↵
141. a↵
142. a↵
143. a↵
144. dsdsada↵
145. ↵
146. adsada</p>↵

```

```
147.         <a href="http://127.0.0.1:8000/post/25">Read More</a>↵
148.     </article>↵
149.         <article class="post">↵
150.             <header>↵
151.                 <h2>speed running</h2>↵
152.             </header>↵
153.             <p>it's crazy</p>↵
154.             <a href="http://127.0.0.1:8000/post/24">Read More</a>↵
155.     </article>↵
156.         <article class="post">↵
157.             <header>↵
158.                 <h2>elden ring boi</h2>↵
159.             </header>↵
160.             <p>lets gooo</p>↵
161.             <a href="http://127.0.0.1:8000/post/23">Read More</a>↵
162.     </article>↵
163.         <article class="post">↵
164.             <header>↵
165.                 <h2>dam</h2>↵
166.             </header>↵
167.             <p>lol</p>↵
168.             <a href="http://127.0.0.1:8000/post/22">Read More</a>↵
169.     </article>↵
170.         <article class="post">↵
171.             <header>↵
172.                 <h2>lol</h2>↵
173.             </header>↵
174.             <p>lol</p>↵
175.             <a href="http://127.0.0.1:8000/post/21">Read More</a>↵
176.     </article>↵
177.         <article class="post"><header><h2>gg</h2></header>
<p>gaming</p><a href="/post/20">Read More</a></article><article class="post">
<header><h2>g</h2></header><p>games</p><a href="/post/19">Read More</a></article>
<article class="post"><header><h2>ddasdsa</h2></header><p>dsadas</p><a
href="/post/18">Read More</a></article><article class="post"><header><h2>b</h2>
</header><p>bbbb</p><a href="/post/17">Read More</a></article><article
class="post"><header><h2>no</h2></header><p>no</p><a href="/post/16">Read
More</a></article><article class="post"><header><h2>no</h2></header><p>33333</p>
<a href="/post/14">Read More</a></article><article class="post"><header>
<h2>no</h2></header><p>33333</p><a href="/post/13">Read More</a></article>
<article class="post"><header><h2>no</h2></header><p>33333</p><a
href="/post/12">Read More</a></article><article class="post"><header><h2>no</h2>
</header><p>33333333</p><a href="/post/11">Read More</a></article><article
class="post"><header><h2>no</h2></header><p>33333</p><a href="/post/10">Read
More</a></article><article class="post"><header><h2>no</h2></header><p>33333</p>
<a href="/post/9">Read More</a></article><article class="post"><header><h2>3</h2>
</header><p>no numbers</p><a href="/post/8">Read More</a></article><article
class="post"><header><h2>new7</h2></header><p>7</p><a href="/post/7">Read
More</a></article><article class="post"><header><h2>new6</h2></header><p>6</p><a
href="/post/6">Read More</a></article><article class="post"><header><h2>new5</h2>
</header><p>5</p><a href="/post/5">Read More</a></article><article class="post">
<header><h2>new4</h2></header><p>4</p><a href="/post/4">Read More</a></article>
<article class="post"><header><h2>new3</h2></header><p>3</p><a
href="/post/3">Read More</a></article><article class="post"><header><h2>new2</h2>
</header><p>2</p><a href="/post/2">Read More</a></article><article class="post">
<header><h2>new1</h2></header><p>1</p><a href="/post/1">Read More</a></article>
</section>↵
178. ↵
179.     </div>↵
180. </section>↵
181. <div class="container">↵
182.     <hr>↵
183.     <footer>↵
184.         <div class="row">↵
185.             <div class="col-lg-12">↵
186.                 <p>Copyright © The Bulletin 2024</p>↵
```

```
187.             <a class="button"
href="http://127.0.0.1:8000/features">Features</a>↵
188.             <a class="button"
href="http://127.0.0.1:8000/contacts">Contacts</a>↵
189.             <a class="button"
href="http://127.0.0.1:8000/aboutUs">About Us</a> ↵
190.             </div>↵
191.         </div>↵
192.     </footer>↵
193. </div>↵
194. </main>↵
195.     <script type="text/javascript"
src="http://127.0.0.1:8000/js/app.js" defer="">↵
196.     </script>↵
197. ↵
198. </body></html>
```

Used the HTML parser.

Total execution time 11 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.12.23