

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show

☒ source ☐ outline ☐ image report

Options...

Check by

text input 

☐ css

```
method="POST">
                                <form id="reply-form-25" class="hidden"
                                <input type="hidden" name="_token"
value="u6P2ZF4MngBkQ1wvZu90wrQasPcWfuTAH2zEpR50" autocomplete="off">
<textarea id="editedBody" name="body" type="text" placeholder="Write your reply here"
require=""></textarea>
                                <input type="hidden" name="reply_to"
value="25">
                                <button type="button"
onclick="postReply(25)">Post Reply</button>
                                </form>
                                </article>

</section>
                                </div>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error

 Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.  
[From line 1, column 1; to line 1, column 16](#)  
`<html lang="en"><head>`
- Warning

 The `type` attribute is unnecessary for JavaScript resources.  
[From line 16, column 9; to line 16, column 39](#)  
`><script type="text/javascript">`
- Error

 Element `h4` not allowed as child of element `span` in this context. (Suppressing further errors from this subtree.)  
[From line 105, column 21; to line 105, column 24](#)  
`<h4>Tags:<`

Content model for element [span](#):

[Phrasing content](#).

4. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 119, column 21; to line 119, column 123](#)

```
<input type="hidden" name="_token"
value="u6P2ZF4MngBkQ1wvZu90wrQasPcWfuTAH2zEpR50" autocomplete="off">
```

5. **Error** Attribute `type` not allowed on element `textarea` at this point.

[From line 120, column 21; to line 120, column 122](#)

```
<textarea id="commentsBody" name="body" type="text" placeholder="Write
your comment here" required=""></text>
```

Attributes for element [textarea](#):

[Global attributes](#)

[autocomplete](#) — Hint for form autofill feature

[cols](#) — Maximum number of characters per line

[dirname](#) — Name of form control to use for sending the element's [directionality](#) in [form submission](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[maxlength](#) — Maximum [length](#) of value

[minlength](#) — Minimum [length](#) of value

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[placeholder](#) — User-visible label to be placed within the form control

[readonly](#) — Whether to allow the value to be edited by the user

[required](#) — Whether the control is required for [form submission](#)

[rows](#) — Number of lines to show

[wrap](#) — How the value of the form control is to be wrapped for [form submission](#)

6. **Warning** The `region` role is unnecessary for element `section`.

[From line 123, column 17; to line 123, column 86](#)

```
<section id="comments" aria-labelledby="comments-title"
role="region"><␣
```

7. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 130, column 45; to line 130, column 147](#)

```
<input type="hidden" name="_token"
value="u6P2ZF4MngBkQ1wvZu90wrQasPcWfuTAH2zEpR50" autocomplete="off">
```

8. **Error** Attribute `type` not allowed on element `textarea` at this point.

[From line 130, column 284; to line 130, column 385](#)

```
<textarea id="editedBody" name="body" type="text" placeholder="Rewrite
your comment here" required="">new co
```

Attributes for element `textarea`:

[Global attributes](#)

[autocomplete](#) — Hint for form autofill feature

[cols](#) — Maximum number of characters per line

[dirname](#) — Name of form control to use for sending the element's [directionality](#) in [form submission](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[maxlength](#) — Maximum [length](#) of value

[minlength](#) — Minimum [length](#) of value

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[placeholder](#) — User-visible label to be placed within the form control

[readonly](#) — Whether to allow the value to be edited by the user

[required](#) — Whether the control is required for [form submission](#)

[rows](#) — Number of lines to show

[wrap](#) — How the value of the form control is to be wrapped for [form submission](#)

9. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 140, column 41; to line 140, column 143](#)

```
<input type="hidden" name="_token"
value="u6P2ZF4MngBkQ1wvZu90wrQasPcWfuTAH2zEpR50" autocomplete="off">
```

10. **Error** Duplicate ID `editedBody`.

[From line 140, column 184; to line 140, column 280](#)

```
<textarea id="editedBody" name="body" type="text" placeholder="Write
your reply here" require=""></text
```

11. **Warning** The first occurrence of ID `editedBody` was here.

[From line 130, column 284; to line 130, column 385](#)

```
<textarea id="editedBody" name="body" type="text" placeholder="Rewrite  
your comment here" required="">new co
```

12. **Error** Attribute `type` not allowed on element `textarea` at this point.

[From line 140, column 184; to line 140, column 280](#)

```
<textarea id="editedBody" name="body" type="text" placeholder="Write  
your reply here" require=""></text
```

Attributes for element [textarea](#):

[Global attributes](#)

[autocomplete](#) — Hint for form autofill feature

[cols](#) — Maximum number of characters per line

[dirname](#) — Name of form control to use for sending the element's [directionality](#) in [form submission](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[maxlength](#) — Maximum [length](#) of value

[minlength](#) — Minimum [length](#) of value

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[placeholder](#) — User-visible label to be placed within the form control

[readonly](#) — Whether to allow the value to be edited by the user

[required](#) — Whether the control is required for [form submission](#)

[rows](#) — Number of lines to show

[wrap](#) — How the value of the form control is to be wrapped for [form submission](#)

13. **Error** Attribute `require` not allowed on element `textarea` at this point.

[From line 140, column 184; to line 140, column 280](#)

```
<textarea id="editedBody" name="body" type="text" placeholder="Write  
your reply here" require=""></text
```

Attributes for element [textarea](#):

[Global attributes](#)

[autocomplete](#) — Hint for form autofill feature

[cols](#) — Maximum number of characters per line

[dirname](#) — Name of form control to use for sending the element's [directionality](#) in [form submission](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[maxlength](#) — Maximum [length](#) of value

[minlength](#) — Minimum [length](#) of value

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[placeholder](#) — User-visible label to be placed within the form control

[readonly](#) — Whether to allow the value to be edited by the user

[required](#) — Whether the control is required for [form submission](#)

[rows](#) — Number of lines to show

[wrap](#) — How the value of the form control is to be wrapped for [form submission](#)

14. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 124, column 105; to line 124, column 150](#)

```
<article class="comment" data-comment-id="25">↵
```

15. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 123, column 17; to line 123, column 86](#)

```
<section id="comments" aria-labelledby="comments-title"
role="region">↵
```

16. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 150, column 13; to line 150, column 115](#)

```
<input type="hidden" name="_token"
value="u6P2ZF4MngBkQ1wvZu90wrQasPcWfuTAH2zEpR50" autocomplete="off">↵
```

17. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 148, column 5; to line 148, column 53](#)

```
tion>↵ <section class="postEditForm hidden" data-id="1">↵
```

18. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 90, column 13; to line 90, column 34](#)

```
<section id="content">↵
```

19. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 172, column 17; to line 172, column 94](#)

```
<script type="text/javascript" src="http://127.0.0.1:8000/js/app.js"
defer="">
```

Document checking completed.

## Source

```
1. <html lang="en"><head>
2.     <meta charset="utf-8">
3.     <meta http-equiv="X-UA-Compatible" content="IE=edge">
4.     <meta name="viewport" content="width=device-width, initial-scale=1">
5.
6.     <!-- CSRF Token -->
7.     <meta name="csrf-token"
content="u6P2ZF4MngBkQ1wvZu90wrQasPcWfuTAH2zEpR50">
8.
9.     <title>TheBulletin</title>
10.
11.     <!-- Styles -->
12.     <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMHjY6hW+ALEwIH"
crossorigin="anonymous">
13.     <link href="http://127.0.0.1:8000/css/milligram.min.css"
rel="stylesheet">
14.     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.7.1/css/all.min.css" integrity="sha512-
5Hs3dF2AEPkpNAR7UiOHba+lrSjNeM2ECKwxUIxC1Q/FLycGTbNapWXB4tP889k5T5Ju8fs4b1P5z/iB4
nMfSQ==" crossorigin="anonymous" referrerpolicy="no-referrer">
15.     <link href="http://127.0.0.1:8000/css/app.css" rel="stylesheet">
16.     <script type="text/javascript">
17.         // Fix for Firefox autofocus CSS bug
18.         // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951
19.     </script>
20. </head>
21. <body>
22.     <main>
23.         <header>
24.             <h1><a href="http://127.0.0.1:8000/home">The Bulletin</a></h1>
25.             <a class="button"
href="http://127.0.0.1:8000/createPosts"> Post News </a> <a class="button"
href="http://127.0.0.1:8000/logout"> Logout </a> <a
href="http://127.0.0.1:8000/users/1">Rafa</a>
26.             <a class="button"
href="http://127.0.0.1:8000/admin">Dashboard</a>
27.             <span class="dropdown"><i
class="fa-solid fa-bell"></i></span>
28.             <ol id="notfs" class="dropdown-content">
29.                 <li data-id="2024-12-23 18:40:42.003461" class="dropdown-content">
30.                     <p>Rafa commented on one of your
posts</p>
31.                     <button data-type="comment" data-id="25">
32.                         <i class="fa-solid fa-check"></i>
33.                     </button>
34.                 </li>
```

```

35. ↵
36.         <li data-id="2024-12-23 16:45:10.079393" class="dropdown-content">↵
37.             <p>&lt;name&gt; liked one of your posts <a
href="http://127.0.0.1:8000/post/26">see</a></p>↵
38.             <button data-type="like_post" data-id="1">↵
39.                 <i class="fa-solid fa-check"></i>↵
40.             </button>↵
41.         </li>↵
42. ↵
43.         <li data-id="2024-12-23 16:01:19.22435" class="dropdown-content">↵
44.             <p>Rafa commented on one of your
posts</p>↵
45.             <button data-type="comment" data-id="24">↵
46.                 <i class="fa-solid fa-check"></i>↵
47.             </button>↵
48.         </li>↵
49. ↵
50.         <li data-id="2024-12-23 14:50:31.963013" class="dropdown-content">↵
51.             <p>Rafa commented on one of your
posts</p>↵
52.             <button data-type="comment" data-id="23">↵
53.                 <i class="fa-solid fa-check"></i>↵
54.             </button>↵
55.         </li>↵
56. ↵
57.         <li data-id="2024-12-23 14:49:42.301203" class="dropdown-content">↵
58.             <p>Rafa commented on one of your
posts</p>↵
59.             <button data-type="comment" data-id="22">↵
60.                 <i class="fa-solid fa-check"></i>↵
61.             </button>↵
62.         </li>↵
63. ↵
64.         <li data-id="2024-12-23 14:49:14.863093" class="dropdown-content">↵
65.             <p>Rafa commented on one of your
posts</p>↵
66.             <button data-type="comment" data-id="21">↵
67.                 <i class="fa-solid fa-check"></i>↵
68.             </button>↵
69.         </li>↵
70. ↵
71.         <li data-id="2024-12-22 22:00:15.339251" class="dropdown-content">↵
72.             <p>Rafa commented on one of your
posts</p>↵
73.             <button data-type="comment" data-id="19">↵
74.                 <i class="fa-solid fa-check"></i>↵
75.             </button>↵
76.         </li>↵
77. ↵
78.         <li data-id="2024-12-22 18:51:37.962803" class="dropdown-content">↵
79.             <p>Rafa commented on one of your
posts</p>↵
80.             <button data-type="comment" data-id="18">↵
81.                 <i class="fa-solid fa-check"></i>↵
82.             </button>↵
83.         </li>↵
84. ↵
85.     </ol>↵
86. ↵
87.     ↵
88.     ↵
89.         </header>↵
90.         <section id="content">↵
91.             <article class="post" data-id="1">↵
92.                 <button class="editButton">Edit</button>↵
93.             ↵
94.             <header class="newsTitle">↵

```

```

95.         ↵
96.         <h2>new1</h2>↵
97.     </header>↵
98.     <div class="newsBody">↵
99.         <pre>1</pre>↵
100.     </div>↵
101.     ↵
102.     <div id="postDetails">↵
103.         <div class="post-tags">↵
104.             <span class="tags-list">↵
105.                 <h4>Tags:</h4>↵
106.             </span>↵
107.         </div>↵
108.         <p><a href="/users/1">Rafa</a> - Published at 22 Dec 2024 00:52</p>↵
109.         <div id="votes">↵
110.             <span class="qtd-likes"><i class="fa-regular
fa-thumbs-up"></i> 0</span>↵
111.             <span class="qtd-deslikes"><i class="fa-regular fa-thumbs-
down"></i> 0</span>↵
112.         </div>↵
113.     </div>↵
114. </article>↵
115. <section class="comments-section">↵
116.     <div id="postComments" class="container">↵
117.         <h3 id="comments-title">Comments (1)</h3>↵
118.         <form id="post-comment-form" method="POST">↵
119.             <input type="hidden" name="_token"
value="u6P2ZF4MngBkQ1wvZu90wrQasPcWfuTAH2zEpR50" autocomplete="off">
<input type="hidden" name="post id" value="1">↵
120.             <textarea id="commentsBody" name="body" type="text"
placeholder="Write your comment here" required=""></textarea>↵
121.             <button type="submit">Post
Comment</button>↵
122.         </form>↵
123.         <section id="comments" aria-labelledby="comments-title"
role="region">↵
124.             <article class="comment" data-comment-id="25">↵
125.                 <p id="comment-body-25">new comment</p>↵
126.                 <p><a href="/users/1">Rafa</a> - Published at
23 Dec 2024 18:40</p>↵
127.                 <button onclick="deleteComment(25)" class="delete-comment-btn">Delete</button>↵
128.                 <button class="edit-comment-btn" onclick="editComment(25)">Edit</button>↵
129.                 <form id="edit-comment-form-25"
class="hidden" method="POST"
action="http://127.0.0.1:8000/comments/reply/update/25">↵
130.                     <input type="hidden" name="_token"
value="u6P2ZF4MngBkQ1wvZu90wrQasPcWfuTAH2zEpR50" autocomplete="off">
<input type="hidden" name="method" value="PUT">
<textarea id="editedBody" name="body" type="text" placeholder="Rewrite your
comment here" required="">new comment</textarea>↵
131.                     <button type="button"
onclick="saveEditedComment(25)">Save</button>↵
132.                     <button type="button"
onclick="cancelEdit(25)">Cancel</button>↵
133.                 </form>↵
134.                 <div class="comment-votes">↵
135.                     <span id="upvotes-25"><i class="fa-
regular fa-thumbs-up"></i> 0</span>↵
136.                     <span id="downvotes-25"><i class="fa-
regular fa-thumbs-down"></i> 0</span>↵
137.                 </div>↵
138.                 <button
class="reply-comment-btn" onclick="toggleReplyForm(25)">Reply</button>↵

```



```

139.                                     <form id="reply-form-25" class="hidden"
method="POST">↵
140.                                     <input type="hidden" name="_token"
value="u6P2ZF4MngBkQ1wvZu90wrQasPcWFuTAH2zEpR50" autocomplete="off">↵
<textarea id="editedBody" name="body" type="text" placeholder="Write your reply
here" require=""></textarea>↵
141.                                     <input type="hidden" name="reply_to"
value="25">↵
142.                                     <button type="button"
onclick="postReply(25)">Post Reply</button>↵
143.                                     </form>↵
144.                                     </article>↵
145.
</section>↵
146.                                     </div>↵
147.     </section>↵
148.     <section class="postEditForm hidden" data-id="1">↵
149.         <form>↵
150.             <input type="hidden" name=" token"
value="u6P2ZF4MngBkQ1wvZu90wrQasPcWFuTAH2zEpR50" autocomplete="off">↵
151.             <input type="text" id="newTitle" value="new1" required="">↵
152.             <textarea id="newBody" rows="16"
required="">1</textarea>↵
153.             <button type="submit" class="saveButton">Save
Changes</button>↵
154.             <button class="cancelButton">Cancel</button>↵
155.         </form>↵
156.     </section>↵
157. </section>↵
158. <div class="container">↵
159.     <hr>↵
160.     <footer>↵
161.         <div class="row">↵
162.             <div class="col-lg-12">↵
163.                 <p>Copyright © The Bulletin 2024</p>↵
164.                 <a class="button"
href="http://127.0.0.1:8000/features">Features</a>↵
165.                 <a class="button"
href="http://127.0.0.1:8000/contacts">Contacts</a>↵
166.                 <a class="button"
href="http://127.0.0.1:8000/aboutUs">About Us</a> ↵
167.             </div>↵
168.         </div>↵
169.     </footer>↵
170. </div>↵
171. </main>↵
172.     <script type="text/javascript"
src="http://127.0.0.1:8000/js/app.js" defer="">↵
173.     </script>↵
174.     ↵
175. </body></html>

```

Used the HTML parser.

Total execution time 25 milliseconds.