```
❖ HOME.html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>College Admin Dashboard</title>
<link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
<style>
/* Remove sidebar */
body {
font-family: Arial, sans-serif;
background-color: #dacccc;
margin: 0;
padding: 0;
.container-fluid {
max-width: 800px;
margin: 50px auto;
padding: 20px;
background-color: #fff;
```

```
border-radius: 10px;
box-shadow: 0px 0px 10px 0px rgba(66, 131, 93, 0.7);
}
h2{
color: rgb(76, 177, 180);
text-align: center;
font-weight: bolder;
text-shadow: 2px 1px 2px rgb(56, 86, 87);
}
.sidebar {
display: none;
}
/* Decrease form size */
.content {
padding: 20px;
max-width: 600px; /* Adjust the maximum width as needed */
margin: 0 auto; /* Center the form horizontally */
}
.form-group {
margin-bottom: 20px; /* Increase or decrease the spacing between form fields */
}
.btn-primary {
background-color: #095a4d;
border-color: #2f3f3c;
margin-top: 15px;
```

```
padding: 8px;
width: 100%; /* Make the button fill the entire width of its container */
}
.btn-primary:hover {
background-color: #0056b3;
border-color: #0056b3;
box-shadow: 10px 10px 10px 0px rgba(48, 54, 50, 0.7);
}
.form-control {
max-width: 800px;
background-color: #fff;
border-radius: 10px;
box-shadow: 10px 10px 10px 0px rgba(48, 54, 50, 0.7);
}
/* .form-control:focus {
border-color: #80bdff;
box-shadow: none;
} */
label{
color: #121213;
font-family:sans-serif;
font-weight: bolder;
}
```

```
</style>
</head>
<body>
<div class="container-fluid">
<div class="row">
<div class="col-md-2 sidebar bg-dark">
ul>
<a href="#">Dashboard</a>
<a href="#">Students</a>
<a href="#">Teachers</a>
<a href="#">Courses</a>
</div>
<div class="col-md-10 content">
<h2>Add Student Information</h2>
<form id="studentForm">
<div class="form-group">
<label for="studentName">Student Name:</label>
<input type="text" class="form-control" id="studentName" required>
</div>
<div class="form-group">
<label for="studentPhone">Student Phone:</label>
<input type="text" class="form-control" id="studentPhone" required>
</div>
<div class="form-group">
```

```
<label for="studentDOB">Date of Birth:</label>
<input type="date" class="form-control" id="studentDOB" required>
</div>
<div class="form-group">
<label for="studentGender">Gender:</label><br>
<input type="radio" id="male" name="gender" value="male">
<label for="male">Male</label>
<input type="radio" id="female" name="gender" value="female">
<label for="female">Female</label>
</div>
<div class="form-group">
<label for="studentEmail">Student Email:</label>
<input type="email" class="form-control" id="studentEmail" required>
</div>
<div class="form-group">
<label for="studentRoll">Student Roll No.:</label>
<input type="text" class="form-control" id="studentRoll" required>
</div>
<div class="form-group">
<label for="studentRegDate">Registration Date:</label>
<input type="date" class="form-control" id="studentRegDate" required>
</div>
<div class="form-group">
<label for="studentBranch">Branch:</label>
<select class="form-control" id="studentBranch" required>
```

```
<option value="">Select Branch</option>
<option value="CS">Computer Science</option>
<option value="MECH">Mechanical</option>
<option value="ELEC">Electrical</option>
</select>
</div>
<div class="form-group">
<label for="parentName">Parent Name:</label>
<input type="text" class="form-control" id="parentName" required>
</div>
<div class="form-group">
<label for="parentPhone">Parent Phone No.:</label>
<input type="text" class="form-control" id="parentPhone" required>
</div>
<button type="submit" class="btn-primary">Submit</button>
</form>
<div id="studentInfo" class="mt-4"></div>
</div>
</div>
</div>
<script src="script.js"></script>
</body>
</html>
```

```
❖ Display.html:
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Student Information</title>
<style>
body {
font-family: Arial, sans-serif;
background-color: #dacccc;
margin: 0;
padding: 0;}
.container {
max-width: 800px;
margin: 50px auto;
padding: 20px;
background-color: #fff;
border-radius: 10px;
box-shadow: 0px 0px 10px 0px rgba(66, 131, 93, 0.7);
}
h2 {
text-align: center;
margin-bottom: 20px;
}
```

```
.card-container {
display: flex;
flex-direction: column;
}
.card strong {
color: #007bff;
}
.card p {
margin: 0;}
.card {
margin-bottom: 20px;
padding: 20px;
background-color: #fff;
border: 1px solid #ddd;
border-radius: 5px;
box-shadow: 0px 2px 5px 0px rgba(0, 0, 0, 0.5);
}
.card strong {
color: #007bff;
}
.card:last-child {
margin-bottom: 0;
}
</style>
</head>
```

```
<body>
<div class="container">
<h2>Student Information</h2>
<div class="card-container">
<div class="card name"></div>
<div class="card phone"></div>
<div class="card dob"></div>
<div class="card gender"></div>
<div class="card email"></div>
<div class="card roll"></div>
<div class="card regDate"></div>
<div class="card branch"></div>
<div class="card parentName"></div>
<div class="card parentPhone"></div>
</div>
</div>
<script src="script.js"></script>
<script>
// Retrieve student data from localStorage
const studentData = JSON.parse(localStorage.getItem('studentData'));
// Display student information
document.querySelector('.name').innerHTML = `<strong>Name:</strong>
${studentData.name};
document.querySelector('.phone').innerHTML = `<strong>Phone:</strong>
${studentData.phone}`;
```

```
document.querySelector('.dob').innerHTML = `<strong>Date of Birth:</strong>
${studentData.dob}`;
document.querySelector('.gender').innerHTML = `<strong>Gender:</strong>
${studentData.gender}`;
document.querySelector('.email').innerHTML = `<strong>Email:</strong>
${studentData.email}`;
document.querySelector('.roll').innerHTML = `<strong>Roll No.:</strong>
${studentData.roll}`;
document.query Selector ('.reg Date').inner HTML = `<strong>Registration
Date:</strong> ${studentData.regDate}`;
document.querySelector('.branch').innerHTML = `<strong>Branch:</strong>
${studentData.branch}`;
document.querySelector('.parentName').innerHTML = `<strong>Parent Name:</strong>
${studentData.parentName}`;
document.querySelector('.parentPhone').innerHTML = `<strong>Parent Phone:</strong>
${studentData.parentPhone}`;
</script>
</body>
</html>
Script.js:
document.getElementById("studentForm").addEventListener("submit", function(event) {
event.preventDefault();
const studentName = document.getElementById("studentName").value;
const studentPhone = document.getElementById("studentPhone").value;
const studentDOB = document.getElementById("studentDOB").value;
const studentGender = document.querySelector('input[name="gender"]:checked').value;
const studentEmail = document.getElementById("studentEmail").value;
const studentRoll = document.getElementById("studentRoll").value;
```

```
const studentRegDate = document.getElementById("studentRegDate").value;
const studentBranch = document.getElementById("studentBranch").value;
const parentName = document.getElementById("parentName").value;
const parentPhone = document.getElementById("parentPhone").value;
const studentData = {
name: studentName,
phone: studentPhone,
dob: studentDOB,
gender: studentGender,
email: studentEmail,
roll: studentRoll,
regDate: studentRegDate,
branch: studentBranch,
parentName: parentName,
parentPhone: parentPhone
};
localStorage.setItem('studentData', JSON.stringify(studentData));
window.location.href = 'display.html';
});
```