

Docker Calculator Application Progress

```
cd "C:\Users\rithi\Documents\Documents Project Internship and Course\Projects\Driver-Drowsiness---Vehicle-Saftey\Day 11\Docker Calculator"
11\Docker Calculator">
(.venv) PS C:\Users\rithi\Documents\Documents Project Internship and Course\Projects\Driver-Drowsiness---Vehicle-Saftey\Day 11\Docker Calculator> dir

Directory: C:\Users\rithi\Documents\Documents Project Internship and Course\Projects\Driver-Drowsiness---Vehicle-Saftey\Day 11\Docker Calculator

Mode                LastWriteTime         Length Name
----                -
-a----            2026-06-01   8:51 AM           3347 calculator.html
-a----            2026-06-01   8:51 AM           565 Dockerfile
-a----            2026-06-01   8:52 AM          1472 server.js
```


```
calculator.html U Dockerfile U JS server.js U X
Day 11 > Docker Calculator > JS server.js > http.createServer() callback > fs.readFile() callback
1 // Importing the 'http' module to create an HTTP server
2 const http = require('http');
3 // Importing the 'fs' module to read files and 'path' module to handle file paths
4 const fs = require('fs');
5 // Importing the 'path' module to handle file paths
6 const path = require('path');
7 // Defining the port number on which the server will listen

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
powershell - Docker Calculator + - [ ] [ ] [ ] [ ]
Docker version 29.5.2, build 79eb04c
(.venv) PS C:\Users\rithi\Documents\Documents Project Internship and Course\Projects\Driver-Drowsiness---Vehicle-Saftey\Day 11\Docker Calculator> docker ps
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAMES
(.venv) PS C:\Users\rithi\Documents\Documents Project Internship and Course\Projects\Driver-Drowsiness---Vehicle-Saftey\Day 11\Docker Calculator> docker build -t calculator
/app .
[+] Building 46.8s (10/10) FINISHED docker:desktop-linux
=> [internal] load build definition from Dockerfile 0.1s
=> => transferring dockerfile: 604B 0.0s
=> [internal] load metadata for docker.io/library/node:20 4.4s
=> [auth] library/node:pull token for registry-1.docker.io 0.0s
=> [internal] load .dockerignore 0.0s
=> => transferring context: 2B 0.0s
=> [1/4] FROM docker.io/library/node:20@sha256:8f693eaa7e0a8e71560 41.3s
=> => resolve docker.io/library/node:20@sha256:8f693eaa7e0a8e71560c 0.0s
=> => sha256:0b22ec2d9b1a1a0e906e301b5ef08efe7774d5fc00 448B / 448B 0.3s
=> => sha256:2f2ab6e4eb4619f7b8506c38dc79c8adf77acf 1.25MB / 1.25MB 0.8s
=> => sha256:76e6b8204a89d20e7915fdc9a98ff33cb65f 48.62MB / 48.62MB 7.3s
=> => sha256:2933ecab0f11302fd71f29aa83ad29046 211.55MB / 211.55MB 35.7s
=> => sha256:c83419f4430962505175b565eb8a24aafeaa4d 3.32kB / 3.32kB 0.8s
=> => sha256:8fcd2b2d7993820b00c5488d173051e76d 64.40MB / 64.40MB 19.5s
=> => sha256:db53381ee51f9e43304e236099ba097ae1b 48.49MB / 48.49MB 20.6s
=> => sha256:e5203b2bfeff92b72e816dc6cbb1f16856f0 24.04MB / 24.04MB 6.6s
=> => extracting sha256:db53381ee51f9e43304e236099ba097ae1b33ae41a8 1.4s
=> => extracting sha256:e5203b2bfeff92b72e816dc6cbb1f16856f0cd592e5 0.5s
=> => extracting sha256:8fcd2b2d7993820b00c5488d173051e76d01ba6b85 1.5s
=> => extracting sha256:2933ecab0f11302fd71f29aa83ad2904683246f7a83 3.9s
=> => extracting sha256:c83419f4430962505175b565eb8a24aafeaa4d441c0 0.0s
=> => extracting sha256:76e6b8204a89d20e7915fdc9a98ff33cb65fd7ce44e 1.3s
=> => extracting sha256:2f2ab6e4eb4619f7b8506c38dc79c8adf77acffb762 0.1s
=> => extracting sha256:0b22ec2d9b1a1a0e906e301b5ef08efe7774d5fc001 0.0s
```

```
.gitignore calculator.html U Dockerfile U JS server.js U X
Day 11 > Docker Calculator > JS server.js > http.createServer() callback > fs.readFile() callback
1 // Importing the 'http' module to create an HTTP server
2 const http = require('http');
3 // Importing the 'fs' module to read files and 'path' module to handle file paths
4 const fs = require('fs');
5 // Importing the 'path' module to handle file paths
6 const path = require('path');
7 // Defining the port number on which the server will listen

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
powershell - Docker Calculator + - [ ] [ ] [ ] [ ]

=> [internal] load build context 0.0s
=> => transferring context: 4.90kB 0.0s
=> [2/4] WORKDIR /calculator 0.2s
=> [3/4] COPY calculator.html . 0.1s
=> [4/4] COPY server.js . 0.1s
=> exporting to image 0.4s
=> => exporting layers 0.2s
=> => exporting manifest sha256:fe380db05e8d3e3f22407685e258b932c92 0.0s
=> => exporting config sha256:987140df857824704d591f729b71821c23bb7 0.0s
=> => exporting attestation manifest sha256:e018ecd43199316ac0e2aa4 0.0s
=> => exporting manifest list sha256:4355d7022bfc410bb028c0996ceb5b 0.0s
=> => naming to docker.io/library/calculator-app:latest 0.0s
=> => unpacking to docker.io/library/calculator-app:latest 0.1s
(.venv) PS C:\Users\rithi\Documents\Documents Project Internship and Course\Projects\Driver-Drowsiness--Vehicle-Safety\Day 11\Docker Calculator> docker run -d -p 5000:5000
--name calculator-container calculator-app
ba2d3e438677f6ad8104b69ac1b741a2dc40e26934913e449fca20fb98d294c7
(.venv) PS C:\Users\rithi\Documents\Documents Project Internship and Course\Projects\Driver-Drowsiness--Vehicle-Safety\Day 11\Docker Calculator> docker ps
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAMES
ba2d3e438677 calculator-app "docker-entrypoint.s..." 10 seconds ago Up 8 seconds 0.0.0.0:5000->5000/tcp, [::]:5000->5000/tcp calculator-container
(.venv) PS C:\Users\rithi\Documents\Documents Project Internship and Course\Projects\Driver-Drowsiness--Vehicle-Safety\Day 11\Docker Calculator>
```



```
.gitignore calculator.html U Dockerfile U JS server.js U
Day 11 > Docker Calculator > calculator.html > ...
1 <!doctype html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8" />
5   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6   <title>Simple Calculator</title>
7   <style>
8     body {
9       font-family: Arial, sans-serif;
10      background: #f4f4f4;
11      display: flex;
12      justify-content: center;
13      align-items: center;
14      height: 100vh;
15    }
16    .calculator {
17      background: white;
18      padding: 20px;
19      border-radius: 12px;
20      box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
21    }
22    #result {
23      width: 100%;
24      height: 50px;
25      font-size: 1.5rem;
26      text-align: right;
27      padding-right: 10px;
28      margin-bottom: 10px;
29      border: 1px solid #ccc;
30    }
31    .buttons {
32      display: grid;
33      grid-template-columns: repeat(4, 60px);
```

```
.gitignore calculator.html U Dockerfile U JS server.js U
Day 11 > Docker Calculator > Dockerfile > ...
1 # Use the official Node.js image as the base image for the Docker container from the Docker Hub
2 FROM node:20
3 # Set the working directory in the container to /calculator
4 WORKDIR /calculator
5 # Copy the 'calculator.html' and 'server.js' files from the local machine to the working directory in the container
6 COPY calculator.html .
7 COPY server.js .
8 # Expose port 5000 to allow external access to the server running inside the container
9 EXPOSE 5000
10 # Set the default command to run the server using Node.js when the container starts
11 CMD ["node", "server.js"]
```

Containers [Give feedback](#)

Container CPU usage ⓘ **0.00%** / 1600% (16 CPUs available)

Container memory usage ⓘ **7.43MB** / 3.58GB [Show charts](#)

Search

 Only show running containers

☐	Name	Container ID	Image	Port(s)	CPU (%)	Last started	Actions
☒	calculator-cont	ba2d3e438677	calculator~	5000:5000 ↗	0%	15 minutes ago	

Showing 1 item