PROJEKTNA DOKUMENTACIJA

Ana Marković
46/24

03.04.2026

—

Php projekat

1. Uvod

1.1 Korišćeni programski jezici

- HTML, CSS i Bootstrap framework za stilizaciju i responzivni dizajn
- JavaScript i jQuery za interaktivnost i dinamičke funkcionalnosti na klijentskoj strani
- PHP za serversku logiku i obradu podataka
- MySQL za rad sa bazom, uz PDO (PHP Data Objects) za sigurnu komunikaciju sa bazom
- Biblioteka Owl Carousel za prikaz dinamičkih slajdera proizvoda i kategorija
- PHPMailer za slanje email poruka putem kontakt forme
- Razvojno okruženje: Visual Studio Code

1.2 Opis funkcionalnosti

Sajt predstavlja dinamičku web aplikaciju za prikaz i prodaju proizvoda (e-commerce sistem).
Implementirane funkcionalnosti:

- dinamičko učitavanje kategorija i proizvoda iz baze podataka
- prikaz popularnih proizvoda
- sistem za dodavanje proizvoda u korpu i listu želja, kao i upravljanje porudžbinama
- funkcije za administraciju sajta, uključujući dodavanje, izmenu i brisanje kategorija i proizvoda
- validacija formi na klijentskoj i serverskoj strani, kao i slanje poruka putem kontakt forme
- navigacija je dinamička, a sadržaj stranica se generiše na osnovu podataka iz baze.

1.3 Template

U ovom projektu korišćen je jedinstveni template koji definiše osnovnu strukturu stranica



header.php

```
<?php
session_start();
require_once(__DIR__ . "/../config/dbcon.php");
?>
<!doctype html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Hell Shop</title>
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link href="https://fonts.googleapis.com/css2?family=Roboto&display=swap"
rel="stylesheet">
    <link rel="icon" type="image/x-icon" href="favicon.ico">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" href="assets/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/css/style.css">
    <link rel="stylesheet" href="assets/css/owl.theme.default.min.css">
    <link rel="stylesheet" href="assets/css/owl.carousel.min.css">


    <!-- alertify js -->
    <link rel="stylesheet"
href="//cdn.jsdelivr.net/npm/alertifyjs@1.13.1/build/css/alertify.min.css" />
    <link rel="stylesheet"
href="//cdn.jsdelivr.net/npm/alertifyjs@1.13.1/build/css/themes/bootstrap.min.css
" />

    <style>
        .form-control {
```

```
            border: 1px solid #b3a1a1 !important;
            padding: 8px 10px;
        }

        .form-select {
            border: 1px solid #b3a1a1 !important;
            padding: 8px 10px;
        }
    </style>

</head>

<body>
<?php include "navbar.php"; ?>
```

navbar.php

```
<nav class="navbar fs-3 navbar-expand-lg navbar-dark bg-dark shadow">
  <div class="container">
    <div class="logo">
        <a class="navbar-brand bg-danger fs-3" href="home.php"> .HELL SHOP. </a>
        <img src="uploads/favicon.ico" alt="" width="30">
    </div>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-
bs-target="#navbarNavDropdown">
      <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse" id="navbarNavDropdown">
      <ul class="navbar-nav ms-auto">
        <?php
        $query = "SELECT * FROM nav_items  ORDER BY position ASC";
        $stmt = $conn->query($query);

        while($row = $stmt->fetch(PDO::FETCH_ASSOC)) {

            $show = false;

            // svi
            if($row['role'] == 0) {
                $show = true;
            }

            // samo ulogovani
            if($row['role'] == 1 && isset($_SESSION['auth'])) {
                $show = true;
            }

            // samo admin
```

```
            if($row['role'] == 2 && isset($_SESSION['auth']) &&
$_SESSION['role_as'] == 1) {
                $show = true;
            }

            if($show):
        ?>
            <li class="nav-item">
                <a class="nav-link" href="<?= $row['link']; ?>">
                    <?= $row['ime']; ?>
                </a>
            </li>
        <?php endif; } ?>

<!-- user deo -->
        <?php if (isset($_SESSION['auth'])): ?>

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" role="button" data-
bs-toggle="dropdown">
                    <?= $_SESSION['auth_user']['name'] ?? '' ?>
                </a>
                <ul class="dropdown-menu">
                    <li><a class="dropdown-item fs-3" href="wishlist.php">Lista
želja</a></li>
                    <li><hr class="dropdown-divider"></li>
                    <li><a class="dropdown-item fs-3" href="logout.php">Izloguj
se</a></li>
                </ul>
            </li>

        <?php else: ?>
            <li class="nav-item"><a class="nav-link"
href="register.php">Registracija</a></li>
            <li class="nav-item"><a class="nav-link" href="login.php">Uloguj
se</a></li>
        <?php endif; ?>

      </ul>
    </div>
  </div>
</nav>
```

footer.php

```
<div class="py-5 bg-dark mt-5">
    <div class="container">
        <div class="row">
            <div class="col-md-3">
                <h4 class="text-white">E-shop</h4>
                <div class="underline mb-2"></div><br>
<?php
    $query = "SELECT * FROM nav_items ORDER BY position ASC";
    $stmt = $conn->query($query)

?>
        <?php
        while($row = $stmt->fetch(PDO::FETCH_ASSOC)) {

            $show = false;

            // svi
            if($row['role'] == 0) {
                $show = true;
            }

            // samo ulogovani
            if($row['role'] == 1 && isset($_SESSION['auth'])) {
                $show = true;
            }

            // samo admin
            if($row['role'] == 2 && isset($_SESSION['auth']) &&
$_SESSION['role_as'] == 1) {
                $show = true;
            }
            if($show):
        ?>
                <a class="nav-link text-light fs-4" href="<?= $row['link']; ?>">
                    <?= $row['ime']; ?>
                </a>
        <?php endif; } ?>
            </div>
```

```
            <div class="col-md-3">
                <h4 class="text-white fs-4">Adresa</h4>
                <div class="underline mb-2"></div><br>
                <p class="text-white fs-4">
                    Nemanjina 1,<br>
                    Beograd, Srbija
                </p>
                <a href="tel:+381645556664" class="text-white fs-4"><i class="fa
fa-phone"></i> +381 645556664</a><br>
                <a href="mailto:xyz@gmail.com" class="text-white fs-4"><i
class="fa fa-envelope"></i> xyz@gmail.com</a>
                <div>
                    <h3><a href="dokumentacija.pdf" target="_blank" class="text-
light">DOKUMENTACIJA</a></h3>
                    <a href="hellshop.zip"  class="text-light">ZIP</a>
                </div>
            </div>

            <div class="col-md-6">
                <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d2830.6710956565694!2d2
0.4571736!3d44.8078912!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x475a7a
a979a545d5%3A0x60cf4ceb300aca4e!2z0J3QtdC80LDRmtC40L3QsCAxLCDQkdC10L7Qs9GA0LDQtA!
5e0!3m2!1ssr!2srs!4v1674742824644!5m2!1ssr!2srs" class="w-100" height="200"
style="border:0;" allowfullscreen="" loading="lazy" referrerpolicy="no-referrer-
when-downgrade"></iframe>
            </div>
        </div>
    </div>
</div>
<div class="py-2 bg-danger">
    <div class="text-center">
        <p class="mb-0 text-white fs-4">All rights reserved. Copyright @ <a
href="#" class="text-dark">Ana Markovic 46/24</a> <?= date('Y') ?></p>
    </div>
</div>

<script src="assets/js/jquery-3.6.0.min.js"></script>
<script src="assets/js/bootstrap.bundle.min.js"></script>
<script src="assets/js/custom.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
<script
src="//cdn.jsdelivr.net/npm/alertifyjs@1.13.1/build/alertify.min.js"></script>

<script>
    alertify.set('notifier','position', 'top-center');
    <?php if(isset($_SESSION['message'])) { ?>
        alertify.success("<?= $_SESSION['message']; ?>");
        <?php unset($_SESSION['message']); ?>
    <?php } ?>
```

```
</script>
</body>
</html>
```

2. ORGANIZACIJA

2.1 Organizaciona šema

Struktura sajta organizovana je hijerarhijski, pri čemu je početna stranica (index.php) centralna tačka navigacije. Sa nje korisnik može pristupiti svim stranicama kao što su prikaz kategorija, proizvoda, detalji proizvoda, korpa, wishlist i korisnički profil. Administratorski deo sajta ima posebnu strukturu sa stranicama za upravljanje sadržajem (kategorije, proizvodi, porudžbine).



2.3 Slike stranica i opis funkcionalnosti

Početna stranica (index.php)

Početna stranica prikazuje osnovne informacije o sajtu, uključujući dinamički prikaz kategorija i popularnih proizvoda kroz carousel komponentu. Korisnik može direktno pristupiti proizvodima ili kategorijama klikom na odgovarajuće elemente.



Stranica kategorija (categories.php)

Na ovoj stranici prikazuju se sve dostupne kategorije koje se dinamički učitavaju iz baze podataka. Svaka kategorija vodi ka listi proizvoda koji joj pripadaju.



Stranica proizvoda (products.php)

Prikazuje sve proizvode unutar izabrane kategorije. Podaci se dinamički povlače iz baze i prikazuju u obliku kartica.



Detalji proizvoda (productView.php)

Ova stranica prikazuje detaljne informacije o izabranom proizvodu, uključujući opis, cenu i opciju dodavanja u korpu ili wishlist.



Korpa (cart.php)

Omogućava korisniku pregled izabranih proizvoda, izmenu količine i brisanje stavki.



Wishlist (wishlist.php)

Prikazuje proizvode koje je korisnik sačuvao za kasnije.



Admin panel

Administratorski deo omogućava upravljanje sadržajem sajta:

- dodavanje, ažuriranje, brisanje kategorija
- dodavanje, ažuriranje, brisanje proizvoda
- upravljanje porudžbinama



category.php



edit-category.php



add-category.php



products.php



edit-product.php



add-product.php



orders.php



U ovom projektu korišćene su sledeće spoljne biblioteke i kodovi:

Bootstrap (za dizajn)

Owl Carousel (za slider)

PHPMailer (za slanje email poruka)

3. KODOVI

U ovom poglavlju prilažu se kompletni kodovi svih stranica korišćenih u projektu.

Frontend:

index.php

```
<?php
require 'vendor/autoload.php';
include "includes/header.php";
include "includes/slider.php";
include "functions/userfunctions.php";
?>

<div class="py-5">
    <div class="container">
```

```
        <div class="row">
            <div class="col-md-12 px-2">
                <h2 class="text-center mb-2 mt-3">Kategorije</h2>
                <div class="underline mx-auto mb-2"></div>
                <hr class="text-danger mb-5">
                <div class="owl-carousel owl-theme">
                    <?php
                    $categories = getAllActive("categories");
                    $allCategories = $categories->fetchAll(PDO::FETCH_ASSOC);
                    if(count($allCategories) > 0) {
                    foreach($allCategories as $item) {
                    ?>
                        <div class="item">
                            <a class="text-decoration-none text-dark"
href="products.php?categoryId=<?= $item['id']; ?>">
                                <div class="card shadow">
                                    <div class="card-body text-center">
                                        <img class="w-80" height="150px"
src="uploads/<?= $item['image'] ?>" alt="Category image">
                                        <h4 class="text-dark mt-5"><?=
$item['ime']; ?></h4>
                                    </div>
                                </div>
                            </a>
                        </div>
                    <?php
                        }
                    } else { echo "Nema dostupnih podataka"; }
                    ?>
                </div>
            </div>
        </div>

        <div class="row mt-5">
            <div class="col-md-12 px-2">
                <h2 class="text-center mb-2 mt-3">Popularni proizvodi</h2>
                <div class="underline mx-auto mb-2"></div>
                <hr class="text-danger mb-5">
                <div class="owl-carousel owl-theme">
                    <?php
                    $trendingProducts = getAllTrending();
                    if ($trendingProducts->rowCount() > 0) {
                        foreach ($trendingProducts as $item) {
                    ?>
                        <div class="item">
                            <a class="text-decoration-none text-dark"
href="productView.php?product=<?= $item['id']; ?>">
                                <div class="card shadow">
                                    <div class="card-body text-center">
```

```
                                        <img class="w-80" height="130px"
src="uploads/<?= $item['image'] ?>" alt="Product image">
                                        <h4 class="text-dark mt-5"><?=
$item['ime']; ?></h4>
                                    </div>
                                </div>
                            </a>
                        </div>
                    <?php
                        }
                    } else { echo "Nema dostupnih podataka"; }
                    ?>
                </div>
            </div>
        </div>
    </div>
</div>
<div class="py-5 bg-f2f2f2 mb-5">
    <div class="container">
        <div class="row justify-content-center">
            <div class="col-md-10">
                <div class="row">
                <h3 class="text-center text-uppercase mb-3 mt-5">O nama</h3>
                <div class="underline mb-2"></div>
                <hr class="text-danger">
                <div class="underline mx-auto mb-2"></div>
                <p class="fs-4 mt-5">Bavimo se proizvodnjom i prodajom bicikala,
distribucijom raznovrsne sportske opreme i pružanjem specijalizovanih servisnih
usluga. Naš osnovni cilj je vrhunski kvalitet ponude i usluga i maksimalno
zadovoljstvo korisnika.</p>
                <p class="fs-4 mb-5">U našoj fabrici u Kruševcu, proizvodimo
bicikle pod sopstvenim robnim markama Polar i Booster. Takođe, za mnogobrojne
partnere u zemlji i inostranstvu proizvodimo bicikle pod drugim robnim markama,
na bazi OEM usluge.Uvoznik smo i distributer poznatih robnih marki: Scott,
Continental, Elan, Nordica, Salewa, Dainese, Völkl, Dalbello, Oakley, Look,
Syncros, Fizik, Kettler, Elite, Brooks, Body Sculpture, Saris, Selle Royal,
Rollerblade, Infini, Swiss Stop, Weldtite, Polisport, Poivre Blanc, Northwave,
Uvex, Geosmina, Zefal i drugih.</p>

                <p class="fs-4 mt-5">
                U našoj veleprodajnoj mreži sarađujemo sa više od 200 dilera u
Srbiji, Bosni i Hercegovini, Makedoniji i Crnoj Gori i drugim evropskim zemljama.
                </p>

            </div>
            </div>
        </div>
    </div>
</div>
```

```
<?php include "includes/footer.php"; ?>
<script>
    $(document).ready(function() {
        $('.owl-carousel').owlCarousel({
            loop: true,
            margin: 10,
            nav: true,
            responsive: {
                0: {
                    items: 1
                },
                600: {
                    items: 3
                },
                1000: {
                    items: 6
                }
            }
        })
    });
</script>
```

categories.php

```
<?php
include "functions/userfunctions.php";
include "includes/header.php";
?>

<div class="py-3 bg-secondary">
    <div class="container">
        <h6 class="text-white fs-4">
            <a class="text-decoration-none text-white" href="index.php">Početna
/</a> Kategorije /
        </h6>
    </div>
</div>
<div class="py-5">
    <div class="container">
        <div class="row justify-content-center">
            <div class="col-md-12">
                <div class="row ">
                    <h1 class="col-md-12 mb-5 mt-5">Kategorije</h1>
                    <hr>
                    <?php
                    $categories = getAllActive("categories");
                    if ($categories->rowCount() > 0) {
                        foreach ($categories as $item) {
                    ?>
```

```
                            <div class="col-md-3 mb-5 mt-5">
                                <a class="text-dark  text-decoration-none
"  href="products.php?categoryId=<?= $item['id']; ?>">
                                    <div class="card shadow">
                                        <div class="card-body text-center mt-5">
                                            <img class="w-50 " height='100px'
src="uploads/<?= $item['image'] ?>" alt="Category image">
                                            <h4 class="text-center fs-3 mt-5"><?=
$item['ime']; ?></h4>
                                        </div>
                                    </div>
                                </a>
                            </div>
                    <?php
                        }
                    } else {
                        echo "Nema dostupnih podataka";
                    }
                    ?>
                </div>
            </div>
        </div>
    </div>
</div>
<?php include "includes/footer.php"; ?>
```

products.php

```
<?php
include "includes/header.php";
include "functions/myfunctions.php";
include "functions/userfunctions.php";

if (isset($_GET['categoryId'])) {
    $categoryId = $_GET['categoryId'];
    $category = getByID("categories", $categoryId);
 if ($category) {
?>
        <div class="py-3 bg-secondary">
            <div class="container">
                <h6 class="text-white fs-4">
                    <a class="text-white text-decoration-none "
href="index.php">Početna /</a>
                    <a class="text-white text-decoration-none "
href="categories.php">Kategorije /</a>
                    <?= $category['ime']; ?>
                </h6>
            </div>
        </div>
```

```
        <div class="py-5">
            <div class="container">
                <div class="row justify-content-center">
                    <div class="col-md-12 mb-5 mt-5">
                        <div class="row " height='250px' >
                            <h2><?= $category['ime']; ?></h2>
                            <hr>
                            <?php
                            $products = getProByCategory($categoryId);
                            if ($products->rowCount() > 0) {
                                foreach ($products as $item) {
                            ?>
                            <div class="col-12 col-lg-3 col-md-6 mb-2 mt-5">
                                <a class="text-dark  text-decoration-none
"  href="productView.php?product=<?= $item['id']; ?>">
                                    <div class="card shadow" style="height:
280px" >
                                        <div class="card-body text-center mt-5">
                                            <img class="w-50 mb-3" height='100px'
src="uploads/<?= $item['image'] ?>" alt="Product image">
                                            <h4 class="text-center mt-5 mb-5"><?=
$item['ime']; ?></h4>

                                            <h4 class="text-center text-danger
mt-5"><?= $item['prodajnaCena']; ?> DIN</h4>
                                        </div>
                                    </div>
                                </a>
                            </div>
                            <?php
                                }
                            } else {
                                echo "Nema dostupnih podataka";
                            }
                            ?>
                        </div>
                    </div>
                </div>
            </div>
        </div>
<?php
    } else {
        echo "Nešto nije u redu";
    }
} else {
    echo "Nešto je pošlo po zlu";
}
include "includes/footer.php"; ?>
```

productView.php

```
<?php
include "includes/header.php";
include "functions/userfunctions.php";
include "functions/myfunctions.php";

if (isset($_GET['product'])) {
    $product_id = $_GET['product'];
    $product = getByID("products", $product_id);

    if ($product) {
?>
        <div class="py-3 bg-secondary fs-4">
            <div class="container">
                <h6 class="text-white">
                    <a class="text-white text-decoration-none  fs-4"
href="index.php">Početna /</a>
                    <a class="text-white  text-decoration-none fs-4"
href="categories.php">Kategorije /</a>
                    <?= $product['ime']; ?>
                </h6>
            </div>
        </div>
        <div class="bg-light py-4">
            <div class="container col-md-12 mt-3 d-flex">
                <div class="row topview justify-content-center">
                    <div class="col-md-4">
                        <div class="shadow d-inline-block">
                            <img src="uploads/<?= $product['image'] ?>"
alt="Product image" class="img-fluid"
                            style="max-height: 350px; width: 100%; object-fit:
contain;">
                        </div>
                    </div>
                    <div class="col-md-6 mt-4">
                        <h2 class="fw-bold"><?= $product['ime'] ?></h2>

                        <p><?= $product['kratkiOpis'] ?></p>

                        <hr>
                        <div class="row topview justify-content-center">
                            <div class="col-md-4">
                                <h4>Stara cena:<br><br> <span class="text-danger
fw-bold"><?= $product['orginalnaCena'] ?></span>DIN
                                </h4>
                            </div>
                            <div class="col-md-4">
                                <h2>Nova cena:<br><br><span class="text-success
fw-bold"><?= $product['prodajnaCena'] ?></span>DIN
```

```
                                </h2>
                            </div>
                            <div class="row product_data justify-content-center">
                                    <div class="col-md-4 mt-4 text-center">
                                        <h2 class="fw-bold">Količina</h2>
                                        <div class="input-group mb-3 mx-auto"
style="width: 200px; height:40px">
                                            <button class="input-group-text
decrement-btn fw-bold fs-4">-</button>
                                            <input type="text" class="form-
control fw-bold fs-4 text-center input-qty bg-white" value="1" disabled>
                                            <button class="input-group-text
increment-btn fw-bold fs-4">+</button>
                                        </div>
                                    </div>

                                    <div class="row mt-3 justify-content-center
text-center">
                                        <div class="col-md-6">
                                            <button class="btn btn-primary px-4
addToCartBtn" value="<?= $product['id']; ?>">
                                                <i class="fa fa-shopping-cart me-
2"></i> Ubaci u korpu
                                            </button>
                                        </div>
                                        <div class="col-md-6">
                                            <button class="btn btn-primary px-4
addToWishList" value="<?= $product['id'];?>">
                                                <i class="fa fa-heart me-2"></i>
Lista želja
                                            </button>
                                        </div>
                                    </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
        <div class="container">
            <div class=" col-md-12 bg-light 8">
                <hr>
                <h3 class="ml-3 topview">Opis proizvoda:</h3>
                <p class="prod fs-5"><?= $product['opis'] ?></p>
            </div>
        </div>
<?php
    } else {
        echo "Proizvod nije pronađen";
    }
```

```
} else {
    echo "Nešto je pošlo po zlu";
}
include "includes/footer.php";
?>
```

cart.php

```
<?php
include "includes/header.php";
include "functions/userfunctions.php";
include "functions/authcode.php";
?>

<div class="py-3 bg-secondary">
    <div class="container">
        <h6 class="text-white fs-4">
            <a href="home.php" class="text-white text-decoration-none fs-
4">Početna /</a>
            Korpa
        </h6>
    </div>
</div>

<div class="py-5">
    <div class="container">
        <div class="card card-body shadow mt-3">
            <div id="mycart">
                <?php
                $items = getCartItems();

                if ($items && $items->rowCount() > 0) {
                ?>
                    <div class="row align-items-center d-none d-md-flex mb-2">
                        <div class="col-md-5"><h4 class="fw-
bold">Proizvod</h4></div>
                        <div class="col-md-2 text-center"><h4 class="fw-
bold">Cena</h4></div>
                        <div class="col-md-3 text-center"><h4 class="fw-
bold">Količina</h4></div>
                        <div class="col-md-2 text-center"><h4 class="fw-
bold">Akcija</h4></div>
                    </div>

                    <?php
                    $totalPrice = 0;
                    $cartItems = $items->fetchAll(PDO::FETCH_ASSOC);
                    foreach ($cartItems as $citem) {
                        $subPrice = $citem['prodajnaCena'] * $citem['prodQty'];
```

```
                        $totalPrice += $subPrice;
                    ?>
                        <div class="card product_data shadow-sm mb-3">
                            <div class="row align-items-center p-2">
                                <div class="col-md-2 text-center">
                                    <img src="uploads/<?= $citem['image']; ?>"
alt="<?= $citem['ime']; ?>" class="w-50">
                                </div>
                                <div class="col-md-3">
                                    <h5><?= $citem['ime']; ?></h5>
                                </div>
                                <div class="col-md-2 text-center">
                                    <h5><?= number_format($citem['prodajnaCena'],
2); ?> RSD</h5>
                                </div>
                                <div class="col-md-3 text-center">
                                    <input type="hidden" class="prodId"
value="<?= $citem['prodId']; ?>">
                                    <div class="input-group mb-3 mx-auto"
style="width: 110px;">
                                        <button class="input-group-text
decrement-btn updateQty">-</button>
                                        <input type="text" class="form-control
text-center input-qty bg-white" value="<?= $citem['prodQty']; ?>" disabled>
                                        <button class="input-group-text
increment-btn updateQty">+</button>
                                    </div>
                                </div>
                                <div class="col-md-2 text-center">
                                    <button class="btn btn-danger btn-sm
deleteItem" value="<?= $citem['cid']; ?>">
                                        <i class="fa fa-trash"></i> Ukloni
                                    </button>
                                </div>
                            </div>
                        </div>
                    <?php
                    }
                    ?>

                    <hr>
                    <div class="row">
                        <div class="col-md-8"></div>
                        <div class="col-md-4 text-end">
                            <h5>Ukupno: <span class="fw-bold fs-3"><?=
number_format($totalPrice, 2) ?> RSD</span></h5>
                            <a href="checkout.php" class="btn btn-primary w-100
mt-2">Nastavi na plaćanje</a>
                        </div>
                    </div>
```

```
                <?php
                } else {
                ?>
                    <div class="card card-body text-center shadow">
                        <h4 class="py-3">Vaša korpa je prazna</h4>
                        <a href="index.php" class="btn btn-outline-primary mx-
auto">Kreni u kupovinu</a>
                    </div>
                <?php
                }
                ?>
            </div>
        </div>
    </div>
</div>


<?php include "includes/footer.php"; ?>
```

checkout.php

```
<?php
include "includes/header.php";
include "functions/userfunctions.php";
include "functions/authcode.php";

?>
<div class="py-3 bg-secondary">
    <div class="container">
        <h4 class="text-white">
            <a href="index.php" class="text-white text-decoration-none">Početna
/</a>
            <a href="checkout.php" class="text-white text-decoration-
none">Poruči</a>
        </h4>
    </div>
</div>

<div class="py-5">
    <div class="container">
        <div class="card">
            <div class="card card-body shadow mt-3">
                <form action="functions/placeorder.php" method="POST" novalidate>
                    <div class="row">
                        <div class="col-md-7">
                            <h5>Osnovni podaci</h5>
                            <hr>
                            <div class="row">
```

```
                                <div class="col-md-6 mb-3">
                                    <label class="fw-bold fs-5">Ime i
prezime</label>
                                    <input type="text" name="name" required
placeholder="Unesite ime" class="form-control form-control-lg">
                                </div>
                                <div class="col-md-6 mb-3">
                                    <label class="fw-bold fs-5">Email</label>
                                    <input type="email" name="email" required
placeholder="Unesite email" class="form-control form-control-lg">
                                </div>
                                <div class="col-md-6 mb-3">
                                    <label class="fw-bold fs-5">Telefon</label>
                                    <input type="text" name="phone" required
placeholder="Unesite broj telefona" class="form-control form-control-lg">
                                </div>
                                <div class="col-md-6 mb-3">
                                    <label class="fw-bold fs-5">Poštanski
broj</label>
                                    <input type="text" name="pincode" required
placeholder="Unesite poštanski broj" class="form-control form-control-lg">
                                </div>
                                <div class="col-md-12 mb-3">
                                    <label class="fw-bold fs-5">Adresa</label>
                                    <textarea name="address" class="form-control
form-control-lg" rows="5" style="resize: none;"  required></textarea>
                                </div>
                            </div>
                        </div>
                        <div class="col-md-5">
                            <h5>Detalji porudžbine</h5>
                            <hr>
                            <?php

                            $items = getCartItems();
                            $totalPrice = 0;
                            foreach ($items as $citem) {
                            ?>
                                <div class="card product_data shadow-sm mb-3">
                                    <div class="row align-items-center">
                                        <div class="col-md-2">
                                            <img src="uploads/<?=
$citem['image']; ?>" alt="" width="60px">
                                        </div>
                                        <div class="col-md-5">
                                            <label><?= $citem['ime']; ?></label>
                                        </div>

                                        <div class="col-md-2">
```

```
                                            <label>x<?= $citem['prodajnaCena'];
?></label>
                                        </div>

                                    </div>
                                </div>
                            <?php
                                $totalPrice += $citem['prodajnaCena'] *
$citem['prodQty'];
                            }
                            ?>
                            <h4>Ukupna cena : <span class="float-end fw-bold"><?=
$totalPrice ?></span></h4>
                            <div>
                                <input type="hidden" name="payment_mode"
value="COD">
                                <button type="submit" name="placeOrderBtn"
class="btn btn-primary w-100">Potvrdi i poruči</button>
                            </div>
                        </div>
                    </div>
                </form>
        </div>
    </div>
</div>
</div>
<?php include "includes/footer.php"; ?>
```

wishlist.php

```
<?php
include "includes/header.php";
include "functions/myfunctions.php";
include "functions/userfunctions.php";
include "functions/authcode.php";
?>
<div class="py-3 bg-secondary">
    <div class="container">
        <h6 class="text-white fs-4">
            <a href="home.php" class="text-white text-decoration-none fs-
4">Početna /</a>
            Lista želja
        </h6>
    </div>
</div>

<div class="py-5">
    <div class="container">
        <div class="card card-body shadow mt-3">
```

```
            <div class="row">
                <div class="col-md-12">
                    <div id="mywishlist">
                        <?php

                        $items = getWishItems();
                        $wishList = $items ? $items->fetchAll(PDO::FETCH_ASSOC) :
[];

                        if (!empty($wishList)) { ?>
                            <div class="row align-items-center">
                                <div class="col-md-2 text-center">
                                    <h4>Slika</h4>
                                </div>
                                <div class="col-md-2 text-center">
                                    <h4>Naziv</h4>
                                </div>
                                <div class="col-md-2 text-center">
                                    <h4>Cena</h4>
                                </div>
                                <div class="col-md-2">

                                </div>
                            </div>
                            <div id="">
                                <?php
                                foreach ($wishList as $witem) {
                                ?>
                                    <div class="card product_data shadow-sm mb-
3">
                                        <div class="row align-items-center">
                                            <div class="col-md-2 text-center">
                                                <img src="uploads/<?=
$witem['image']; ?>" alt="" class="w-50">
                                            </div>
                                            <div class="col-md-2">
                                                <h5><?= $witem['ime']; ?></h5>
                                            </div>
                                            <div class="col-md-2 text-center">
                                                <h3> <?= $witem['prodajnaCena'];
?></h3>
                                            </div>
                                            <div class="col-md-2">

                                            </div>
                                            <div class="col-md-2 text-center">
                                                <button class="btn btn-danger
btn-sm  delItem" value="<?= $witem['wid']; ?>">
                                                    <i class="fa fa-trash me-
2"></i> Ukloni
```

```
                                                    </button>
                                                </div>
                                            </div>
                                        </div>
                                        <?php
                                    } ?>
                                </div>

                            <?php
                            } else {
                            ?>

                                <div class="card card-body text-center shadow">
                                    <h4 class="py-3">Vaša lista želja je prazna</h4>
                                </div>
                            <?php
                            }
                            ?>
                        </div>
                    </div>
                </div>
            </div>
        </div>
</div>
<?php include "includes/footer.php"; ?>
```

contact.php

```
<?php
include "includes/header.php";
$_SESSION['csrf_token'] = bin2hex(random_bytes(32));

include "config/dbcon.php";
include "functions/userfunctions.php";
?>

<div class="container py-5">
    <section class="mb-4">
        <h2 class="h1-responsive font-weight-bold text-center my-4">Kontaktirajte
nas</h2>
        <p class="text-center fs-4 w-responsive mx-auto mb-2">Da li imate neka
pitanja za nas?</p>
        <p class="text-center fs-4 w-responsive mx-auto">Naš tim će Vam
odgovoriti u najkraćem mogućem roku.</p>

        <div class="row px-5 mt-5">
            <div class="col-md-8">
                <form id="contact-form" action="functions/mail.php"
method="POST">
```

```
                    <div class="row justify-content-center">
                        <div class="col-md-6 mb-3">
                            <label class="fs-4">Vaše ime</label>
                            <input type="text" id="name" name="name" class="form-
control form-control-lg">
                            <span id="name-error" class="error"></span>
                        </div>
                        <div class="col-md-6 mb-3">
                            <label class="fs-4">Vaš email</label>
                            <input type="email" id="email" name="email"
class="form-control form-control-lg">
                            <span id="email-error" class="error"></span>
                        </div>
                    </div>
                    <div class="row">
                        <div class="col-md-12 mb-3">
                            <label class="fs-4">Tema</label>
                            <input type="text" id="subject" name="subject"
class="form-control form-control-lg">
                            <span id="subject-error" class="error"></span>
                        </div>
                    </div>
                    <div class="row">
                        <div class="col-md-12 mb-3">
                            <label class="fs-4">Vaša poruka</label>
                            <textarea id="message" name="message" rows="5"
style="resize: none;" class="form-control form-control-lg"></textarea>
                            <span id="message-error" class="error"></span>
                        </div>
                    </div>
                    <input type="hidden" name="csrf_token" value="<?=
$_SESSION['csrf_token']; ?>">
                    <div class="text-center mt-3">
                        <button type="submit" class="btn btn-primary px-
5">Pošalji</button>
                    </div>
                </form>
            </div>

            <div class="col-md-4 text-center mt-5">
                <ul class="list-unstyled">
                    <li><i class="fas fa-map-marker-alt fa-2x"></i>
                        <p class="fs-4">Nemanjina 1, Beograd</p>
                    </li>
                    <li><i class="fa fa-phone mt-4 fa-2x"></i>
                        <p class="fs-4">+8164555666</p>
                    </li>
                    <li><i class="fa fa-envelope mt-4 fa-2x"></i>
                        <p class="fs-4">xzy@gmail.com</p>
                    </li>
```

```
                </ul>
            </div>
        </div>
    </section>

    <hr class="my-5">

    <div class="row justify-content-center">
        <div class="col-md-10 text-center">
            <h2 class="mb-4">Naše prodavnice</h2>
            <div class="row mb-3">
                <div class="col-md-4">
                    <input type="text" id="searchCity" placeholder="Pretraži
grad..." class="form-control form-control-lg">
                </div>
                <div class="col-md-4">
                    <select id="searchParking" class="form-control form-control-
lg">
                        <option value="">Sve</option>
                        <option value="da">Sa parkingom</option>
                        <option value="ne">Bez parkinga</option>
                    </select>
                </div>
            </div>

            <div class="table-responsive">
                <table class="table table-bordered table-striped" id="table">
                    <thead class="bg-secondary text-white fs-4">
                        <tr>
                            <th>Grad</th>
                            <th>Adresa</th>
                            <th>Telefon</th>
                            <th>Radno vreme</th>
                            <th>Parking</th>
                        </tr>
                    </thead>
                    <tbody class="fs-4">
                        <?php
                        $query = "SELECT * FROM store";
                        $stmt = $conn->query($query);

                        if ($stmt->rowCount() > 0) {
                            while ($row = $stmt->fetch(PDO::FETCH_ASSOC)) {
                                ?>
                                <tr>
                                    <td><?= $row['grad']; ?></td>
                                    <td><?= $row['adresa']; ?></td>
                                    <td><?= $row['telefon']; ?></td>
                                    <td><?= $row['radnoVreme']; ?></td>
                                    <td><?= $row['parking']; ?></td>
```

```
                                </tr>
                                <?php
                            }
                        } else {
                            echo "<tr><td colspan='4'>Trenutno nema podataka o
prodavnicama.</td></tr>";
                        }
                        ?>
                    </tbody>
                </table>
            </div>
        </div>
    </div>
</div>
<script src="assets/js/contactForm.js"></script>
<?php include "includes/footer.php"; ?>
```

Backend:
myfunctions.php

```
<?php
include(__DIR__ . '/../config/dbcon.php');


function getAll($table)
{
    global $conn;
    $query = "SELECT * FROM $table";
    $stmt = $conn->query($query);
    return $stmt;
}

function getAllOrders()
{
    global $conn;
    $query = "SELECT * FROM orders WHERE status='0' ";
    $stmt = $conn->query($query);
    return $stmt;
}

function adminCheckTrackingNoValid($trackingNo)
{
    global $conn;
    $query = "SELECT * FROM orders WHERE trackingNo=:trackingNo";
    $stmt = $conn->prepare($query);
    $stmt->bindParam(':trackingNo', $trackingNo, PDO::PARAM_STR);
    $stmt->execute();
    return $stmt;
}
```

userfunctions.php

```php
<?php
include(__DIR__ . '/../config/dbcon.php');

function getAllActive($table)
{
    global $conn;
    $query = "SELECT * FROM $table WHERE STATUS='0'";
    $stmt = $conn->prepare($query);
    $stmt->execute();
    return $stmt;
}
function getAllTrending()
{
    global $conn;
    $query = "SELECT * FROM products WHERE trending='1'";
    $stmt = $conn->prepare($query);
    $stmt->execute();
    return $stmt;
}
function getProByCategory($categoryId)
{
    global $conn;
    $query = "SELECT * FROM products  WHERE categoryId=:categoryId AND
status='0'";
    $stmt = $conn->prepare($query);
    $stmt->bindParam(':categoryId', $categoryId, PDO::PARAM_INT);
    $stmt->execute();
    return $stmt;

}
function getIDActive($table, $id)
{
    global $conn;
    $query = "SELECT * FROM $table WHERE id=:id AND status='0'";
    $stmt = $conn->prepare($query);
    $stmt->bindParam(':id', $id, PDO::PARAM_INT);
    $stmt->execute();
    return $stmt;
}
function getSlugActive($table, $slug)
{
    global $conn;
    $query = "SELECT * FROM $table WHERE opis=:slug AND status='0' LIMIT 1";
    $stmt = $conn->prepare($query);
    $stmt->bindParam(':slug', $slug, PDO::PARAM_STR);
    $stmt->execute();
    return $stmt;
}
```

```
function getCartItems()
{
    global $conn;

    $user_id = $_SESSION['auth_user']['user_id'];

    $query = "SELECT c.id as cid, c.prodId, c.prodQty,
                        p.id as pid, p.ime as ime, p.image, p.prodajnaCena as
prodajnaCena
                  FROM carts c
                  INNER JOIN products p ON c.prodId = p.id
                  WHERE c.userId = :user_id";
    $stmt = $conn->prepare($query);
    $stmt->bindParam(':user_id', $user_id, PDO::PARAM_INT);
    $stmt->execute();
    return $stmt;
}

function getWishItems()
{
    global $conn;
    $userId = $_SESSION['auth_user']['user_id'];

    $query = "SELECT w.id as wid, p.* FROM wishlist w, products p WHERE
w.prodId=p.id AND w.userId=:userId";
    $stmt = $conn->prepare($query);
    $stmt->bindParam(':userId', $userId, PDO::PARAM_INT);
    $stmt->execute();
    return $stmt;
}
function getOrders()
{
    global $conn;
    $user_id = $_SESSION['auth_user']['user_id'];

    $query = "SELECT * FROM orders WHERE userId=:user_id ORDER BY id DESC";
    $stmt = $conn->prepare($query);
    $stmt->bindParam(':user_id', $user_id, PDO::PARAM_INT);
    $stmt->execute();
    return $stmt;
}

function checkTrackingNoValid($trackingNo)
{
    global $conn;
    $userId = $_SESSION['auth_user']['user_id'];

    $query = "SELECT * FROM orders WHERE trackingNo=:trackingNo AND
userId=:userId";
    $stmt = $conn->prepare($query);
```

```
    $stmt->bindParam(':trackingNo', $trackingNo);
    $stmt->bindParam(':userId', $userId);
    $stmt->execute();
    return $stmt;
}

function redirect($url, $message)
{
    $_SESSION['message'] = $message;
    header('Location: ' . $url);
    exit();
}

function getById($table, $id)
{
    global $conn;

    $stmt = $conn->prepare("SELECT * FROM $table WHERE id = :id LIMIT 1");
    $stmt->execute([
        ':id' => $id
    ]);

    return $stmt->fetch(PDO::FETCH_ASSOC);
}
```

code.php

```
<?php
session_start();
include __DIR__ . "/../config/dbcon.php";
include_once __DIR__ . "/../functions/myfunctions.php";
include_once __DIR__ . "/../functions/userfunctions.php";

$path = "../uploads";

// kategorije

// dodavanje kategorije
if (isset($_POST['add_category_btn'])) {

    if (!isset($_FILES['image']) || $_FILES['image']['error'] !== 0) {
    $_SESSION['message'] = "Slika je obavezna!";
    header("Location: add-category.php");
    exit();
    }

    $name = $_POST['name'];
    $description = $_POST['description'];
    $status = isset($_POST['status']) ? '1' : '0';
```

```
    $image = $_FILES['image']['name'];
    $image_ext = pathinfo($image, PATHINFO_EXTENSION);
    $filename = time() . '.' . $image_ext;

    $stmt = $conn->prepare("INSERT INTO categories (ime, status, opis, image)
VALUES (:ime, :status, :opis, :image)");
    $stmt->bindParam(":ime", $name);
    $stmt->bindParam(":status", $status);
    $stmt->bindParam(":opis", $description);
    $stmt->bindParam(":image", $filename);

    if ($stmt->execute()) {
        $path = "../uploads";
        move_uploaded_file($_FILES['image']['tmp_name'], $path . '/' .
$filename);
        redirect("add-category.php", "Kategorija je uspešno dodata");
    } else {
        redirect("add-category.php", "Nešto je krenulo po zlu");
    }
    $stmt = null;
}

// izmena kategorije
elseif (isset($_POST['update_category_btn'])) {
    $category_id = $_POST['category_id'];
    $name = $_POST['name'];
    $description = $_POST['description'];
    $status = isset($_POST['status']) ? '1' : '0';

    $new_image = $_FILES['image']['name'];
    $old_image = $_POST['old_image'];

    if (isset($_FILES['image']) && $_FILES['image']['error'] === 0) {
        $image_ext = pathinfo($new_image, PATHINFO_EXTENSION);
        $update_filename = time() . '.' . $image_ext;
    } else {
        $update_filename = $old_image;
    }

    $stmt = $conn->prepare("UPDATE categories SET ime=:ime, opis=:opis,
status=:status, image=:image WHERE id=:id");
    $stmt->bindParam(":ime", $name);
    $stmt->bindParam(":status", $status);
    $stmt->bindParam(":opis", $description);
    $stmt->bindParam(":image", $update_filename);
    $stmt->bindParam(":id", $category_id);

    if ($stmt->execute()) {
        if ($new_image != "") {
```

```
            $path = "../uploads";
            move_uploaded_file($_FILES['image']['tmp_name'], $path . '/' .
$update_filename);
            if (file_exists("../uploads/" . $old_image)) {
                unlink("../uploads/" . $old_image);
            }
        }
        redirect("edit-category.php?id=$category_id", "Kategorija je uspešno
izmenjena");
    } else {
        redirect("edit-category.php?id=$category_id", "Greška pri osvežavanju");
    }
    $stmt = null;
}

// brisanje kategorije
elseif (isset($_POST['delete_category_btn'])) {
    $category_id = $_POST['category_id'];

    $stmt_select = $conn->prepare("SELECT image FROM categories WHERE id=:id");
    $stmt_select->bindParam(":id", $category_id);
    $stmt_select->execute();
    $category_data = $stmt_select->fetch(PDO::FETCH_ASSOC);
    $image = $category_data['image'];
    $stmt_select = null;

    $stmt_delete = $conn->prepare("DELETE FROM categories WHERE id=:id");
    $stmt_delete->bindParam(":id", $category_id);

    if ($stmt_delete->execute()) {
        if (file_exists("../uploads/" . $image)) {
            unlink("../uploads/" . $image);
        }
        redirect("category.php", "Kategorija uspešno obrisana");
    } else {
        redirect("category.php", "Nešto je krenulo po zlu");
    }
    $stmt_delete = null;
}

// proizvodi

// dodavanje proizvoda
elseif (isset($_POST['add_product_btn'])) {
    $category_id = $_POST['category_id'];
    $name = $_POST['name'];
    $small_description = $_POST['small_description'];
    $description = $_POST['description'];
    $original_price = $_POST['original_price'];
    $selling_price = $_POST['selling_price'];
```

```
    $qty = $_POST['qty'];
    $status = isset($_POST['status']) ? '1' : '0';
    $trending = isset($_POST['trending']) ? '1' : '0';

    $image = $_FILES['image']['name'];
    $image_ext = pathinfo($image, PATHINFO_EXTENSION);
    $filename = time() . '.' . $image_ext;

    if ($name != "" && $description != "") {
        $stmt = $conn->prepare("INSERT INTO products (categoryId, ime,
kratkiOpis, opis, orginalnaCena, prodajnaCena, kolicina, status, trending, image)
VALUES (:categoryId, :ime, :kratkiOpis, :opis, :orginalnaCena, :prodajnaCena,
:kolicina, :status, :trending, :image)");
        $stmt->bindParam(":categoryId", $category_id);
        $stmt->bindParam(":ime", $name);
        $stmt->bindParam(":kratkiOpis", $small_description);
        $stmt->bindParam(":opis", $description);
        $stmt->bindParam(":orginalnaCena", $original_price);
        $stmt->bindParam(":prodajnaCena", $selling_price);
        $stmt->bindParam(":kolicina", $qty);
        $stmt->bindParam(":status", $status);
        $stmt->bindParam(":trending", $trending);
        $stmt->bindParam(":image", $filename);

        if ($stmt->execute()) {
            move_uploaded_file($_FILES['image']['tmp_name'], $path . '/' .
$filename);
            redirect("add-product.php", "Proizvod uspešno dodat");
        } else {
            redirect("add-product.php", "Greška u bazi podataka");
        }
        $stmt = null;
    } else {
        redirect("add-product.php", "Sva polja su obavezna");
    }
}

// izmena proizvoda
elseif (isset($_POST['update_product_btn'])) {
    $product_id = $_POST['product_id'];
    $stmtCat = $conn->prepare("SELECT categoryId FROM products WHERE id=:id");
    $stmtCat->execute([':id' => $product_id]);
    $currentCategory = $stmtCat->fetch(PDO::FETCH_ASSOC)['categoryId'];

    $name = $_POST['name'];
    $small_description = $_POST['small_description'];
    $description = $_POST['description'];
    $original_price = $_POST['original_price'];
    $selling_price = $_POST['selling_price'];
    $qty = $_POST['qty'];
```

```
    $status = isset($_POST['status']) ? '1' : '0';
    $trending = isset($_POST['trending']) ? '1' : '0';


    $new_image = $_FILES['image']['name'];
    $old_image = $_POST['old_image'];

    if (isset($_FILES['image']) && $_FILES['image']['error'] === 0) {
        $image_ext = pathinfo($new_image, PATHINFO_EXTENSION);
        $update_filename = time() . '.' . $image_ext;
    } else {
        $update_filename = $old_image;
    }

    $stmt = $conn->prepare("UPDATE products SET categoryId=:categoryId, ime=:ime,
kratkiOpis=:kratkiOpis, opis=:opis, orginalnaCena=:orginalnaCena,
prodajnaCena=:prodajnaCena, kolicina=:kolicina, status=:status,
trending=:trending, image=:image WHERE id=:id");
    $stmt->bindParam(":categoryId", $currentCategory);
    $stmt->bindParam(":ime", $name);
    $stmt->bindParam(":kratkiOpis", $small_description);
    $stmt->bindParam(":opis", $description);
    $stmt->bindParam(":orginalnaCena", $original_price);
    $stmt->bindParam(":prodajnaCena", $selling_price);
    $stmt->bindParam(":kolicina", $qty);
    $stmt->bindParam(":status", $status);
    $stmt->bindParam(":trending", $trending);
    $stmt->bindParam(":image", $update_filename);
    $stmt->bindParam(":id", $product_id);

    if ($stmt->execute()) {
        if ($new_image != "") {
            $path = "../uploads";
            move_uploaded_file($_FILES['image']['tmp_name'], $path . '/' .
$update_filename);
            if (file_exists("../uploads/" . $old_image)) {
                unlink("../uploads/" . $old_image);
            }
        }
        redirect("edit-product.php?id=$product_id", "Proizvod uspešno izmenjen");
    } else {
        redirect("edit-product.php?id=$product_id", "Greška pri izmeni");
    }
    $stmt = null;
}

// brisanje proizvoda
elseif (isset($_POST['delete_product_btn'])) {
    $product_id = $_POST['product_id'];
```

```php
    $stmt_select = $conn->prepare("SELECT image FROM products WHERE id=:id");
    $stmt_select->bindParam(":id", $product_id);
    $stmt_select->execute();
    $product_data = $stmt_select->fetch(PDO::FETCH_ASSOC);

    if($product_data) {
        $image = $product_data['image'];

        $stmt_delete = $conn->prepare("DELETE FROM products WHERE id=:id");
        $stmt_delete->bindParam(":id", $product_id);

        if ($stmt_delete->execute()) {
            if ($image != "" && file_exists("../uploads/" . $image)) {
                unlink("../uploads/" . $image);
            }
            redirect("products.php", "Proizvod uspešno obrisan");
        } else {
            redirect("products.php", "Greška pri brisanju");
        }
        $stmt_delete = null;
    }
    $stmt_select = null;
}
// porudzbine

// azuriranje porudzbine
elseif (isset($_POST['update_order_btn'])) {
    $track_no = $_POST['trackingNo'];
    $order_status = $_POST['status'];

    $stmt = $conn->prepare("UPDATE orders SET status = :status WHERE trackingNo =
:trackingNo");

    $stmt->bindParam(":status", $order_status);
    $stmt->bindParam(":trackingNo", $track_no);

    if ($stmt->execute()) {
        $stmt = null;
        redirect("view-order.php?t=$track_no", "Status porudžbine je uspešno
ažuriran");
    } else {
        $stmt = null;
        redirect("view-order.php?t=$track_no", "Došlo je do greške u bazi");
    }
}
else {
    header('Location: ../index.php');
    exit();
}
?>
```

dbcon.php

<?php

```
$host = getenv('MYSQLHOST') ?: 'localhost';
$port = getenv('MYSQLPORT') ?: '3306';
$db   = getenv('MYSQL_DATABASE');
$user = getenv('MYSQLUSER');
$pass = getenv('MYSQLPASSWORD');
$charset = 'utf8mb4';

$dsn = "mysql:host=$host;port=$port;dbname=$db;charset=$charset";
$options = [
    PDO::ATTR_ERRMODE            => PDO::ERRMODE_EXCEPTION,
    PDO::ATTR_DEFAULT_FETCH_MODE => PDO::FETCH_ASSOC,
    PDO::ATTR_EMULATE_PREPARES   => false,
];

try {
     $conn = new PDO($dsn, $user, $pass, $options);
     // echo "Uspešna konekcija!";
} catch (\PDOException $e) {
     throw new \PDOException($e->getMessage(), (int)$e->getCode());
}
?>
```

Admin:

index.php

```
<?php
include_once __DIR__ . "/../middleware/adminMiddleware.php";
include_once "includes/header.php";

?>
<div class="container">
    <div class="row">
        <div class="col-md-12">
            <div class="container-fluid py-4">
                <div class="row">
                    <div class="col-lg-7 position-relative z-index-2">
                    </div>

                    <div class="row">
                        <div class="col-lg-5 col-sm-5">
                            <div class="card  mb-2">
                                <div class="card-header p-3 pt-2">
```

```
                                    <div class="icon icon-lg icon-shape bg-
gradient-dark shadow-dark shadow text-center border-radius-xl mt-n4 position-
absolute">
                                        <i class="material-icons opacity-
10">weekend</i>
                                    </div>
                                    <div class="text-end pt-1">
                                        <p class="text-sm mb-0 text-
capitalize">Rezervisano</p>
                                        <h4 class="mb-0">281</h4>
                                    </div>
                                </div>

                                <hr class="dark horizontal my-0">
                                <div class="card-footer p-3">
                                    <p class="mb-0"><span class="text-success
text-sm font-weight-bolder">+55% </span>nego prošle nedelje</p>
                                </div>
                            </div>

                            <div class="card  mb-2">
                                <div class="card-header p-3 pt-2">
                                    <div class="icon icon-lg icon-shape bg-
gradient-primary shadow-primary shadow text-center border-radius-xl mt-n4
position-absolute">
                                        <i class="material-icons opacity-
10">leaderboard</i>
                                    </div>
                                    <div class="text-end pt-1">
                                        <p class="text-sm mb-0 text-
capitalize">Današnjih posetilaca</p>
                                        <h4 class="mb-0">2,300</h4>
                                    </div>
                                </div>

                                <hr class="dark horizontal my-0">
                                <div class="card-footer p-3">
                                    <p class="mb-0"><span class="text-success
text-sm font-weight-bolder">+3% </span>nego prošlog meseca</p>
                                </div>
                            </div>

                        </div>
                        <div class="col-lg-5 col-sm-5 mt-sm-0 mt-4">
                            <div class="card  mb-2">
                                <div class="card-header p-3 pt-2 bg-transparent">
                                    <div class="icon icon-lg icon-shape bg-
gradient-success shadow-success text-center border-radius-xl mt-n4 position-
absolute">
```

```
                                        <i class="material-icons opacity-
10">store</i>
                                    </div>
                                    <div class="text-end pt-1">
                                        <p class="text-sm mb-0 text-capitalize
">Prihod</p>
                                        <h4 class="mb-0 ">34k</h4>
                                    </div>
                                </div>

                                <hr class="horizontal my-0 dark">
                                <div class="card-footer p-3">
                                    <p class="mb-0 "><span class="text-success
text-sm font-weight-bolder">+1% </span>nego juče</p>
                                </div>
                            </div>

                            <div class="card ">
                                <div class="card-header p-3 pt-2 bg-transparent">
                                    <div class="icon icon-lg icon-shape bg-
gradient-info shadow-info text-center border-radius-xl mt-n4 position-absolute">
                                        <i class="material-icons opacity-
10">person_add</i>
                                    </div>
                                    <div class="text-end pt-1">
                                        <p class="text-sm mb-0 text-capitalize
">Pratilaca</p>
                                        <h4 class="mb-0 ">+91</h4>
                                    </div>
                                </div>

                                <hr class="horizontal my-0 dark">
                                <div class="card-footer p-3">
                                    <p class="mb-0 ">Upravo ažurirano</p>
                                </div>
                            </div>

                        </div>
                    </div>

                </div>
            </div>
        </div>
    </div>
</div>

<?php include "includes/footer.php"; ?>
```

category.php

```
<?php
include_once __DIR__ . "/../middleware/adminMiddleware.php";
include_once __DIR__ . "/../functions/userfunctions.php";
include_once "includes/header.php";
?>
<div class="container">
    <div class="row">
        <div class="col-md-12 col-sm-12">
            <div class="card">
                <div class="card-header bg-primary">
                    <h4>Kategorije</h4>
                </div>
                <div class="card-body">
                    <div class="table-responsive">
                        <table class="table table-bordered table-striped">
                            <thead>
                                <tr>
                                    <th>ID</th>
                                    <th>Ime</th>
                                    <th>Slika</th>
                                    <th>Status</th>
                                    <th>Akcija</th>
                                </tr>
                            </thead>
                            <tbody>
                                <?php $category = getAll("categories");
                                $categoryList = $category-
>fetchAll(PDO::FETCH_ASSOC);
                                if (!empty($categoryList)) {
                                    foreach ($categoryList as $item) { ?>
                                        <tr>
                                            <td><?= $item['id']; ?></td>
                                            <td><?= $item['ime']; ?></td>
                                            <td>
                                                <img src="../uploads/<?=
$item['image']; ?>" alt="<?= $item['ime']; ?>" style="width: 50px; height: 50px;
object-fit: cover;">
                                            </td>
                                            <td><?= $item['status'] == '0' ?
"Visible" : "Hidden" ?></td>
                                            <td><a href="edit-category.php?id=<?=
$item['id']; ?>" class="btn btn-primary">Izmeni</a>
                                                <form action="code.php"
method="post">
                                                    <input type="hidden"
name="category_id" value="<?= $item['id']; ?>">
                                                    <button type="submit"
class="btn btn-danger" name="delete_category_btn">Izbriši</button>
```

```
                                                    </form>
                                                </td>
                                            </tr>
                                        <?php  }
                                        } else {
                                            echo "Nema rezultata";
                                        }
                                        ?>

                                    </tbody>
                                </table>
                            </div>
                        </div>
                    </div>
                </div>
            </div>

<?php include "includes/footer.php"; ?>
```

products.php

```
<?php
include_once __DIR__ . "/../middleware/adminMiddleware.php";
include_once __DIR__ . "/../functions/userfunctions.php";
include_once __DIR__ . "/../functions/myfunctions.php";
include_once "includes/header.php";
?>
<div class="container">
    <div class="row">
        <div class="col-md-12">
            <div class="card">
                <div class="card-header bg-primary">
                    <h4>Proizvodi</h4>
                </div>
                <div class="card-body" id="products_table">
                    <div class="table-responsive">
                        <table class="table table-bordered table-striped">
                            <thead>
                                <tr>
                                    <th>ID</th>
                                    <th>Ime</th>
                                    <th>Slika</th>
                                    <th>Status</th>
                                    <th>Akcija</th>
                                </tr>
                            </thead>
                            <tbody>
                                <?php $products = getAll("products");
```

```
                                if (!empty($products)) {
                                    foreach ($products as $item) { ?>
                                        <tr>
                                            <td><?= $item['id']; ?></td>
                                            <td><?= $item['ime']; ?></td>
                                            <td>
                                                <img src="../uploads/<?=
$item['image']; ?>" width="50px" height="50px" alt="<?= $item['ime']; ?>">
                                            </td>
                                            <td><?= ($item['status'] == 0) ?
"Visible" : "Hidden" ?></td>
                                            <td>
                                                <a href="edit-product.php?id=<?=
$item['id']; ?>" class="btn btn-primary">Izmeni</a>
                                                <form action="code.php"
method="POST">
                                                <input type="hidden"
name="product_id" value="<?= $item['id']; ?>">
                                                <button type="submit"
name="delete_product_btn" class="btn btn-danger">Izbriši</button>
                                                </form>
                                            </td>
                                        </tr>
                                <?php  }
                                } else {
                                    echo "Proizvod nije pronadjen.";
                                }
                                ?>
                            </tbody>
                        </table>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
<?php include "includes/footer.php"; ?>
```

add-category.php

```
<?php
include_once __DIR__ . "/../middleware/adminMiddleware.php";
include_once "includes/header.php";
?>
<div class="container">
    <div class="row">
        <div class="col-md-12">
            <div class="card">
                <div class="card-header bg-primary">
```

```
                    <h4>Dodaj kategoriju
                        <a href="category.php" class="btn btn-primary float-
end">Nazad</a>
                    </h4>
                </div>
                <div class="card-body">
                    <form action="code.php" method="POST"
enctype="multipart/form-data">
                        <div class="row">
                            <div class="col-md-12">
                                <label for="">Ime</label>
                                <input type="text" name="name" placeholder="Unesi
ime kategorije" class="form-control">
                            </div>
                            <div class="col-md-12">
                                <label for="">Opis</label>
                                <input type="text" name="description"
placeholder="Unesi opis" class="form-control">
                            </div>
                            <div class="col-md-6">
                                <label for="">Dodaj sliku</label>
                                <input type="file" name="image" class="form-
control">
                            </div>
                            <div class="col-md-3 mt-5">
                                <label for="">Status</label>
                                <input type="checkbox" name="status">
                            </div>
                            <div class="col-md-3 mt-5">
                                <label for="">Popularno</label>
                                <input type="checkbox" name="popular">
                            </div>
                            <div class="col-md-12">
                                <button type="submit" class="btn btn-primary"
name="add_category_btn">Sačuvaj</button>
                            </div>
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </div>
</div>

<?php include "includes/footer.php";
?>
```

add-product.php

```
<?php
include_once __DIR__ . "/../middleware/adminMiddleware.php";
include_once "includes/header.php";
?>
<div class="container">
    <div class="row">
        <div class="col-md-12">
            <div class="card">
                <div class="card-header bg-primary">
                    <h4>Dodaj proizvod
                        <a href="products.php" class="btn btn-primary float-
end">Nazad</a>
                    </h4>
                </div>
                <div class="card-body">
                    <form action="code.php" method="POST"
enctype="multipart/form-data">
                        <div class="row">
                            <div class="col-md-12  mb-2">
                                <label for="">Izaberi kategoriju</label>
                                <select name="category_id" class="form-select">
                                    <option selected>Izaberi kategoriju</option>
                                    <?php
                                    $category = getAll("categories");

                                    if ($category) {
                                        foreach ($category as $item) {
                                    ?>
                                            <option value="<?= $item['id'];
?>"><?= $item['ime'] ?></option>
                                    <?php
                                        }
                                    } else {
                                        echo "Nema dostupne kategorije.";
                                    }
                                    ?>
                                </select>
                            </div>
                            <div class="col-md-12">
                                <label class="mb-0" for="">Ime</label>
                                <input type="text" required name="name"
placeholder="Unesi ime proizvoda" class="form-control mb-2">
                            </div>
                            <div class="col-md-12">
                                <label class="mb-0" for="">Kratki opis</label>
                                <input type="text" required
name="small_description" placeholder="Unesi kratki opis" class="form-control mb-
2">
```

```
                                </div>
                                <div class="col-md-12">
                                    <label class="mb-0" for="">Opis</label>
                                    <input type="text" required name="description"
placeholder="Unesi opis" class="form-control mb-2 ">
                                </div>
                                <div class="col-md-6">
                                    <label class="mb-0" for="">Originalna
cena</label>
                                    <input type="text" required name="original_price"
placeholder="Unesi originalnu cenu" class="form-control mb-2">
                                </div>
                                <div class="col-md-6">
                                    <label class="mb-0" for="">Prodajna cena</label>
                                    <input type="text" required name="selling_price"
placeholder="Unesi prodajnu cenu" class="form-control  mb-2">
                                </div>
                                <div class="col-md-12">
                                    <label class="mb-0" for="">Dodaj sliku</label>
                                    <input type="file" required name="image"
class="form-control mb-2">
                                </div>
                                <div class="row">
                                    <div class="col-md-6">
                                        <label class="mb-0" for="">Količina</label>
                                        <input type="text" required name="qty"
placeholder="Unesi količinu" class="form-control mb-2">
                                    </div>
                                    <div class="col-md-3  mb-2">
                                        <label class="mb-0" for="">Status</label><br>
                                        <input type="checkbox" name="status">
                                    </div>
                                    <div class="col-md-3 mb-2">
                                        <label class="mb-0"
for="">Popularno</label><br>
                                        <input type="checkbox" name="trending">
                                    </div>
                                </div>
                                <div class="col-md-12">
                                    <button type="submit" class="btn btn-primary"
name="add_product_btn">Sačuvaj</button>
                                </div>
                            </div>
                        </form>
                    </div>
                </div>
            </div>
        </div>
</div>
```

```
<?php include "includes/footer.php"; ?>
```

edit-category.php

```
<?php
include_once __DIR__ . "/../middleware/adminMiddleware.php";
include_once __DIR__ . "/../functions/userfunctions.php";
include_once "includes/header.php";

?>
<div class="container">
    <div class="row">
        <div class="col-md-12">
            <?php
            if (isset($_GET['id'])) {
                $id = $_GET['id'];
                $data = getById('categories', $id);
                if ($data) {
            ?>
                    <div class="card">
                        <div class="card-header bg-primary">
                            <h4>Izmeni kategoriju
                                <a href="category.php" class="btn btn-primary
float-end">Nazad</a>
                            </h4>
                        </div>
                        <div class="card-body">
                            <form action="code.php" method="POST"
enctype="multipart/form-data">
                                <div class="row">
                                    <div class="col-md-6">
                                        <input type="hidden" name="category_id"
value="<?= $data['id']; ?>">
                                        <label for="">Ime</label>
                                        <input type="text" name="name" value="<?=
$data['ime']; ?>" placeholder="Enter category name" class="form-control">
                                    </div>
                                    <div class="col-md-6">
                                        <label for="">Status</label>
                                        <input type="text" name="slug" value="<?=
$data['status']; ?>" placeholder="Enter slug" class="form-control">
                                    </div>
                                    <div class="col-md-12">
                                        <label for="">Opis</label>
                                        <input type="text" name="description"
value="<?= $data['opis']; ?>" placeholder="Enter description" class="form-
control">
                                    </div>
                                    <div class="col-md-12">
```

```
                                        <label for="">Dodaj sliku</label>
                                        <input type="file" name="image"
class="form-control">
                                        <label for="">Trenutna slika</label>
                                        <input type="hidden" name="old_image"
value="<?= $data['image']; ?>">
                                        <img src="../uploads/<?= $data['image'];
?>" height="50px" width="50px" alt="Stara slika">
                                    </div>

                                    <div class="col-md-12">
                                        <button type="submit" class="btn btn-
primary" name="update_category_btn">Ažuriraj</button>
                                    </div>
                                </div>
                            </form>
                        </div>
                    </div>
            <?php
                } else {
                    echo "Kategorija nije pronađena.";
                }
            } else {
                echo "Nešto je krenulo po zlu.";
            }
            ?>

        </div>
    </div>
</div>


<?php include "includes/footer.php";
?>
```

edit-product.php

```
<?php
include_once __DIR__ . "/../middleware/adminMiddleware.php";
include_once __DIR__ . "/../functions/userfunctions.php";
include_once "includes/header.php";
?>
<div class="container">
    <div class="row">
        <div class="col-md-12">
            <?php

            if (isset($_GET['id'])) {
                $id = $_GET['id'];
```

```
                $product = getById('products', $id);

                if (!empty($product)) {
                    $data = $product;
            ?>
                    <div class="card">
                        <div class="card-header bg-primary">
                            <h4>Izmeni proizvod
                                <a href="products.php" class="btn btn-primary
float-end">Nazad</a>
                            </h4>
                        </div>
                        <div class="card-body">
                            <form action="code.php" method="POST"
enctype="multipart/form-data">
                                <div class="row">

                                    <input type="hidden" name="product_id"
value="<?= $data['id']; ?>">
                                    <div class="col-md-6">
                                        <label class="mb-0" for="">Ime</label>
                                        <input type="text" required name="name"
value="<?= $data['ime']; ?>" placeholder="Unesi ime proizvoda" class="form-
control mb-2">
                                    </div>
                                    <div class="col-md-12">
                                        <label class="mb-0" for="">Kratki
opis</label>
                                        <input type="text" required
name="small_description" value="<?= $data['kratkiOpis']; ?>" placeholder="Unesi
kratki opis" class="form-control mb-2">
                                    </div>
                                    <div class="col-md-12">
                                        <label class="mb-0" for="">Opis</label>
                                        <input type="text" required
name="description" value="<?= $data['opis']; ?>" placeholder="Unesi opis"
class="form-control mb-2 ">
                                    </div>
                                    <div class="col-md-6">
                                        <label class="mb-0" for="">Originalna
cena</label>
                                        <input type="text" required
name="original_price" value="<?= $data['orginalnaCena']; ?>" placeholder="Unesi
originalnu cenu" class="form-control mb-2">
                                    </div>
                                    <div class="col-md-6">
                                        <label class="mb-0" for="">Prodajna
cena</label>
```

```
                                        <input type="text" required
name="selling_price" value="<?= $data['prodajnaCena']; ?>" placeholder="Unesi
prodajnu cenu" class="form-control  mb-2">
                                    </div>
                                    <div class="col-md-12">
                                        <label class="mb-0" for="">Dodaj
sliku</label>
                                        <input type="hidden" name="old_image"
value="<?= $data['image']; ?>">
                                        <input type="file" name="image"
class="form-control mb-2">
                                        <label class="mb-0" for="">Trenutna
slika</label>
                                        <img src="../uploads/<?= $data['image'];
?>" alt="Slika proizvoda" width="50px" height="50px">
                                    </div>
                                    <div class="row">
                                        <div class="col-md-6">
                                            <label class="mb-0"
for="">Količina</label>
                                            <input type="text" required
name="qty" value="<?= $data['kolicina']; ?>" placeholder="Unesi količinu"
class="form-control mb-2">
                                        </div>
                                        <div class="col-md-3  mb-2">
                                            <label class="mb-0"
for="">Status</label><br>
                                            <input type="checkbox" name="status"
<?= $data['status'] == '0' ? '' : 'checked'; ?>>
                                        </div>
                                        <div class="col-md-3 mb-2">
                                            <label class="mb-0"
for="">Popularno</label><br>
                                            <input type="checkbox"
name="trending" <?= $data['trending'] == '0' ? '' : 'checked'; ?>>
                                        </div>
                                    </div>

                                    <div class="col-md-12">
                                        <button type="submit" class="btn btn-
primary" name="update_product_btn">Ažuriraj</button>
                                    </div>
                                </div>
                            </form>
                        </div>
                    </div>
            <?php
                } else {
                    echo "Proizvod nije pronađen.";
                }
```

```
            } else {
                echo "Nešto je krenulo po zlu.";
            }
            ?>
        </div>
    </div>
</div>


<?php include "includes/footer.php"; ?>
```

orders.php

```
<?php
include_once __DIR__ . "/../middleware/adminMiddleware.php";
include_once __DIR__ . "/../functions/userfunctions.php";
include "includes/header.php";
?>

<div class="py-5">
    <div class="container">
        <div class="card card-body shadow">
            <div class="row">
                <div class="card-header bg-primary">
                    <h4>Porudžbine</h4>
                </div>
                <div class="col-md-12">
                    <div class="table-responsive">
                        <table class="table table-bordered table-striped">
                            <thead>
                                <tr>
                                    <th>ID</th>
                                    <th>Korisnik</th>
                                    <th>Tracking number</th>
                                    <th>Iznos</th>
                                    <th>Datum</th>
                                    <th>Vidi</th>
                                </tr>
                            </thead>
                            <tbody>
                                <?php
                                $orders = getAllOrders();
                                $orderList = $orders->fetchAll(PDO::FETCH_ASSOC);
                                if (!empty($orderList)) {
                                    foreach ($orderList as $item) {
                                ?>
                                        <tr>
                                            <td><?= $item['id']; ?></td>
                                            <td><?= $item['userId']; ?></td>
```

```
                                                <td><?= $item['trackingNo']; ?></td>
                                                <td><?= $item['totalPrice']; ?></td>
                                                <td><?= $item['created_at']; ?></td>
                                                <td><a href="view-order.php?t=<?=
$item['trackingNo']; ?>" class="btn btn-primary">Vidi detalje</a></td>
                                            </tr>
                                        <?php
                                        }
                                    } else {
                                        ?>
                                        <tr>
                                            <td colspan="5">Još nema porudžbina.</td>
                                        </tr>
                                    <?php
                                    }
                                    ?>
                                </tbody>
                            </table>
                        </div>
                    </div>
                </div>
            </div>
        </div>
</div>
<?php include "includes/footer.php"; ?>
```