

Homework 8 for MATH 104

Due: Tuesday, November 7, 9:30am in class

Problem 1

Find two sequences of real functions $(f_n)_{n \in \mathbb{N}}$ and $(g_n)_{n \in \mathbb{N}}$ from some $S \subseteq \mathbb{R}$ into \mathbb{R} such that $f_n \rightarrow f$ and $g_n \rightarrow g$ uniformly, but $f_n g_n$ does not converge uniformly to fg .

Problem 2

Let $P_0 = 0$ and define for $n \in \mathbb{N}$,

$$P_{n+1}(x) = P_n(x) + \frac{x^2 - P_n^2(x)}{2}.$$

Prove that $P_n \rightarrow |x|$ uniformly on $[-1, 1]$.

[Hint: Use the identity

$$|x| - P_{n+1}(x) = (|x| - P_n(x)) \left(1 - \frac{|x| + P_n(x)}{2}\right)$$

to prove that $0 \leq P_n(x) \leq P_{n+1}(x) \leq |x|$ for $|x| \leq 1$, and that

$$|x| - P_n(x) \leq |x| \left(1 - \frac{|x|}{2}\right)^n < \frac{2}{n+1}$$

for $|x| \leq 1$.]

Problem 3

- (a) Assume $\sum a_n$ and $\sum b_n$ are absolutely convergent series. Define $c_n = \sum_{k=0}^n a_k b_{n-k}$. Show that $\sum c_n$ converges and that

$$\left(\sum_{n=0}^{\infty} a_n\right) \left(\sum_{n=0}^{\infty} b_n\right) = \sum_{n=0}^{\infty} c_n.$$

- (b) Find an example of two convergent but not absolutely convergent series such that the multiplication property from (a) does not hold.

[Here is a hint on how to proceed in (a): Let $A_n = \sum_{k=0}^n a_k$, $B_n = \sum_{k=0}^n b_k$, $C_n = \sum_{k=0}^n c_k$. Argue that it suffices to show that $\lim_n |C_{2n} - A_n B_n| = 0$ and $\lim_n |C_{2n+1} - A_{n+1} B_n| = 0$. To prove the first assertion, deduce the identity

$$\begin{aligned} C_{2n} - A_n B_n &= a_0(b_{n+1} + b_{n+2} + \cdots + b_{2n}) + a_1(b_{n+1} + b_{n+2} + \cdots + b_{2n-1}) + a_{n-1}b_{n+1} \\ &\quad + a_{n+1}(b_0 + b_1 + \cdots + b_{n-1}) + a_{n+2}(b_0 + b_1 + \cdots + b_{n-2}) + \cdots + a_{2n}b_0. \end{aligned}$$

Now use the fact that $\sum_{k=0}^n |a_k|$ and $\sum_{k=0}^n |b_k|$ are bounded, together with the Cauchy criterion for convergent series. To prove the second assertion, derive a similar identity for $C_{2n+1} - A_{n+1} B_n$ and proceed analogously.]

Problem 4

- (a) Use Euler's formula to deduce the *addition theorems* for \sin and \cos .

$$\cos(x+y) = \cos x \cos y - \sin x \sin y$$

$$\sin(x+y) = \sin x \cos y + \cos x \sin y$$

- (b) Prove the identity $\cos(x-y) - \cos(x+y) = 2 \sin x \sin y$ and use it to show that \cos is decreasing in the interval $[0, \frac{\pi}{2}]$.