# Homework 3 for MATH 104

Due: Tuesday, September 26, 9:30am in class

## Problem 1

Given a sequence  $(s_n)_{n\in\mathbb{N}}$ , let  $(-s_n)$  be the sequence defined as  $(-s_1,-s_2,-s_3,\dots)$ . Show that  $\liminf_{n\to\infty}(s_n)=-\limsup_{n\to\infty}(-s_n)$ .

# Problem 2

Let  $(q_n)_{n \in \mathbb{N}}$  be a sequence. Suppose that there exists an  $r \in \mathbb{R}$ , 0 < r < 1 such that for all  $n \in \mathbb{N}$ ,

$$|q_{n+2} - q_{n+1}| \le r |q_{n+1} - q_n|.$$

Show that  $(q_n)$  is a Cauchy sequence.

(Remark: You will have to use a fact about the convergence of the sequence  $r^n$ . You are required to prove this fact.)

## Problem 3

A real number x is called *algebraic* if it is the solution of a polynomial with integer coefficients, i.e. if there exists a natural number n and integers  $a_n, a_{n-1}, \ldots, a_1, a_0$  with  $a_n \neq 0$  such that

$$a_nx^n+\cdots+a_1x+a_0=0.$$

Show that the set of all algebraic real numbers is countable.

#### Problem 4

Show that the set  $\mathbb{R} \times \mathbb{R} = \{(x,y) : x,y \in \mathbb{R}\}$  has the same cardinality as  $\mathbb{R}$ . (*Remark:* This implies that the plane has the same cardinality as the real line!)