















| CLIENT: 9606 Capital | | | | PROJECT NO.: 491:1437 | | BORING NO.: SB-4 | | SHEET: 1 OF 1 | |  |
|---|----------------|-------------------|---------------|---|--|----------------------------|------------------------------|--|---------------------------------------|--|
| PROJECT NAME: Herndon and Bishop Road Properties - Supplemental Soil | | | | SITE LOCATION: 7565 Bishop Road, South Fulton, Georgia, 30213 | | | | | | |
| LATITUDE: 33.550417022797 | | | | LONGITUDE: -84.626945257187 | | | STATION: | | SURFACE ELEVATION: 931.43 | |
| DEPTH (FT) | ELEVATION (FT) | PID READING (PPM) | SAMPLE NUMBER | SAMPLE RECOVERY | GRAPHIC LOG | WATER LEVELS | SOIL CLASSIFICATION | Description | | |
| <div> <div>3</div> <div>5</div> <div>10</div> </div> | 930.0 | 12.2 | SB-1 | |  | | SM | (SM) SILTY SAND-brown, reddish-brown, moist. | | |
| | 925.0 | 1.8 | DB-4 | |  | | CL | (CL) SANDY LEAN CLAY WITH GRAVEL-reddish-brown, olive, tan, contains rock fragments, moist, Saturated @ 7 ft, gravel, weathered garnets. | | |
| | | | | | | | | END OF BORING AT 15 Ft | | |
| THE STRATIFICATION LINES REPRESENT THE APPROXIMATE BOUNDARY LINES BETWEEN SOIL TYPES. IN-SITU THE TRANSITION MAY BE GRADUAL | | | | | | | | | | |
|  WL (First Encountered): | | | | | | | BORING STARTED: 08/21/2025 | | | |
|  WL (Completion): | | | | | | | BORING COMPLETED: 08/21/2025 | | | |
| Remarks: | | | | | EQUIPMENT: GeoProbe 7822DT | | LOGGED BY: John Hollis | | DRILLING METHOD: Hollow Stem Auger | |
| ENVIRONMENTAL BOREHOLE LOG | | | | | | | | | | |



| CLIENT: 9606 Capital | | | | PROJECT NO.: 491:1437 | | BORING NO.: SB-5 | | SHEET: 1 OF 1 | |  |
|---|----------------|-------------------|---------------|---|--|----------------------------|------------------------------|--|---------------------------------------|--|
| PROJECT NAME: Herdon and Bishop Road Properties - Supplemental Soil | | | | SITE LOCATION: 7565 Bishop Road, South Fulton, Georgia, 30213 | | | | | | |
| LATITUDE: 33.54967488257 | | | | LONGITUDE: -84.62677359581 | | | STATION: | | SURFACE ELEVATION: 946.72 | |
| DEPTH (FT) | ELEVATION (FT) | PID READING (PPM) | SAMPLE NUMBER | SAMPLE RECOVERY | GRAPHIC LOG | WATER LEVELS | SOIL CLASSIFICATION | Description | | |
| 5 | 945.0 | 28.5 | SB-5 | |  | | CL-ML | (CL-ML) SILTY CLAY-reddish-brown, moist. | | |
| | | | | | | | | | | |
| 7 | 940.0 | | | | | | | (SM) SILTY SAND-tannish-brown, moist, Saturated @ 12 ft. | | |
| 10 | | | DB-5 | |  | | SM | | | |
| | | 0.0 | | | | | | | | |
| | 935.0 | | | | | | | | | |
| 15 | | | | | | | | | | |
| | 930.0 | | | | | | | | | |
| END OF BORING AT 20 Ft | | | | | | | | | | |
| THE STRATIFICATION LINES REPRESENT THE APPROXIMATE BOUNDARY LINES BETWEEN SOIL TYPES. IN-SITU THE TRANSITION MAY BE GRADUAL | | | | | | | | | | |
|  WL (First Encountered): | | | | | | | BORING STARTED: 08/21/2025 | | | |
|  WL (Completion): | | | | | | | BORING COMPLETED: 08/21/2025 | | | |
| Remarks: | | | | | EQUIPMENT: GeoProbe 7822DT | | LOGGED BY: John Hollis | | DRILLING METHOD: Hollow Stem Auger | |
| ENVIRONMENTAL BOREHOLE LOG | | | | | | | | | | |

| | | | | | | | | | | |
|--|--|--|--|---|--|----------------------------|----------|-------------------------|-------------------------------------|--|
| CLIENT: 9606 Capital | | | | PROJECT NO.: 491:1437 | | BORING NO.: SB-6 | | SHEET: 1 OF 1 | |  |
| PROJECT NAME: Herndon and Bishop Road Properties - Supplemental Soil | | | | SITE LOCATION: 7565 Bishop Road, South Fulton, Georgia, 30213 | | | | | | |
| LATITUDE: 33.548778493858 | | | | LONGITUDE: -84.625614881516 | | | STATION: | | SURFACE ELEVATION: 971.52 | |




| DEPTH (FT) | ELEVATION (FT) | PID READING (PPM) | SAMPLE NUMBER | SAMPLE RECOVERY | GRAPHIC LOG | WATER LEVELS | SOIL CLASSIFICATION | Description |
|---|----------------|-------------------|---------------|-------------------------------|-------------|------------------------------|---------------------|--|
| | | 0.0 | SB-6 | | | | | (CL-ML) SILTY CLAY-reddish-brown, moist. |
| 5 | 970.0 | | | | | | CL-ML | |
| 6 | | | | | | | | |
| 7 | 965.0 | | | | | | QUA | QUARTZITE, Hard, White. |
| | | | DB-6 | | | | | (SM) SILTY SAND-fine sand, brown, tan, moist, Saturated @ 17 ft. |
| 10 | | 0.0 | | | | | | |
| | 960.0 | | | | | | SM | |
| 15 | | | | | | | | |
| | 955.0 | | | | | | | |
| END OF BORING AT 20 Ft | | | | | | | | |
| THE STRATIFICATION LINES REPRESENT THE APPROXIMATE BOUNDARY LINES BETWEEN SOIL TYPES. IN-SITU THE TRANSITION MAY BE GRADUAL | | | | | | | | |
|  WL (First Encountered): | | | | | | BORING STARTED: 08/21/2025 | | |
|  WL (Completion): | | | | | | BORING COMPLETED: 08/21/2025 | | |
| Remarks: | | | | EQUIPMENT: GeoProbe 7822DT | | LOGGED BY: John Hollis | | DRILLING METHOD: Hollow Stem Auger |






ENVIRONMENTAL BOREHOLE LOG


| | | | | | | | | | | |
|---|--|--|--|---|--|----------------------------|----------|-------------------------|-------------------------------------|--|
| CLIENT: 9606 Capital | | | | PROJECT NO.: 491:1437 | | BORING NO.: SB-7 | | SHEET: 1 OF 1 | |  |
| PROJECT NAME: Hendon and Bishop Road Properties - Supplemental Soil | | | | SITE LOCATION: 7565 Bishop Road, South Fulton, Georgia, 30213 | | | | | | |
| LATITUDE: 33.547296414316 | | | | LONGITUDE: -84.625872373581 | | | STATION: | | SURFACE ELEVATION: 987.53 | |


| DEPTH (FT) | ELEVATION (FT) | PID READING (PPM) | SAMPLE NUMBER | SAMPLE RECOVERY | GRAPHIC LOG | WATER LEVELS | SOIL CLASSIFICATION | Description |
|---|----------------|-------------------|---------------|-------------------------------|-------------|------------------------------|---------------------|---|
| | | 0.0 | SB-7 | | | | | (CL-ML) SILTY CLAY-reddish-brown, moist, Some fill, some silt. |
| 5 | 985.0 | | | | | | CL-ML | |
| 9 | 980.0 | | DB-7 | | | | | |
| 10 | | 0.0 | | | | | CL-ML | (CL-ML) SILTY CLAY-reddish-brown, purple, tan, wet, Black mottling. |
| 15 | 975.0 | | | | | | | |
| 16 | | | | | | | SM | (SM) SILTY SAND-fine sand, tan, light-brown, moist. |
| | 970.0 | | | | | | | |
| END OF BORING AT 20 Ft | | | | | | | | |
| THE STRATIFICATION LINES REPRESENT THE APPROXIMATE BOUNDARY LINES BETWEEN SOIL TYPES. IN-SITU THE TRANSITION MAY BE GRADUAL | | | | | | | | |
|  WL (First Encountered): | | | | | | BORING STARTED: 08/22/2025 | | |
|  WL (Completion): | | | | | | BORING COMPLETED: 08/22/2025 | | |
| Remarks: | | | | EQUIPMENT: GeoProbe 7822DT | | LOGGED BY: John Hollis | | DRILLING METHOD: |

ENVIRONMENTAL BOREHOLE LOG



| CLIENT: 9606 Capital | | | | PROJECT NO.: 491:1437 | | BORING NO.: SB-8 | | SHEET: 1 OF 1 | |  | |
|---|----------------|-------------------|---------------|---|-------------------------------|----------------------------|------------------------------|---------------------------------------|-------------------------------------|--|--|
| PROJECT NAME: Herndon and Bishop Road Properties - Supplemental Soil | | | | SITE LOCATION: 7565 Bishop Road, South Fulton, Georgia, 30213 | | | | | | | |
| LATITUDE: 33.547260647377 | | | | LONGITUDE: -84.626977443695 | | | STATION: | | SURFACE ELEVATION: 970.08 | | |
| DEPTH (FT) | ELEVATION (FT) | PID READING (PPM) | SAMPLE NUMBER | SAMPLE RECOVERY | GRAPHIC LOG | WATER LEVELS | SOIL CLASSIFICATION | Description | | | |
| <div> <div>5</div> <div>9</div> <div>10</div> <div>12</div> <div>13</div> </div> | 970.0 | 0.0 | SB-8 | | | | SM | (SM) SILTY SAND-reddish-brown, moist. | | | |
| | 965.0 | | | | | | | | | | |
| | | 0.0 | DB-8 | | | | | SM | (SM) SILTY SAND-brown, tan, moist. | | |
| | | | | | | | ARG | Hard, White, Muscovite fragments. | | | |
| | | | | | | | ML | (ML) SILT-tan, light brown, moist. | | | |
| AUGER REFUSAL AT 15 Ft | | | | | | | | | | | |
| THE STRATIFICATION LINES REPRESENT THE APPROXIMATE BOUNDARY LINES BETWEEN SOIL TYPES. IN-SITU THE TRANSITION MAY BE GRADUAL | | | | | | | | | | | |
|  WL (First Encountered): | | | | | | | BORING STARTED: 08/22/2025 | | | | |
|  WL (Completion): | | | | | | | BORING COMPLETED: 08/22/2025 | | | | |
| Remarks: | | | | | EQUIPMENT: GeoProbe 7822DT | | LOGGED BY: John Hollis | | DRILLING METHOD: | | |
| ENVIRONMENTAL BOREHOLE LOG | | | | | | | | | | | |

| | | | | | | | | | | | |
|---|----------------|-------------------|---------------|--|--|---|---------------------|---|--|--|--|
| CLIENT: 9606 Capital | | | | PROJECT NO.: 491:1437 | | BORING NO.: SB-9 | | SHEET: 1 OF 1 | |  | |
| PROJECT NAME: Herdon and Bishop Road Properties - Supplemental Soil | | | | SITE LOCATION: 7565 Bishop Road, South Fulton, Georgia, 30213 | | | | | | | |
| LATITUDE: 33.550202428687 | | | | LONGITUDE: -84.626306891441 | | | | STATION: | | SURFACE ELEVATION: 936.38 | |
| DEPTH (FT) | ELEVATION (FT) | PID READING (PPM) | SAMPLE NUMBER | SAMPLE RECOVERY | GRAPHIC LOG | WATER LEVELS | SOIL CLASSIFICATION | Description | | | Well Diagram |
| 5 | 935.0 | 0.8 | SB-9 |  |  |  | CL-ML | (CL-ML) SILTY CLAY-reddish-brown, moist. | | |  |
| | 930.0 | | | | | | CL-ML | (CL-ML) SILTY CLAY-tan, olive, moist, muscovite presence. | | | |
| | 925.0 | | | | | | | (CL-ML) SILTY CLAY-tan, yellowish brown, olive, contains slight rock fragments, moist, weathered schist. 10-14 wet, possible perched water table. Saturated @ 23. | | | |
| | 920.0 | 0.0 | | | | | | | | | |
| 20 | 915.0 | | DB-9 | | | | CL-ML | | | | |
| 25 | 910.0 | | | | | | | END OF BORING AT 30 Ft | | | |
| THE STRATIFICATION LINES REPRESENT THE APPROXIMATE BOUNDARY LINES BETWEEN SOIL TYPES. IN-SITU THE TRANSITION MAY BE GRADUAL | | | | | | | | | | | |
| WL (First Encountered): | | | | | | BORING STARTED: 08/21/2025 | | | | | |
| WL (Completion): 23 FT | | | | | | BORING COMPLETED: 08/21/2025 | | | | | |
| Remarks: | | | | EQUIPMENT: GeoProbe 7822DT | | LOGGED BY: John Hollis | | DRILLING METHOD: Hollow Stem Auger | | | |
| ENVIRONMENTAL BOREHOLE LOG | | | | | | | | | | | |

| | | | | | | | | | | | |
|--|--|--|---------------------------------------|--|---|----------|-----------------------------|--------------------------------------|-------------------------|--|--|
| CLIENT: 9606 Capital | | | | | PROJECT NO.: 491:1437 | | BORING NO.: SB-10 | | SHEET: 1 OF 1 | |  |
| PROJECT NAME: Herndon and Bishop Road Properties - Supplemental Soil | | | | | SITE LOCATION: 7565 Bishop Road, South Fulton, Georgia, 30213 | | | | | | |
| LATITUDE: 33.547850799987 | | | LONGITUDE: -84.625035524368 | | | STATION: | | SURFACE ELEVATION: 1000.75 | | | |

| DEPTH (FT) | ELEVATION (FT) | PID READING (PPM) | SAMPLE NUMBER | SAMPLE RECOVERY | GRAPHIC LOG | WATER LEVELS | SOIL CLASSIFICATION | Description | Well Diagram |
|--|---|--|--------------------------|-----------------|--|--------------|---------------------|--|--------------|
| <div> <div>1000.0</div> <div>5</div> <div>995.0</div> <div>10</div> <div>990.0</div> <div>15</div> <div>985.0</div> <div>20</div> <div>980.0</div> <div>25</div> <div>975.0</div> <div>30</div> </div> | <div> <div>1000.0</div> <div>995.0</div> <div>990.0</div> <div>985.0</div> <div>980.0</div> <div>975.0</div> </div> | <div> <div>0.0</div> <div>0.0</div> </div> | SB-10 | |  | | CL-ML | FILL-contains significant concrete. organics. (CL-ML) SILTY CLAY-reddish-brown, moist. | |
| | | | DB-10 | | | | SM | (SM) SILTY SAND-tan, light-brown, olive, moist, Schist saprolite. | |
| | | | AUGER REFUSAL AT 30.5 Ft | | | | | | |

THE STRATIFICATION LINES REPRESENT THE APPROXIMATE BOUNDARY LINES BETWEEN SOIL TYPES. IN-SITU THE TRANSITION MAY BE GRADUAL

| | | | |
|---|--|-------------------------------|--|
|  WL (First Encountered): | | BORING STARTED: 08/22/2025 | |
|  WL (Completion): | | BORING COMPLETED: 08/22/2025 | |
| Remarks: | | EQUIPMENT: GeoProbe 7822DT | LOGGED BY: John Hollis DRILLING METHOD: |

ENVIRONMENTAL BOREHOLE LOG

[illegible]