



**DATABASE**

# AGENDA

Install and using XAMPP

CRUD operation

Insert

Select

Update

Delete

Summary



# INSTALL

<https://www.apachefriends.org/download.html>

# AREAS OF GROWTH







## XAMPP for **Windows** 8.0.30, 8.1.25 & 8.2.12

Version		Checksum			Size
8.0.30 / PHP 8.0.30	<a href="#">What's Included?</a>	<a href="#">md5</a>	<a href="#">sha1</a>	<a href="#">Download (64 bit)</a>	144 Mb
8.1.25 / PHP 8.1.25	<a href="#">What's Included?</a>	<a href="#">md5</a>	<a href="#">sha1</a>	<a href="#">Download (64 bit)</a>	148 Mb
8.2.12 / PHP 8.2.12	<a href="#">What's Included?</a>	<a href="#">md5</a>	<a href="#">sha1</a>	<a href="#">Download (64 bit)</a>	149 Mb


[Requirements](#) [More Downloads »](#)

Windows XP or 2003 are not supported. You can download a compatible version of XAMPP for these platforms [here](#).


# START OF XAMPP




# SELECT NEW




## ENTER DATABASE NAME



## ENTER TABLE NAME



## ENTER ATTRIBUTES WITH DATATYPE DON'T FORGET TO GIVE LENGTH AND SELECT PRIMARY KEY



# CRUD OPERATION

## Insert

- `INSERT INTO `Table name` (attribute1, attribute2, attribute3)`
- `Values(value1,value2,value3)`
- EX:
- `INSERT INTO `user` (`id`, `email`, `password`) VALUES ('[value-1]','[value-2]','[value-3]')`

## Select

- `Select * From `table name``
- EX
- `Select * From users`

## Update

`Update `Table name``  
`SET `Attribute name`=`new value`,.....`  
`Where attribute=value`  
EX:  
`update user set name="Atsh" Where id=7`

## Delete

`DELETE FROM `Table name``  
EX:  
`DELETE FROM `user``



## SUMMARY

أحلفو انكم فهمتو





THANK YOU