

Acupuncture

Wu Wei Ping

Table of Contents

<i>Acupuncture</i>	1
<i>Wu Wei Ping</i>	1
<i>Meridian of the Lung: FEI CHING</i>	3
<i>Meridian of the large intestine : TA CH'ANG CHING</i>	4
<i>Meridian of the Stomach : WEI CHING</i>	7
<i>Meridian of the Spleen: P'I CHING</i>	13
<i>Meridian: HSIN CHING</i>	16
<i>Meridian: HSIAO CH'ANG CHING</i>	17
<i>Meridian: P'ANG KUANG CHING</i>	20
<i>Meridian: SHEN CHING</i>	29
<i>Meridian: IISIN PAO L E CHING</i>	33
<i>Meridian: SAN CHIAO CHING</i>	34
<i>Meridian: TAN CHING</i>	38
<i>Meridian: KAN CHING</i>	44
<i>Meridian: JEN MEI</i>	45
<i>Meridian: TU MEI</i>	49
<i>[THERAPEUTIC REPERTORY]</i>	53
<i>[Generic therapy]</i>	53
<i>[THE MOST ACTIVE POINTS FOR A SPECIFIC ORGAN OR REGION]</i>	58
<i>[MALADIES OF THE ALIMENTARY TRACT]</i>	65
<i>[MALADIES OF THE RESPIRATORY SYSTEM]</i>	72
<i>[MALADIES OF THE GENITO-URINARY SYSTEM]</i>	74
<i>[MALADIES OF THE CIRCULATORY SYSTEM]</i>	76
<i>[MALADIES OF THE NERVOUS SYSTEM]</i>	79
<i>[RHEUMATOLOGY]</i>	88
<i>[OBSTETRICS]</i>	89
<i>[GYNECOLOGY]</i>	91
<i>PEDIATRICS</i>	93
<i>[AFFECTIONS OF THE EYES, EARS AND NOSE]</i>	94
<i>[INFECTIOUS DISEASES]</i>	96
<i>[DERMATOLOGY]</i>	98
<i>[DIVERSE AFFECTIONS]</i>	99

Meridian of the Lung: FEI CHING

Point 1-LU (German:LU1, French:P1, Lavier:R1): Chung Fu

Dyspnoea, bronchitis, tonsillitis, tropical fevers, pulmonary affections, cardiac affections, oedema of the face or limbs, myalgia of the breast.

Point 2-LU (German:LU2, French:P2, Lavier:R2): Yün Men

Cough, asthma, tonsillitis, paralysis or neuralgia of the posterior shoulder surface, intercostal neuralgia, cardiac affections, pulmonary affections.

Point 3-LU (German:LU3, French:P3, Lavier:R3): T'ien Fu

Cerebral congestions, haemoptysis, epistaxis, vomiting, bronchitis, vertigo, psychopathy, articular rheumatism, neuralgia of the arm, intermittent fevers, intoxication by carbon dioxide gas.

Point 4-LU (German:LU4, French:P4, Lavier:R4): Hsieh Pai

Cardiac affections, neuralgia of the breast, nervous anxiety with palpitations, vomiting with empty stomach.

Point 5-LU (German:LU5, French:P5, Lavier:R5): Ch'ih Chih

Haemoptysis, pulmonary tuberculosis, bronchitis, pleurisy, dyspnoea, tetraplegia, vesicular paralysis, psychopathy, spasm of the anterior surface of the arm, fear and agitation in children, neuralgia of the scapula, hemiplegia.

Point 6-LU (German:LU6, French:P6, Lavier:R6): K'ung Tsui

Haemoptysis, cough, trachyphonia, pharyngitis, fever without sweating, pain in the arm, pain in the wrist.

Point 7-LU (German:LU7, French:P7, Lavier:R7): Lieh Ch'üeh

Spasms, paralysis or tic douloureux of the face, neuralgia of the trigeminal nerve, headaches, toothache, dyspnoea, hemiplegia.

Point 8-LU (German:LU8, French:P8, Lavier:R8): Ching Chii

Tonsillitis, diverse affections of the pharynx (congestions, pharyngitis, ulcerations, anaesthesia), dyspnoea, spasm of the oesophagus, vomiting, persistent cough,

asthenia, radial neuralgia or paralysis.

Point 9-LU (German:LU9, French:P9, Lavier:R9): T'ai Ylian

Emphysema, pulmonary affections, haemoptysis, cough, intercostal neuralgia, neuralgia of the anterior surface of the arms, conjunctivitis, keratitis, insomnia.

Point 10-LU (German:LU10, French:P10, Lavier:R10): Yü Chi

Headaches, vertigo, nervous anxiety with palpitations, insomnia, excessive sweating, tonsillitis.

Point 11-LU (German:LU11, French:P11, Lavier:R11): Shao Shang

Cerebral congestion, parotitis, tonsillitis, insomnia, night sweats, terror in children.

Meridian of the large intestine : TA CH'ANG CHING

Point 1-CO (German:DI1, French:GI1, Lavier:E1): Shang Yang

Pleurisy, dyspnoea, intermittent fevers, absence of sweating, cerebral congestion, facial adenitis, furunculosis, tonsillitis, swelling of the jaw, atonia of the buccal muscles, toothache in general, deafness, bourdonnement.

Point 2-CO (German:DI2, French:GI2, Lavier:E2): Erh Chien

Laryngitis, tonsillitis, stricture of the oesophagus, atonia of the buccal muscles, neuralgia of the posterior surface of the shoulder and upper arm, jaundice, epistaxis, dental neuralgia.

Point 3-CO (German:DI3, French:GI3, Lavier:E3): San Chien

Tonsillitis, asphyxia, mucus discharges, neuralgia of the posterior surface of the shoulder, neuralgia of the arm, toothache in the lower jaw, swollen tongue, dryness of the mouth, chapped lips, flatulence, diarrhoea, pruritus, pains of the eyelids.

Point 4-CO (German:DI4, French:GI4, Lavier:E4): Ho Ku

Headaches, neuralgia of the scapula, leucoma, loss of vision, deafness, bourdonnements, epistaxis, toothache, tonsillitis, apnoea, mucus discharges, stopping of respiration, collapse, insomnia, night sweats, stopping of the menses, nervous depression.

Point 5-CO (German:DI5, French:GI5, Lavier:E5): Yang Ch'i

Headaches, deafness, bourdonnements, tonsillitis, dental neuralgia, hemiplegia with anaesthesia.

Point 6-CO (German:DI6, French:GI6, Lavier:E6): P'ien Li

Epistaxis, deafness, bourdonnements, toothache, neuralgia, paralysis extending from the scapula to the wrist, dry throat, tonsillitis.

Point 7-CO (German:DI7, French:GI7, Lavier:E7): Wen Liu

Flatulence, spasm of the hypogastrium, glossitis, stomatitis, tumour or ulceration of the mouth, parotitis, tonsillitis.

Point 8-CO (German:DI8, French:GI8, Lavier:E8): (Shou) Hsia Lien

Paralysis of the bladder, liematuria, spasm of the hypogastrium, flatulence, precordial pain, dyspnoea, bronchitis, pulmonary tuberculosis, mastitis, tumour of the breast.

Point 9-CO (German:DI9, French:GI9, Lavier:E9): (Shou) Shang Lien

Paralysis of the bladder, blennorrhagia, hemiplegia, apoplexy, dyspnoea, flatulence.

Point 10-CO (German:DI10, French:GI10, Lavier:E10): (Shou) San Li

Toothache, adenitis of the submaxillary gland, scrofula, neuralgia of the neck, hemiplegia, apoplexy, facial paralysis, tumour of the breast, parotitis, chill.

Tonsillitis, neuralgia of the arm, the elbow, the scapula, hemiplegia, cerebral congestion, pleurisy, intercostal neuralgia, nervous depression, anaemia.

Point 12-CO (German:DI12, French:GI12, Lavier:E12): Chou Liao

Neuralgia of the arm, rheumatism of the shoulder joint, paralysis of the upper extremity.

Point 13-CO (German:DI13, French:GI13, Lavier:E13): (Yang) Wu Li

Pneumonia, peritonitis, cough, rheumatism deformans, adenopathy, neuralgia of the

palmar surface of the arm, paralysis of the motor nerves of all members, excessive sleep, scrofula, terror.

Point 14-CO (German:DI14, French:GI14, Lavier:E14): Pi Nao

Neuralgia of the arm, scrofula, headaches.

Point 15-CO (German:DI15, French:GI15, Lavier:E15): Chien Yü

Hemiplegia, congestion of (the neck, spasm of the occiput and the scapula, neuralgia of the arm.

Point 16-CO (German:DI16, French:GI16, Lavier:E16): Chit Ku

Agitation and fear in children, neuralgia of the lower teeth, haematemesis, pain or paralysis of the arm, inability to flex or extend the arm.

Point 17-CO (German:DI17, French:GI17, Lavier:E17): T'ien Ting

Tonsillitis, pharyngitis, paralysis of the hyoid muscle. This is a special point for all affections of the throat.

Point 18-CO (German:DI18, French:GI18, Lavier:E18): Fu Tu (1)

Cough, dyspnoea, supersalivation, sudden paralysis of the hyoid muscle.

Point 19-CO (German:DI19, French:GI19, Lavier:E19): Ho Liao

Nasal catarrh, acute or chronic, lacrimation, anosmia, epistaxis, nasal polyps, furuncle or ulceration of the nose, paralysis or spasms of the face, lockjaw, parotitis.

Point 20-CO (German:DI20, French:GI20, Lavier:E20): Ying Hsiang

Profuse coryza, stopped nose, diminished sense of smell, epistaxis, nasal polyps, carbuncle or ulcer of the nose, facial paralysis, facial adenitis, dyspnoea.

Meridian of the Stomach : WEI CHING

Point 1-ST (German:MA1, French:E1, Lavier:D1): Ch'eng Ch'i

Keratitis, lacrimation, hemeralopia, blepharospasm extending to the corner of the mouth.

Point 2-ST (German:MA2, French:E2, Lavier:D2): Ssu Pai

Ocular neuralgia, pruritus of the eye, leucoma, headaches, vertigo, abscess or spasm of the face, mutism, nasal catarrh.

Point 3-ST (German:MA3, French:E3, Lavier:D3): Chit Liao (1)

Neuralgia or paralysis of the face, keratitis, glaucoma, myopia, leucoma, abscess on the face, dental neuralgia, cheilosis.

Point 4-ST (German:MA4, French:E4, Lavier:D4): Ti Ts'ang

Neuralgia or paralysis of the face, orbicular spasm of the lips, myopia, spasm or atonia of the ocular muscles, mutism.

Point 5-ST (German:MA5, French:E5, Lavier:D5): Ta Ying

Spasm of the face or lips, lockjaw, neuralgia of the lower teeth, spasm of the neck, ocular spasm, parotitis.

Point 6-ST (German:MA6, French:E6, Lavier:D6): Chia Ch'ê

Neuralgia or paralysis of the face, trachyphonia, aphonia, inflammation of the mandible, neuralgia or atonia of the neck muscles, torticollis, hemiplegia or quadriplegia, impossible to masticate, neuralgia of the lower teeth, neuralgia of the trigeminus.

Point 7-ST (German:MA7, French:E7, Lavier:D7): Hsia Kuan (1)

Relapsed luxation of the temporo-mandibular articulation, dental neuralgia, facial paralysis, asthenia, vertigo, deafness, bourdonnements.

Point 8-ST (German:MA8, French:E8, Lavier:D8): T'ou Wei

Cerebral congestion, frontal neuralgia, migraine, purulent conjunctivitis, weakening of vision, facial paralysis.

Point 9-ST (German:MA9, French:E9, Lavier:D9): Jen Ying

Pharyngitis, tonsillitis, pulmonary congestion with adenopathy.

Point 10-ST (German:MA10, French:E10, Lavier:D10): Shui Tu
Tonsillitis, bronchitis, dyspnoea, pharyngitis, whooping cough.

Point 11-ST (German:MA11, French:E11, Lavier:D11): Ch'i She

Point 12-ST (German:MA12, French:E12, Lavier:D12): Ch'ieh P'en

Point 13-ST (German:MA13, French:E13, Lavier:D13): Ch'i Hu

Pleuritis, chronic bronchitis, spasms of the diaphragm, whooping cough, persistent cough, apnoea, spasm of the breast or back.

Point 14-ST (German:MA14, French:E14, Lavier:D14): K'u Fang

Pulmonary congestion, bronchitis, pleuritis, apnoea.

Point 15-ST (German:MA15, French:E15, Lavier:D15): Wu I

Cough, vomiting of blood, pleuritis, intercostal neuralgia, generalized oedema, total paralysis.

Point 16-ST (German:MA16, French:E16, Lavier:D16): YmgCh'uang

Pulmonary congestion, pulmonary emphysema, pleuritis, flatulence, tumour of the breast, intercostal neuralgia,

Point 17-ST (German:MA17, French:E17, Lavier:D17): Ju Chung

Point 18-ST (German:MA18, French:E18, Lavier:D18): Ju Ken

Mammitis, swelling of the breast, insufficient milk, cough, pleuritis, intercostal neuralgia and paralysis, neuralgia of the arm.

Point 19-ST (German:MA19, French:E19, Lavier:D19): Pu Yung

Spasm or atonia of the abductor muscles of the arms, dyspnoea, cough, vomiting, dilation of the stomach, intercostal neuralgia, spasm of the right side of the abdomen.

Point 20-ST (German:MA20, French:E20, Lavier:D20): Ch'eng Man

Cough, vomiting of blood, anorexia, inflated abdomen, diarrhoea, flatulence, peritonitis, jaundice.

Point 21-ST (German:MA21, French:E21, Lavier:D21): Liang Men

Anorexia, bad digestion, spasm of the stomach. This point may be used for all the affections of the stomach, particularly in acute gastritis, where the effect is extraordinary.

Point 22-ST (German:MA22, French:E22, Lavier:D22): Kuan Men

Acute gastritis, spasm of the stomach, atonia of the stomach, anorexia, bad digestion, intestinal catarrh, hernia, severe constipation, incontinence of the urine, oedema.

Point 23-ST (German:MA23, French:E23, Lavier:D23): T'ai 1

Acute gastritis, epigastric neuralgia, anorexia, bad digestion, hernia, insanity, weakness in the legs, neurasthenia.

Point 24-ST (German:MA24, French:E24, Lavier:D24): Hua Ju Men

Epilepsy, psychopathy, glossitis, inflammation of the sublingual gland, swelling and ulceration of the tongue, chronic affections of the stomach and intestines, oedema, nephritis, metritis, dysmenorrhoea.

Point 25-ST (German:MA25, French:E25, Lavier:D25): Tien Ch'u

Chronic affections of the stomach and intestines, intestinal parasitosis, oedema, intermittent fevers, nephritis, metritis, dysmenorrhoea. This point has a special action upon chronic diarrhoea.

Point 26-ST (German:MA26, French:E26, Lavier:D26): Wai Ling

Spasm on the right side of the abdomen, neuralgia of the lower abdomen, intestinal spasm.

Point 27-ST (German:MA27, French:E27, Lavier:D27): Ta Chii

Insomnia, feebleness in the members, spasm on the right side of the abdomen, hernia, constipation, anuria.

Point 28-ST (German:MA28, French:E28, Lavier:D28): Shui Tao

Nephritis, cystitis, anuria, orchitis, myelitis, rectal prolapse, uterine and ovarian affections.

Point 29-ST (German:MA29, French:E29, Lavier:D29): Kuei Lai

Orchitis, pains in the penis, leucorrhoea, inflammation of the ovaries, amenorrhoea, and all genital affections of the male or female.

Point 30-ST (German:MA30, French:E30, Lavier:D30): Ch'i Ch'ung

AU genital affections of the male or female, affections of the lumbar region.

Point 31-ST (German:MA31, French:E31, Lavier:D31): Pi Kuan

Affections of the lumbar region, spasms of the thigh muscles, weakness in the legs, pain or paralysis of the inferior member, inguinal adenitis of gonorrhoea.

Point 32-ST (German:MA32, French:E32, Lavier:D32): Eu Tu (1)

Cold at the knees, spasm of the inferior member with sensation of cold, headaches, weakness of the legs, neuralgia of the inferior member, uterine affections.

Point 33-ST (German:MA33, French:E33, Lavier:D33): Yin Shih

Paralysis of the lumbar area with sensation of cold from thigh Lo knee, weakness in the legs, colics, spasm of the uterus, diabetes.

Point 34-ST (German:MA34, French:E34, Lavier:D34): Liang Ch'iu

Neuralgia or paralysis affecting the lumbar area and the knees, mammitis, pain in the breast, fatigue or pain in the inferior member.

Point 35-ST (German:MA35, French:E35, Lavier:D35): Tu Pi

Arthritis of the knee, neuralgia or paralysis of the knee, weakness of the legs.

Point 36-ST (German:MA36, French:E36, Lavier:D36): (Tsu) San Li

Acute or chronic gastritis, bad digestion, spasm of the stomach, anorexia, loss of weight, trouble with speech, maladies of the mouth, peritonitis, flatulence, constipation, anuria, arteriosclerosis, compressive congestion of the neck, fatigue, paralysis or pains in the members, weakness of the legs, headaches, vertigo. This point is to be used in all ocular affections, and in all affections of the abdominal organs. The regular employment of this point conserves robustness.

Point 37-ST (German:MA37, French:E37, Lavier:D37): (Tsu) Shang Lien

Pains in the lumbar area, gastritis, enterocolitis, hernia, flatulence, anorexia, bad digestion, weakness of the legs with oedema, spasm or paralysis of the inferior member, arthritis of the knee, cerebral anaemia.

Point 38-ST (German:MA38, French:E38, Lavier:D38): T'iao K'ou

Paralysis of the inferior member, arthritis of the knee, weakness of the legs, tonsillitis, affections of the stomach and intestines.

Point 39-ST (German:MA39, French:E39, Lavier:D39): (Tsu) Hsia Lien

Spasm or paralysis of the inferior member, cerebral anaemia, intercostal neuralgia, spasm of the lower abdomen, tonsillitis, hypersalivation, anorexia, weakness of the legs.

Point 40-ST (German:MA40, French:E40, Lavier:D40): Feng Lung

Spasm or paralysis of the inferior member, pleuritis, abscess of the liver, neuropathic affections, headaches, constipation, anuria.

Point 41-ST (German:MA41, French:E41, Lavier:D41): Chieh Ch'i

Rheumatism deformans, myositis of the inferior member, oedema of the face, vertigo, headaches, constipation, tympanitis, epilepsy.

Point 42-ST (German:MA42, French:E42, Lavier:D42): Ch'ung Yang

Neuralgia or paralysis of the inferior member, arthritis of the foot, toothache, gingivitis, epilepsy, vomiting, tympanitis, anorexia.

Point 43-ST (German:MA43, French:E43, Lavier:D43): Hsien Ku

Oedema of the face, ocular congestion, asthenia, ascites, flatulence, hernia, intermittent fevers, fever, night sweats, talalgia.

Point 44-ST (German:MA44, French:E44, Lavier:D44): Nci T'ing

Intermittent fevers, oedema of the face, gingivitis, epistaxis, asthenia, pharyngitis, flatulence, hernia.

Point 45-ST (German:MA45, French:E45, Lavier:D45): L i Tui

Abscess of the liver, bad digestion, cerebral anaemia, neuropathic affections, tonsillitis, gingivitis, inguinal neuralgia or adenitis, ascites, oedema, atonia of the orbicularis muscle of the mouth, acute rhinitis, dementia.

Meridian of the Spleen: P'I CHING

Point 1-SP (German:MI1, French:RP1, Lavier:L1): Yin Pai

Dementia, peritonitis, acute enterocolitis, sensation of cold in the inferior members, metrorrhagia, spasms of the uterus, fear and agitation in children.

Point 2-SP (German:MI2, French:RP2, Lavier:L2): (Tsu) Ta Tu

General fatigue, spasms of the stomach, affections of the lumbar area, loss of appetite, fear and agitation in infants.

Point 3-SP (German:MI3, French:RP3, Lavier:L3): T'ai Pai

Dilatation of the stomach, vomiting, bad digestion, constipation, hernia, intestinal haemorrhage, affections of the lumbar area, pain or paralysis of the inferior member.

Point 4-SP (German:MI4, French:RP4, Lavier:L4): Kung Sun

Cardiac inflammation, pleuritis, cancer of the stomach, vomiting, anorexia, spasm of the lower abdomen, intestinal haemorrhage, oedema of the head and face, epilepsy, ascites.

Point 5-SP (German:MI5, French:RP5, Lavier:L5): Shang Ch'iu

Abdominal swelling, flatulence, pains in the lower abdomen, cough, vomiting, constipation, haemorrhoids, bad digestion, jaundice, fear and agitation in children, whooping cough, spasm of the calf.

Point 6-SP (German:MI6, French:RP6, Lavier:L6): San Yin Chiao

This point is indicated for all genital affections of the male or the female. It gives extraordinary results in the case of functional menorrhagia. It is very active in cases of metrorrhagia, pains in the penis, spermatorrhoea. It is also indicated in the following cases: paralysis or neuralgia of the inferior member, enterocolitis, bad digestion, hemorrhagic haemorrhoids, insomnia and nervous depression.

Point 7-SP (German:MI7, French:RP7, Lavier:L7): Lou Ku

Flatulence, abdominal swelling, pain in the scapula, weakness of the legs, psychopathy.

Affections of the lumbar area, anorexia, spasm of the stomach, insufficient sperm, menstruation painful or superabundant, leucorrhoea.

Point 9-SP (German:MI9, French:RP9, Lavier:L9): Yin Ling Ch'üan

Sensation of cold in the stomach, peritonitis, bad digestion, incontinence of the urine, vaginitis, anuria, weakness in the legs, insomnia, cramp.

Point 10-SP (German:MI10, French:RP10, Lavier:L10): Hsüeh Hai

Chronic peritonitis, dysmenorrhoea, metrorrhagia, metritis, orchitis, pruriginous dermatosis of the perineum.

Point 11-SP (German:MI11, French:RP11, Lavier:L11): Chi Men

Blennorrhagia, affections of the urinary tract, incontinence of urine, inguinal adenitis.

Point 12-SP (German:MI12, French:RP12, Lavier:L12): Ch'ung Men

Orchitis, epididymitis, metritis, blennorrhagia, swelling of the abdomen, spasm of the stomach, mammitis.

Point 13-SP (German:MI13, French:RP13, Lavier:L13): Fu She

Inflammation of the liver, constipation, inflammation of the caecum, cholera, paralysis of the stomach.

Point 14-SP (German:MI14, French:RP14, Lavier:L14): Fu Chieh

Cough, peritonitis, colics, atonia of the genital organs, diarrhoea, weakness of the legs.

Point 15-SP (German:MI15, French:RP15, Lavier:L15): Ta Hung

Influenza, spasm of the members, parasitosis, excessive sweating, chronic diarrhoea, enterocolitis, habitual constipation.

Point 16-SP (German:MI16, French:RP16, Lavier:L16): Fu Ai

Stomach ulcer, spasm of the stomach, hyper- or hypochlorhydria, bail digestion, intestinal haemorrhage, blood in the stool.

Point 17-SP (German:MI17, French:RP17, Lavier:L17): Shih Ton

Pulmonary congestion, pneumonia, intercostal neuralgia, pleuritis. The point of the RIGHT side of the body acts upon pains in the liver.

Point 18-SP (German:MI18, French:RP18, Lavier:L18): T'ien Ch'i

Pulmonary congestion, pneumonia, bronchitis, intercostal neuralgia, mammitis, insufficient milk. ff. Hsiung Hsiang. Located upon the thorax, in the third intercostal space, above 17-SP.

Point 20-SP (German:MI20, French:RP20, Lavier:L20): Chou Jung

Pulmonary congestion, pain in the breast or the back, stricture of the oesophagus, anorexia, pleuritis, intercostal neuralgia.

Point 21-SP (German:MI21, French:RP21, Lavier:L21): Ta Pao

Endocarditis, dyspnoea, pleuritis, intercostal neuralgia.

Meridian: HSIN CHING

Point 1-HE (German:HE1, French:C1, Lavier:C1): Chi ChHian

Inflammation of the heart, intercostal neuralgia, precordial pain with a sensation of fullness, spasm of the breast, sensation of cold in the elbow, hysteria, vomiting with an empty stomach.

Point 2-HE (German:HE2, French:C2, Lavier:C2): Ch'ing Ling

Frontal neuralgia, intercostal neuralgia, spasm of the scapula and upper member, intermittent fevers, chills.

Point 3-HE (German:HE3, French:C3, Lavier:C3): Shao Hai

Adenitis, adenopathy, sensation of cold in the fingers, psychopathy, toothache, headaches, vertigo, intercostal neuralgia, facial neuralgia, torticollis, spasm of the elbow, pulmonary tuberculosis, pleuritis.

Point 4-HE (German:HE4, French:C4, Lavier:C4): Ling Tao

Endocarditis, hysteria, deaf-muteness, vomiting with an empty stomach, arthritis of the elbow, intercostal neuralgia, cubital paralysis.

Point 5-HE (German:HE5, French:C5, Lavier:C5): T'ung Li

Headaches, vertigo, nervous anxiety with palpitations, tonsillitis, deaf-muteness, ocular congestion with vertigo and sensations of heat on the face, spasms of the superior members, psychopathy, dysmenorrhoea, metrorrhagia, incontinence of urine, pharyngitis.

Point 6-HE (German:HE6, French:C6, Lavier:C6): Yin Ch'i

Headaches, vertigo, epistaxis, nervous anxiety with palpitations, deaf-muteness, haematemesis, fever after a chill, metritis, leucorrhoea.

Point 7-HE (German:HE7, French:C7, Lavier:C7): Shen Men

This is a special point for the psychopathies which accompany affections of the heart. It is equally indicated in cases of: Dilatation of the heart, pituita, lingual paralysis, anorexia, postpartum haemorrhage, scrofula, nervous anxiety with palpitations, tonsillitis, insomnia.

Point 8-HE (German:HE8, French:C8, Lavier:C8): Shao Fu

Intercostal neuralgia, precordial pain, anuria, incontinence of urine, overabundant menses, vulvar pruritus, nervous anxiety with palpitations, intermittent fevers, neuralgia of the arm.

Point 9-HE (German:HE9, French:C9, Lavier:C9): Shao Ch'ung

Weakness after a fever, pleuritis, intercostal neuralgia, nervous anxiety with palpitations, spasms of the superior member, swelling and pain of the larynx.

Meridian: HSIAO CH'ANG CHING

Point 1-SI (German:DU1, French:IG1, Lavier:A1): Shao Chih

Cough, headaches, tonsillitis, dilatation of the heart, neuralgia of the anterior surface of the arm, spasm of the neck, corneal opacity, agalactia after parturition, mammitis.

Point 2-SI (German:DU2, French:IG2, Lavier:A2): Ch'ien Ku

Haematemesis, epilepsy, persistent cough, tonsillitis, swelling of the cheek, bourdonnements, stopped nose, neuralgia of the anterior surface of the arms, agalactia after parturition, mammitis.

Point 3-SI (German:DU3, French:IG3, Lavier:A3): Hon Ch'i

Spasm of the neck, torticollis, spasm of the elbow, epilepsy, epistaxis, deafness, keratitis, corneal opacity, pruritus. tonsillitis.

Point 4-SI (German:DU4, French:IG4, Lavier:A4): Wan Ku (1)

Arthritis of the elbow, arthritis of the wrist or the fingers, inflammation of the mandible, keratitis, lacrimation, bourdonnements, headaches, vomiting, pleuritis.

Point 5-SI (German:DU5, French:IG5, Lavier:A5): Yang Ku

Vertigo, dazzling spells, deafness, bourdonnements, epilepsy, ulcerous stomatitis, ulcerous gingivitis, pyorrhoea, maxillary adenitis, intercostal neuralgia, cubital (ulnar) neuralgia, fear and agitation in children.

Point 6-SI (German:DU6, French:IG6, Lavier:A6): Yang Lao

Paralysis of the shoulder and arm, congestion of the eyes, weakening of vision.

Point 7-SI (German:DU7, French:IG7, Lavier:A7): Chih Cheng

Psychopathy, cerebral weakness, vertigo, headaches, congestion of the face, neuralgia of the superior member, spasm of the elbow, pain in the fingers, inability to grasp objects, cyst of the eyelid.

Point 8-SI (German:DU8, French:IG8, Lavier:A8): Hsiao Hai

Cervical adenitis, spasm of the shoulder, of the arm or forearm together with cubital neuralgia, deafness, gingivitis, pain in the lower abdomen.

Point 9-SI (German:DU9, French:IG9, Lavier:A9): Chien Chen

Deafness, bourdonnements, headaches, pain in the scapula, arthritis, neuralgia or paralysis of the superior member.

Point 10-SI (German:DU10, French:IG10, Lavier:A10): Nao Yü

Pain or paralysis of the scapula or of the superior member, pain or swelling of the neck or the chin.

Point 11-SI (German:DU11, French:IG11, Lavier:A11): Tie n Tsung

Spasms or paralysis of the shoulder or the neck, pain in the arm, inability to raise the arm.

Point 12-SI (German:DU12, French:IG12, Lavier:A12): Ping Feng

Spasm and paralysis of the scapula, pain in the arm, cubital neuralgia.

Point 13-SI (German:DU13, French:IG13, Lavier:A13): Ch'ii Yiian

Neuralgia or paralysis of the scapula, affections of the cubital nerve.

Point 14-SI (German:DU14, French:IG14, Lavier:A14): Chien Wai Yii

Paralysis or neuralgia of the scapula, pneumonia, pleuritis.

Point 15-SI (German:DU15, French:IG15, Lavier:A15): Chien Chung Yii

Bronchitis, dyspnoea, pain in the neck, sanguinolent saliva, weakness of vision.

Point 16-SI (German:DU16, French:IG16, Lavier:A16): Tien Ch'uang

Intercostal neuralgia, apnoea, inflammation of the mandible, neuralgia of the neck and scapula, deafness, bourdonnements, gingivitis.

Point 17-SI (German:DU17, French:IG17, Lavier:A17): Tien Yung

Pleuritis, intercostal neuralgia, apnoea, neuralgia of the neck, deafness, bourdonnements, ranula, gingivitis, spasms of the breast and back, growth upon the neck, torticollis.

Point 18-SI (German:DU18, French:IG18, Lavier:A18): Ch'iiian Liao

Paralysis or spasm of the face, neuralgia of the upper teeth.

Point 19-SI (German:DU19, French:IG19, Lavier:A19): Ting Kung
Deafness, bourdonnements, inflammation of the external auditory canal, trachyphonia.

Meridian: P'ANG KUANG CHING

Point 1-BL (German:BL1, French:V1, Lavier:U1): Ching Ming
Ocular affections, opacity of the cornea, retinitis, congestion of the eyes, hemeralopia, conjunctivitis.

Point 2-BL (German:BL2, French:V2, Lavier:U2): Ts'uan Chu
Opacity of the cornea, hemeralopia, weakness of vision, lacrimation, vertigo, frontal neuralgia.

Point 3-BL (German:BL3, French:V3, Lavier:U3): Mei Ch'ung
Headaches, stopped nose, inflammation of the nostrils, dazzling spells.

Point 4-BL (German:BL4, French:V4, Lavier:U4): Ch'ii Tz'ü
Headaches, neuralgia or paralysis of the face, abscess of the cornea, weakness of vision, stopped nose, epistaxis, nasal polyps, furuncle or ulceration of the nose.

Point 5-BL (German:BL5, French:V5, Lavier:U5): Wu Ch'u
Epilepsy, headaches, fevers, vertigo, weakness of vision, neuralgia of the back and shoulder.

Point 6-BL (German:BL6, French:V6, Lavier:U6): Ch'en Kuang
Headaches, vertigo, stopped nose, opacity of the cornea, common cold.

Point 7-BL (German:BL7, French:V7, Lavier:U7): Tung 'Tien
Rhinitis, stopped nose, epistaxis, ulceration or furuncle of the nose, atonia of the muscles of the mouth, chronic bronchitis, trigeminal neuralgia.

Point 8-BL (German:BL8, French:V8, Lavier:U8): Lê Ch'üeh
Occipital spasm, glaucoma, bourdonnements, psychopathy, neurasthenia.

Point 9-BL (German:BL9, French:V9, Lavier:U9): Yü Chen

Ocular neuralgia, facial neuralgia, vertigo, headaches, myopia, weakening of the olfactory sense, excessive sweating, cerebral congestion.

Point 10-BL (German:BL10, French:V10, Lavier:U10): T ien Chu

Headaches, contractures of the occiput and the scapula, torticollis, stopped nose, weakening of the olfactory sense, epistaxis, nervous depression.

Point 11-BL (German:BL11, French:V11, Lavier:U11): Ta Chu

Bronchitis, headaches, vertigo, pleuritis, atonia of the neck muscles, spasm of the back or flank, arthritis of the knee.

Point 12-BL (German:BL12, French:V12, Lavier:U12): Feng Men

Pleuritis, spasm at the cranial vertex or the nape of the neck, bronchitis, whooping cough, supersomnia, vomiting, spasm of the breast or back, cancer. This point is especially useful to prevent the consecutive affections of a common cold.

Point 13-BL (German:BL13, French:V13, Lavier:U13): Fei Yü

Pulmonary tuberculosis, pneumonia, bronchitis, endo- and pericarditis, paralysis of the heart, jaundice, pruriginous eruptions, stomatitis, aqueous vomiting after eating, vomiting in general, dorsolumbar neuralgias.

Point 14-BL (German:BL14, French:V14, Lavier:U14): Chiieh Yin Yü

Dilatation of the heart, pericarditis, persistent cough, vomiting, dental neuralgia.

Point 15-BL (German:BL15, French:V15, Lavier:U15): Hsin Yü

All affections of the heart, haemorrhage of the stomach, vomiting, epilepsy, muteness, stricture of the oesophagus, cancer.

Point 16-BL (German:BL16, French:V16, Lavier:U16): Tu Yü

Point 17-BL (German:BL17, French:V17, Lavier:U17): Ko Yü

Endo- and pericarditis, dilatation of the heart, paralysis of the heart, pleuritis, dyspnoea, bronchitis, gastritis, cancer of the stomach, vomiting, stricture of the

oesophagus, anorexia, enterocolitis, intestinal haemorrhage, bleeding ulcer, night sweats.

Point 18-BL (German:BL18, French:V18, Lavier:U18): Kan Yü

Jaundice, vertigo after fever, lacrymation, psychopathy, chronic gastritis, dilatation of the stomach, spasm of the stomach, haemorrhage of the stomach, spasm in the sternal region, intestinal haemorrhage, duodenal ulcer, hemeralopia.

Point 19-BL (German:BL19, French:V19, Lavier:U19): Tan Yü

Fever, chill, headache, affections of the gallbladder, jaundice, vomiting, stricture of the oesophagus, pharyngitis, adenitis of the axilla, pleuritis, hypertension.

Point 20-BL (German:BL20, French:V20, Lavier:U20): P'i Yü

Spasm of the stomach, atonia of the stomach, haemorrhage of the stomach, colitis, vomiting, diarrhoea, jaundice, dyspnoea, oedema, hemeralopia in children, diabetes.

Point 21-BL (German:BL21, French:V21, Lavier:U21): Wei Yü

Cancer of the stomach, gastritis, spasm of the stomach, dilatation of the stomach, bad digestion, colitis, vomiting, abdominal swelling, flatulence, dilatation of the liver, weakness of vision. child hemeralopia, child vomiting of milk, child green diarrhoea, child loss of weight, child acute ulcers, child intestinal parasites.

Point 22-BL (German:BL22, French:V22, Lavier:U22): San Chiao Yü

Spasm of the stomach, anorexia, bad digestion, vomiting, enteritis, flatulence, nephritis, neuralgia at the region of the lumbar vertebrae, nervous depression, incontinence of urine, spermatorrhoea.

Point 23-BL (German:BL23, French:V23, Lavier:U23): Shen Yü

Nephritis, dilatation of the liver, paralysis and spasm of the bladder, haemorrhoids, diabetes, haematuria, neuralgia at the region of the lumbar vertebrae, insufficient sperm, incontinence of urine, spermatorrhoea, loss of weight, dysmenorrhoea, haemorrhage of the stomach, intestinal haemorrhage, intercostal neuralgia.

Point 24-BL (German:BL24, French:V24, Lavier:U24): Ch'i Hai Yü

Neuralgia at the region of the lumbar vertebrae, haemorrhoids, hypertension.

Point 25-BL (German:BL25, French:V25, Lavier:U25): Ta Ch'ang Yii

Spasm of the vertebral muscles, neuralgia at the region of the lumbar vertebrae, abdominal swelling, enteritis, flatulence, intestinal haemorrhage, diarrhoea, chronic constipation, inflammation of the caecum, blennorrhagia, incontinence of urine, nephritis, weakness of the legs.

Point 26-BL (German:BL26, French:V26, Lavier:U26): Kuan Yuan Yii

Neuralgia at the region of the lumbar vertebrae, diarrhoea, anuria.

Point 27-BL (German:BL27, French:V27, Lavier:U27): Hsiao Ch'ang Yii

Enterocolitis, hernia, diarrhoea, constipation, blennorrhagia, haemorrhoids, neuralgia of the thoracic and sacral region, metritis.

Point 28-BL (German:BL28, French:V28, Lavier:U28): P'ang Kuang Yii

Cystitis, incontinence of urine, constipation, diarrhoea, diabetes, weakness of the legs, neuralgia at the region of the lumbar vertebrae, neuralgia of the lower abdomen, sacral neuralgia, metritis.

Point 29-BL (German:BL29, French:V29, Lavier:U29): Chung T'un Yii

Diabetes, peritonitis, enteritis, colic, lumbar neuralgia, sciatica, weakness of the legs.

Point 30-BL (German:BL30, French:V30, Lavier:U30): Pai Huan Yü

Neuralgia and spasm of the sacrum, spasm of the anus, sciatica, constipation, anuria, metritis, tetraplegia.

Point 31-BL (German:BL31, French:V31, Lavier:U31): Shang Liao

Constipation, anuria, vomiting, epistaxis, lumbago, sciatica, sensation of cold at the knees, metritis, dysmenorrhoea, blennorrhagia, orchitis, inflammation of the ovaries. The four bilateral points (31-; 32-; 33-; 34-BL) which correspond to the sacral foramina are always indicated in the case of genital affections of man or woman.

Point 32-BL (German:BL32, French:V32, Lavier:U32): Tz'ü Liao

The same as for 31-BL.

Point 33-BL (German:BL33, French:V33, Lavier:U33): Chung Liao

Constipation, anuria, vomiting, lumbago, sciatica, metritis, dysmenorrhoea, orchitis, inflammation of the ovaries. See 31-BL for the action of the points in the four sacral foramina.

Point 34-BL (German:BL34, French:V34, Lavier:U34): Hsia Liao

Constipation, anuria, lumbago, intestinal haemorrhage, metritis, dysmenorrhoea, orchitis, inflammation of the ovaries. See 31-BL for the action of the points in the four sacral foramina.

Point 35-BL (German:BL35, French:V35, Lavier:U35): Hui Yang

Enteritis, intestinal haemorrhage, chronic haemorrhoids, sweating in the genital region, sciatica, blennorrhagia.

Point 36-BL (German:BL36, French:V36, Lavier:U36): Fu Fen

Neuralgia of the posterior surface of the shoulder, spasm of the nape of the neck, torticollis, inflammation in the apex of the lung, intercostal neuralgia, spinal paralysis.

Point 37-BL (German:BL37, French:V37, Lavier:U37): P'ei Hu

Atonia of the lungs, bronchitis, dyspnoea, vomiting, paralysis or neuralgia affecting the arm and the posterior surface of the shoulder.

Point 38-BL (German:BL38, French:V38, Lavier:U38): Kao Huang

Pulmonary tuberculosis, bronchitis, haemorrhage of the stomach, nervous depression, spermatorrhoea dormienlium, loss of memory, vomiting, pleuritis. This point has a special effect upon all chronic maladies.

Point 39-BL (German:BL39, French:V39, Lavier:U39): Shen T'ang

Affections of the heart, bronchitis, dyspnoea, spasm of the dorsal muscles, pain in the shoulder and the arms.

Point 40-BL (German:BL40, French:V40, Lavier:U40): I Hsi

Pericarditis, neuralgia of the axilla, spasm of the back and flank, anorexia, vomiting,

vertigo, night sweats, malaise.

Point 41-BL (German:BL41, French:V41, Lavier:U41): Ko Kuan

Intercostal neuralgia, spasm of the back, stricture of the oesophagus, vomiting, anorexia, supersalivation, enteritis, intestinal parasites.

Point 42-BL (German:BL42, French:V42, Lavier:U42): Hun Men

Abscess of the liver, pleuritis, endocarditis, spasm of the stomach, flatulence, stricture of the oesophagus, anorexia, bad digestion, rheumatism.

Point 43-BL (German:BL43, French:V43, Lavier:U43): Yang Kang

Bad digestion, spasm of the stomach, flatulence, anorexia, affections of the liver, pleuritis, endocarditis, rheumatism, colic due to worms.

Point 44-BL (German:BL44, French:V44, Lavier:U44): 1 She

Bad digestion, vomiting, atonia of the stomach, spasm of the right side of the abdomen, flatulence, anorexia, affections of the liver, pleuritis, stricture of the oesophagus, rheumatism.

Point 45-BL (German:BL45, French:V45, Lavier:U45): Wei Ts'ang

Vomiting, swelling of the abdomen, constipation, neuralgia at the region of the thoracic vertebrae, oedema.

Point 46-BL (German:BL46, French:V46, Lavier:U46): Huang Men

Point 47-BL (German:BL47, French:V47, Lavier:U47): Chili Shih

This is a special point for all affections of the genitals, of both the male and the female, in particular: spermatorrhoea dormientium, spermatorrhoea in general, neuralgia of the genital organs.

Point 48-BL (German:BL48, French:V48, Lavier:U48): Pao Huang

Enteritis, flatulence, constipation, anuria, blennorrhagia, orchitis, spasm of the rectus of the abdomen, pain in the back and flanks.

Point 49-BL (German:BL49, French:V49, Lavier:U49): Chih Pien

Cystitis, haemorrhoids, lumbar neuralgia, sciatica.

Point 50-BL (German:BL50, French:V50, Lavier:U50): Ch'eng Fu

Neuralgia of the back and flank, haemorrhoids, anuria, constipation, inflammation of the anus, sciatica.

Point 51-BL (German:BL51, French:V51, Lavier:U51): Yin Men

Pains in the back and flanks, sciatica.

Point 52-BL (German:BL52, French:V52, Lavier:U52): Fou Ch'i

Cramp, constipation, cystitis, anuria, paralysis of the external surface of the thigh.

Point 53-BL (German:BL53, French:V53, Lavier:U53): Wei Yang

Spasm of the back or flanks, popliteal neuralgia, spasm of the calf of the leg, spasm of the lower abdomen, epilepsy, fever.

Point 54-BL (German:BL54, French:V54, Lavier:U54): Wei Chung

Common cold, swelling of the abdomen, arthritis of the knee, apoplexy, continual sweating, falling out of hair and eyebrows, hemorrhagic haemorrhoids, epistaxis.

Point 55-BL (German:BL55, French:V55, Lavier:U55): Ho Yang

Pain in the dorso-lumbar area, spasm of the lower abdomen, popliteal adenitis, intestinal haemorrhage, orchitis, metrorrhagia, metritis.

Point 56-BL (German:BL56, French:V56, Lavier:U56): Ch'eng Chin

Cramp, constipation, haemorrhoids, dorso-lumbar spasm, spasm and paralysis of the calf,

Point 57-BL (German:BL57, French:V57, Lavier:U57): Ch'eng Shan

Cramp, constipation, blennorrhagia, weakness of the legs, agitation and fear in children, haemorrhoids.

Point 58-BL (German:BL58, French:V58, Lavier:U58): Fei Yang

Haemorrhoids, articular rheumatism, weakness of the legs, vertigo, epilepsy.

Point 59-BL (German:BL59, French:V59, Lavier:U59): Fu Yang

Cramp, pains in the lumbar area, neuralgia or paralysis of the face, neuralgia of the thigh, tetraplegia.

Point 60-BL (German:BL60, French:V60, Lavier:U60): Kun Lun

Headaches, vertigo, epistaxis, spasm of the posterior surface of the shoulder, pains in the lumbar area, sciatica, arthritis of the ankle, weakness of the legs, adenopathy, venereal diseases, pain and swelling of the vulva, placental retention, haemorrhagic haemorrhoids.

Point 61-BL (German:BL61, French:V61, Lavier:U61): Pu Ts'an

Weakness of the legs, blennorrhagia, arthritis of the knee, paralysis of the calf of the leg and foot, cramp, epilepsy.

Point 62-BL (German:BL62, French:V62, Lavier:U62): Shen Mei

Headaches, vertigo, pains in the flanks and in the inferior member, tibial paralysis, arteriosclerosis, uterine spasm, apoplexy.

Point 63-BL (German:BL63, French:V63, Lavier:U63): Chin Men

Pain in the forehead, pain in the lower abdomen, peritonitis, paralysis of the knee, vomiting, cramps, epilepsy, fear and agitation in children.

Point 64-BL (German:BL64, French:V64, Lavier:U64): Ching Ku

Affections of the heart, meningitis, cerebral congestion, pain in the lumbar area, intermittent fevers, venereal diseases, epilepsy, fear and agitation in children.

Point 65-BL (German:BL65, French:V65, Lavier:U65): Shu Ku

Headaches, vertigo, deafness, inflammation of the inner canthus of the eye, stricture of the lacrymal channel, pain at the cranial vertex, contracture of the nape of the neck, torticollis, dorso-lumbar neuralgia, spasm of the calf of the leg, cancerous ulcerations, furuncle.

Point 66-BL (German:BL66, French:V66, Lavier:U66): (Yang) T'ung Ku

Headaches, epistaxis, pain at the nape of the neck, chronic gastritis, uterine congestion.

Point 67-BL (German:BL67, French:V67, Lavier:U67): Chih Yin

Headaches, vertigo, congestion of the eyes, opacity of the cornea of the eye, anuria, spermatorrhoea, stopped nose, total paralysis, arthritis of the foot.

Meridian: SHEN CHING

Point 1-KI (German:NI1, French:R1, Lavier:S1): Yung Ch'uan

Paralysis of the hyoid muscle, trachyphonia, cough, acute tonsillitis, cardiac affection, anxiety with palpitations, jaundice, vertigo, prolapsus uteri, sterility in the female, spasm of fearful children; its use is equally indicated in all cases of extreme urgency.

Point 2-KI (German:NI2, French:R2, Lavier:S2): Jan Ku

Pharyngitis, inflammation of the heart, tonsillitis, vomiting, night sweats, cystitis, orchitis, insufficient sperm, incontinence of urine, diabetes, sterility in the female, dysmenorrhoea, congestion of the uterus, prolapsus uteri, congestion of the labia majora, vulvar pruritus, convulsions in children.

Point 3-KI (German:NI3, French:R3, Lavier:S3): T'ai Ch'i

Sensation of cold in the members after a fever, pleuritis, spasm of the diaphragm, pharyngitis, stomatitis, dyspnoea, cough, anorexia, vomiting, constipation, uterine spasm, mammitis.

Point 4-KI (German:NI4, French:R4, Lavier:S4): Ta Chung

Nervous anxiety with palpitations, psychopathy, stomatitis, vomiting, stricture of the oesophagus, constipation, blennorrhagia, uterine spasms.

Point 5-KI (German:NI5, French:R5, Lavier:S5): Shui Ch'ian

Stopping of the menses, insufficiency of the menses, spasm of the bladder.

Point 6-KI (German:NI6, French:R6, Lavier:S6): Chao fiai

Dryness in the throat, fatigue in the members, psychopathy, tonsillitis, hernia,

involuntary erections, blennorrhagia, dysmenorrhoea, insomnia.

Point 7-KI (German:NI7, French:R7, Lavier:S7): Fu Liu

Point 8-KI (German:NI8, French:R8, Lavier:S8): Chiao Hsin

Blennorrhagia, anuria, constipation, enteritis, dysmenorrhoea, metrorrhagia, neuralgia or paralysis of the inferior member, myelitis, peritonitis, orchitis.

Point 9-KI (German:NI9, French:R9, Lavier:S9): Chu Pin

Psychopathy, gravid intoxication with spasms of the muscles of the lower abdomen, swelling of the tongue, dementia.

Pain in the interior surface of the thigh, arthritis of the knee, swelling of the abdomen, blennorrhagia, genital weakness, pains in the penis, vaginitis, inflammation of the labia majora, vulvar pruritus, metrorrhagia.

Point 11-KI (German:NI11, French:R11, Lavier:S11): Hung Ku

Blennorrhagia, paralysis or spasm of the bladder, hernia, spermatorrhoea, congestion of the eyes, keratitis.

Point 12-KI (German:NI12, French:R12, Lavier:S12): Ta Ho

Retraction of the scrotum, genital weakness, pains in the penis, insufficiency of sperm, spermatorrhoea, congestion of the eyes, keratitis, chronic vaginitis.

Point 13-KI (German:NI13, French:R13, Lavier:S13): Ch'i Hsiieh

Spermatorrhoea, genital weakness, pains in the penis, nephritis, dorso-lumbar spasm, paralysis of the bladder, congestion of the eyes, keratitis, dysmenorrhoea.

Point 14-KI (German:NI14, French:R14, Lavier:S14): Ssü Man

Enterocolitis, hernia, opacity of the cornea, painful menstruation, spasm of the uterus.

Point 15-KI (German:NI15, French:R15, Lavier:S15): Chung Chu

Constipation, enterocolitis, congestion of the eyes, keratitis, dysmenorrhoea, inflammation of the ovaries, swelling of the ovaries, salpingitis, orchitis.

Point 16-KI (German:NI16, French:R16, Lavier:S16): Huang Yü

Spasm of the stomach, hernia, chronic constipation, diarrhoea, congestion of the eyes, keratitis, jaundice.

Point 17-KI (German:NI17, French:R17, Lavier:S17): Shang Ch'ü

Spasm of the stomach, hernia, peritonitis, anorexia, jaundice, congestion of the eyes, keratitis.

Point 18-KI (German:NI18, French:R18, Lavier:S18): Shih Kuan

Spasm of the stomach, anorexia, supersalivation, constipation, blennorrhagia, congestion of the eyes, uterine congestion, uterine spasm.

Point 19-KI (German:NI19, French:R19, Lavier:S19): Yin Tu

Pulmonary emphysema, pleuritis, vomiting, dyspnoea, flatulence, hernia, jaundice, congestion of the eyes, opacity of the cornea.

Point 20-KI (German:NI20, French:R20, Lavier:S20): Yin Tung Ku

Pulmonary emphysema, dyspnoea, vomiting, bad digestion, dilatation of the stomach, chronic gastritis, paralysis of the hyoid muscles, asthenia, atonia of the risorius muscle, congestion of the eyes.

Point 21-KI (German:NI21, French:R21, Lavier:S21): Yu Men

Swelling of the epigastrium, painful swallowing, vomiting, intercostal neuralgia, bronchitis, affections of the liver, morning sickness, vomiting when pregnant.

Point 22-KI (German:NI22, French:R22, Lavier:S22): Pu Lang

Intercostal neuralgia, pleuritis, bronchitis, stopped nose, vomiting, weakening of the olfactory sense, anorexia, spasm of the rectus of the abdomen.

Point 23-KI (German:NI23, French:R23, Lavier:S23): Shen Feng

Intercostal neuralgia, pleuritis, bronchitis, stopped nose, weakening of the olfactory sense, vomiting, anorexia, spasm of the rectus of the abdomen, breast tumour.

Point 24-KI (German:NI24, French:R24, Lavier:S24): Ling Ch'ü

The same as for 23-KI.

Point 25-KI (German:NI25, French:R25, Lavier:S25): Shen Ts'ang

Pulmonary congestion, bronchitis, intercostal neuralgia, pleuritis, dyspnoea, anorexia, vomiting, apnoea.

Point 26-KI (German:NI26, French:R26, Lavier:S26): Huo Chung

Pulmonary congestion, bronchitis, intercostal neuralgia, pleuritis, anorexia, vomiting, night sweats.

Point 27-KI (German:NI27, French:R27, Lavier:S27): Yii Fu

Pulmonary congestion, bronchitis, intercostal neuralgia, pleuritis, anorexia, apnoea.

Meridian: IISIN PAO L E CHING

Point 1-HC (German:PE1, French:CC1, Lavier:V1): Tien Ch'ili

Pericarditis, cerebral congestion, adenitis of the axilla, mammitis, insufficient milk.

Point 2-HC (German:PE2, French:CC2, Lavier:V2): Tien Ch'ian

Endocarditis, nervous anxiety with palpitations, intercostal neuralgia, swelling of the epigastrium, anorexia, vomiting, weakness of vision, pulmonary congestion, bronchitis.

Point 3-HC (German:PE3, French:CC3, Lavier:V3): Chii Chih

Myocarditis, bronchitis, neuralgia of the superior member, sterility in the female.

Point 4-HC (German:PE4, French:CC4, Lavier:V4): Ch'i Men

Myocarditis, haematemesis, epistaxis, persistent cough, psychopathy.

Point 5-HC (German:PE5, French:CC5, Lavier:V5): Chien Shih

Cardiac inflammation, pharyngitis, gastritis, apoplexy, neurasthenia, dysmenorrhoea, uterine congestion, metritis, ulcerations in fearful children, night terrors.

Point 6-HC (German:PE6, French:CC6, Lavier:V6): Nei Kuan

Myocarditis, endo- and pericarditis, jaundice, ocular haemorrhage, neuralgia of the neck, neuralgia of the epigastrium.

Point 7-HC (German:PE7, French:CC7, Lavier:V7): Ta Ling

Myocarditis, endo- and pericarditis, intercostal neuralgia, adenitis of the axilla, haemorrhage of the stomach, insomnia, tonsillitis, headache, fever, dermatosis.

Point 8-HC (German:PE8, French:CC8, Lavier:V8): Lao Kung

Congestion of the carotid arteries, arteriosclerosis, stomatitis, epistaxis, gingivitis, necrosis in children.

Point 9-HC (German:PE9, French:CC9, Lavier:V9): Chung Heng

Myocarditis, cerebral congestion, fever without sweating.

Meridian: SAN CHIAO CHING

Vomiting with empty stomach, headaches, anorexia, neuralgia of the neck, neuralgia of the forearm, opacity of the cornea.

Point 2-TH (German:3H2, French:TR2, Lavier:P2): Yeh Men

Headaches due to anaemia, vertigo, deafness, bourdonnement, gingivitis, opacity of the cornea, spasm or paralysis of the elbow, spasm or paralysis of the forearm, dementia.

Point 3-TH (German:3H3, French:TR3, Lavier:P3): Chung Chu

Vertigo, headaches, deafness, swelling or ulceration of the pharynx, opacity of the cornea, neuralgia of the arm, arthritis of the elbow and wrist with incapacity to flex the fingers.

Point 4-TH (German:3H4, French:TR4, Lavier:P4): Yang Ch'ih

Intermittent fevers, diabetes, arthritis of the wrist, common cold, arthritis deformans, spasm or paralysis of the anterior surface of the superior member.

Point 5-TH (German:3H5, French:TR5, Lavier:P5): Wai Kuan

Deafness, neuralgia of the elbow, arthritis of the superior member, toothache, ocular affections.

Point 6-TH (German:3H6, French:TR6, Lavier:P6): Chili Kou

Pleuritis, myocarditis, fever after a chilling, intercostal neuralgia, neuralgia of the arms, acute spasm of the hyoid muscles, vomiting, chronic constipation, vertigo after accouchement, broncho-pneumonia.

Point 7-TH (German:3H7, French:TR7, Lavier:P7): Hui Tsung

Paralysis of the auditory system, pain of the cutis, spasm or atonia of the anterior surface of the arm.

Point 8-TH (German:3H8, French:TR8, Lavier:P8): San Yang Lê

Deafness, neuralgia of the lower teeth, intestinal parasites, ocular affections, neuralgia, spasm or atonia of the anterior surface of the arm.

Point 9-TH (German:3H9, French:TR9, Lavier:P9): Ssü Tu

Pharyngitis, nephritis, neuralgia or paralysis of the anterior surface of the arm, deafness, pain in the lower teeth.

Point 10-TH (German:3H10, French:TR10, Lavier:P10): T'ien Ching

Bronchitis, pharyngitis, dementia, neurasthenia, deafness, blepharitis, neuralgia of the nape of the neck, neuralgia at the region of the lumbar vertebrae, apoplexy, cough, tonsillitis.

Point 11-TH (German:3H11, French:TR11, Lavier:P11): Ch'ing Lêng Yuan

Spasm or paralysis of the shoulder and the anterior surface of the arm.

Point 12-TH (German:3H12, French:TR12, Lavier:P12): Hsiao Lê

Headaches, occipital neuralgia, cervical adenitis, paralysis of the neck, spasm of the scapula, epilepsy, articular arthritis deformans.

Point 13-TH (German:3H13, French:TR13, Lavier:P13): Nao Hui

Spasm and paralysis of the scapula and the arm, inflammation at the nape of the neck.

Point 14-TH (German:3H14, French:TR14, Lavier:P14): Chien Liao

Paralysis and spasm of the muscles of the scapula, neuralgia of the arm, pleuritis.

Point 15-TH (German:3H15, French:TR15, Lavier:P15): Tien Liao

Spasm of the nape of the neck and of the neck proper, pain in the scapula, impossibility of raising the arm.

Point 16-TH (German:3H16, French:TR16, Lavier:P16): Tien Yu

Spasm of the nape of the neck and the neck proper, bourdonnements, congestion of the eyes, oedema of the face, deafness.

Point 17-TH (German:3H17, French:TR17, Lavier:P17): 1 Fêng

Parotitis, deafness, bourdonnements, facial paralysis, inflammation of the mandibula, paralysis of the risorius, muteness.

Point 18-TH (German:3H18, French:TR18, Lavier:P18): Chi Mei

Headaches, bourdonnements, cowardice in children, vomiting, diarrhoea, cerebral congestion.

Point 19-TH (German:3H19, French:TR19, Lavier:P19): Lu Hsi

Bourdonnements, headaches, epilepsy, dyspnoea, cerebral congestion. This point is of special value in the case of vomiting in children.

Point 20-TH (German:3H20, French:TR20, Lavier:P20): Chiao Sun

Opacity of the cornea, gingivitis, contracture of the lips, stomatitis, exophthalmia, difficulties in mastication, vomiting.

Point 21-TH (German:3H21, French:TR21, Lavier:P21): Erh Men

Deafness, bourdonnements, furuncle or ulceration of the ear, otitis media, pain in the upper teeth, violent contracture of the lips.

Point 22-TH (German:3H22, French:TR22, Lavier:P22): Ho Liao

Headaches, spasm or paralysis of the face, submaxillary adenitis, cervical adenitis, rhinitis, nasal polyps, inflammation of the external auditory channel.

Point 23-TH (German:3H23, French:TR23, Lavier:P23): Ssü Chu K'ung

Congestion of the eyes, opacity of the cornea, headaches, vertigo, facial paralysis, fear in children, cowardice in children.

Meridian: TAN CHING

Point 1-GB (German:GB1, French:B1, Lavier:B1): T'ung Tsü Liao

Keratitis, retinitis, congestion of the eyes, hemeralopia, trigeminal neuralgia, spasm or paralysis of the face, weakness of vision, migraine.

Point 2-GB (German:GB2, French:B2, Lavier:B2): T'ing Hui

Inflammation of the external auditory channel, deafness, bourdonnements, facial paralysis, pain in the temporomandibular articulation, trismus, toothache, hemiplegia.

Point 3-GB (German:GB3, French:B3, Lavier:B3): Ko Chu Jen

Migraine, vertigo, deafness, bourdonnements, facial paralysis, apoplexy, glaucoma, dental neuralgia, spasm of the angle of the mouth.

Point 4-GB (German:GB4, French:B4, Lavier:B4): Han Yen

Headaches, vertigo, bourdonnements, convulsions in infants, facial paralysis, pituita, toothache.

Point 5-GB (German:GB5, French:B5, Lavier:B5): Hsüan Lu

Cerebral weakness, cerebral congestion, congestion of the face, migraine, toothache, pituita.

Point 6-GB (German:GB6, French:B6, Lavier:B6): Hsüan Li

Cerebral weakness, migraine, oedema of the face, pituita, toothache, fever without sweating.

Point 7-GB (German:GB7, French:B7, Lavier:B7): Ch'ii Pin

Cranial neuralgia, neuralgia of the neck or of the temple caused by alcohol, neuralgia of the mandible, ocular affections.

Point 8-GB (German:GB8, French:B8, Lavier:B8): Shuai Ku

Pain at the cranial vertex, occipital-cervical spasms, migraine, vomiting, cough, drunkenness, acute thirst.

Point 9-GB (German:GB9, French:B9, Lavier:B9): T'ien Ch'ung

Epilepsy, headaches, gingivitis, violent contractures.

Point 10-GB (German:GB10, French:B10, Lavier:B10): Fou Pai

Deafness, bourdonnements, toothache, chronic cough, apnoea, quadriplegia, spasm of the nape of the neck, tonsillitis, tumour of the nape of the neck.

Point 11-GB (German:GB11, French:B11, Lavier:B11): (T'ou) Ch'iao Yin

Meningitis, cerebral congestion, trigeminal neuralgia, spasm in the four members, chronic cough, deafness, bourdonnements, cancer.

Point 12-GB (German:GB12, French:B12, Lavier:B12): Wan Ku (1)

Oedema of the face, atonia of the labial orbicularis, muteness, gingivitis, otitis media, tonsillitis, migraine, insomnia.

Point 13-GB (German:GB13, French:B13, Lavier:B13): Pen Shen

Epilepsy, cerebral congestion, vertigo, spasm of the nape of the neck.

Point 14-GB (German:GB14, French:B14, Lavier:B14): Yang Pai

Ocular affections, hemeralopia, trigeminal neuralgia, paralysis or spasm of the face, vomiting.

Point 15-GB (German:GB15, French:B15, Lavier:B15): (T'ou) Lin Ch'i

Opacity of the cornea, lacrymation, congestion at the external angle of the eye, epilepsy.

Point 16-GB (German:GB16, French:B16, Lavier:B16): M u Ch'uang

Congestion of the eyes, vertigo, weakness of vision, oedema of the face, headaches, abscess, fever after a chilling.

Point 17-GB (German:GB17, French:B17, Lavier:B17): Cheng Ying

Vertigo, headaches, toothache, weakness of vision.

Point 18-GB (German:GB18, French:B18, Lavier:B18): Ch'eng Ling

Epistaxis, dyspnoea, fever, common cold.

Point 19-GB (German:GB19, French:B19, Lavier:B19): Nao K'nnng

Epistaxis, dyspnoea, headaches, common cold, fever, spasm of the shoulder, spasm of the neck, nervous anxiety with palpitations.

Point 20-GB (German:GB20, French:B20, Lavier:B20): Feng Ch'i h

All cerebral affections, all ocular affections, all affections of the nose and of the ears, hemiplegia, cerebral hemiplegia, cerebral weakness.

Point 21-GB (German:GB21, French:B21, Lavier:B21): Chien Ching

Pain at the back of the shoulder, spinal paralysis, spasm or atonia of the nape of the neck, torticollis, hemiplegia, cerebral weakness, cerebral congestion, cerebral anaemia, postpartum metrorrhagia, vertigo, sensation of cold in the lower members, sensation of cold after accouchement.

Point 22-GB (German:GB22, French:B22, Lavier:B22): Yüan I

Pleuritis, intercostal neuralgia, spasm in the breast, fever after a chilling.

Point 23-GB (German:GB23, French:B23, Lavier:B23): Chih Chin

Vomiting, pain while swallowing, nervous depression, hypersalivation, difficulties in speech, inflammation of the lower abdomen, spasms in the members.

Point 24-GB (German:GB24, French:B24, Lavier:B24): Jih Yiieh

All affections of the stomach, all affections of the liver, jaundice, spasm of the diaphragm, hernia, swelling of the abdomen.

Point 25-GB (German:GB25, French:B25, Lavier:B25): Ching Men

Nephritis, colics, vomiting, flatulence, intercostal neuralgia, neuralgia of the scapula, pains in the lumbar region, hypertension.

Point 26-GB (German:GB26, French:B26, Lavier:B26): Tai Mei

Dysmenorrhoea, neuralgia of the uterus, metritis, pains in the lumbar muscles.

Point 27-GB (German:GB27, French:B27, Lavier:B27): Wu Ch'u

All urinary affections, spasm of the stomach, hernia, neuralgia of the back, neuralgia of the scapula, neuralgia of the loins, orchitis, neuralgia of the uterus, metritis, constipation.

Point 28-GB (German:GB28, French:B28, Lavier:B28): Wei Tao

Inflammation of the caecum, nephritis, orchitis, vomiting, anorexia, uterine affections, colitis, abdominal dropsy.

Point 29-GB (German:GB29, French:B29, Lavier:B29): Chü Liao (I)

Pain in the lumbar region, spasm of the lower abdomen, orchitis, nephritis, inflammation of the caecum, dysmenorrhoea, metritis, leucorrhoea, cystitis.

Point 30-GB (German:GB30, French:B30, Lavier:B30): Huan T'iao

Fleinipiegia, pains or adenitis in the lumbar area, pain or adenitis of the thigh or of the knee, sciatica, weakness of the legs, common cold.

Point 31-GB (German:GB31, French:B31, Lavier:B31): Fêng Shih

Paralysis or spasm of the inferior members, weakness of the limbs.

Point 32-GB (German:GB32, French:B32, Lavier:B32): Chung Tu

Weakness in the legs, hemiplegia. This point is of special value in treating paralysis or spasms of the inferior member.

Point 33-GB (German:GB33, French:B33, Lavier:B33): Yang Kuan

Arthritis of the knee, paralysis of the external muscles of the thigh, hemiplegia, arthritis deformans. This point is of special value in the treatment of sciatica when accompanied by weakness of the limbs.

Point 34-GB (German:GB34, French:B34, Lavier:B34): Yang Ling Ch'ian

Arthritis of the knee, hemiplegia, weakness of the limbs, arteriosclerosis, oedema of the face, chronic constipation, sciatica. This is a special point for all spasms of the inferior members.

Point 35-GB (German:GB35, French:B35, Lavier:B35): Yang Chiao

Dyspnoea, pleuritis, weakness of the limbs, sciatica, oedema of the face. This point is special for neuralgia or paralysis of the tibial area.

Point 36-GB (German:GB36, French:B36, Lavier:B36): Wai Ch'iu

Spasm of the ankle, neuralgia in the tibial area, weakness of the legs, pleuritis, pain at the nape of the neck, fever after chilling, venereal diseases in infants, epilepsy.

Point 37-GB (German:GB37, French:B37, Lavier:B37): Kuang Ming

Spasm or atrophy of the ankle, weakness in the limbs, psychopathy. This point is specially adapted to the treatment of neuralgia of the calf of the leg.

Point 38-GB (German:GB38, French:B38, Lavier:B38): Yang Fu

Pain in the lumbar region, arthritis of the knee, general pain throughout the whole body, pain at the internal and external canthi of the eye, tonsillitis, adenitis of the axilla, scrofula.

Point 39-GB (German:GB39, French:B39, Lavier:B39): Hsian Chung

Neuralgia of the inferior member, hemiplegia, weakness of the limbs, tonsillitis, nephritis, epistaxis, acute pituita, pain at the nape of the neck, apoplexy, arteriosclerosis.

Point 40-GB (German:GB40, French:B40, Lavier:B40): Ch'iu Ch'ii

Spasm of the calf of the leg, sciatica, weakness of the limbs, pulmonary congestion, pleuritis, apnoea, hernia, pain and swelling of the axilla, keratitis, opacity of the

cornea.

Point 41-GB (German:GB41, French:B41, Lavier:B41): (Tsu) Lin Ch'i

Intermittent fevers, paralysis or pain of the whole body, endocarditis, vertigo, apnoea, dysmenorrhoea, mammitis, chills, scrofula.

Point 42-GB (German:GB42, French:B42, Lavier:B42): Ti Wu Hui

Neuralgia of the axilla, mammitis, arthritis deformans, neuralgia of the dorsal surface of the foot.

Point 43-GB (German:GB43, French:B43, Lavier:B43): FIsieh Ch'i

Deafness, vertigo, cerebral congestion, paralysis of the inferior member, intercostal neuralgia, pulmonary congestion, expectoration of blood, inflammation of the external corner of the eye, mammitis.

Point 44-GB (German:GB44, French:B44, Lavier:B44): (Tsu) Ch'iao Yin

Pleuritis, dilatation of the heart, chronic cough, headaches, dryness in the mouth, deafness, ocular pains, cerebral anaemia, expectoration of blood, tumour of the breast.

Meridian: KAN CHING

Swelling and chills of the stomach, hernia, neuralgia of the lumbar area, constipation, incontinence of urine, pain in the penis, blennorrhagia, diabetes, overabundant menses, neuralgia of the uterus.

Point 3-LI (German:LE3, French:F3, Lavier:H3): T'ai Ch'ung

Neuralgia of the breast, lumbar neuralgia, spasm of the lower abdomen, blennorrhagia, metrorrhagia.

Point 4-LI (German:LE4, French:F4, Lavier:H4): Chung Feng

Cystitis, blennorrhagia, jaundice, anorexia, total paralysis, sensation of cold in the inferior members.

Point 5-LI (German:LE5, French:F5, Lavier:H5): L i Kou

Point 6-LI (German:LE6, French:F6, Lavier:H6): (Chiieh Yin) Chung Tu
Arthritis of the knee, pharyngitis, paralysis or neuralgia of the inferior member.

Point 7-LI (German:LE7, French:F7, Lavier:H7): Hsi Kuan
Pain in the knee, pain in the inferior member.

Point 8-LI (German:LE8, French:F8, Lavier:H8): Ch'ii Ch'ian
Colic, neuralgia or spasm of the internal surface of the thigh, spasms of the breast, spasm of the abdomen, neuralgia of the four members, anuria, vulvar pruritis, pain and swelling of the vulva, prolapsus uteri.

Point 9-LI (German:LE9, French:F9, Lavier:H9): Yin Pao
Spasm of the loins and buttocks, spasm of the inferior member, anuria, dysmenorrhoea.

Point 10-LI (German:LE10, French:F10, Lavier:H10): (Yin) Wu Li
Pleurisy, weakness after a chilling, anuria. This is a special point to cause the patient to sweat, or to sleep.

Point 11-LI (German:LE11, French:F11, Lavier:H11): Yin Lien
Pain at the adduction of the thigh, leucorrhoea, vulvar pruritus.

Point 12-LI (German:LE12, French:F12, Lavier:H12): Ch'i Mei
Scrotal hernia.

Point 13-LI (German:LE13, French:F13, Lavier:H13): Chang Men
Flatulence, bad digestion, pain in the stomach and the breast, peritonitis, jaundice, hypertension.

Point 14-LI (German:LE14, French:F14, Lavier:H14): Ch'i Men
Pleuritis, nephritis, cough, dyspnoea, vomiting after eating, peritonitis, hypertension.

Meridian: JEN MEI

Point 1-VC (German:VC1, French:VC1, Lavier:F1): Hui Yin

Sweating at the genital area, blennorrhagia, anuria, constipation, dysmenorrhoea, haemorrhoids. This point is especially valuable in the resuscitation of drowned persons.

Point 2-VC (German:VC2, French:VC2, Lavier:F2): Ch'ii Ku

Organic weakness, spermatorrhoea, spasm of the lower abdomen, cystitis, blennorrhagia, anuria, metritis, abscess at the neck of the uterus, metrorrhagia, uterus does not return to normal dimensions after accouchement.

Point 3-VC (German:VC3, French:VC3, Lavier:F3): Chung Chi

Spermatorrhoea, blennorrhagia, nephritis, peritonitis, oedema, paralysis of the bladder, sterility in the female with normal uterus, postpartum neuralgia of the uterus, placental retention, dysmenorrhoea.

Point 4-VC (German:VC4, French:VC4, Lavier:F4): Kuan Yuan

Bad digestion, chronic colitis, intestinal haemorrhage, spasm in the lower abdomen, oedema, nephritis, orchitis, spermatorrhoea, albuminuria, chronic affections of the uterus in married women.

Point 5-VC (German:VC5, French:VC5, Lavier:F5): Shih Men

Chronic enterocolitis, bad digestion, haematemesis, inflammation of the caecum. This is a special point for affections of the genito-urinary organs.

Point 6-VC (German:VC6, French:VC6, Lavier:F6): Ch'i Hai

Point 7-VC (German:VC7, French:VC7, Lavier:F7): Yi n Chiao

Ureteritis, metritis, dysmenorrhoea, postpartum collapse or vertigo, continual red mucous discharge from vagina, weakness of the fontanel, neuralgia of the scrotum, spermatorrhoea. This point is specially adapted to affections of the genitals.

Point 8-VC (German:VC8, French:VC8, Lavier:F8): Shen Ch'ieh

Cerebral haemorrhage, chronic enterocolitis, diarrhoea, oedema, swelling of the abdomen, flatulence, sudden rectal prolapse.

Point 9-VC (German:VC9, French:VC9, Lavier:F9): Shui Fen

Oedema, abdominal swelling, spasm of the stomach, hernia, flatulence, chronic enterocolitis, atonia, sluggishness of the stomach, anorexia, spasm of the flank and back, weakness of the fontanel. This point is specially adapted for oedemas.

Point 10-VC (German:VC10, French:VC10, Lavier:F10): Hsia Kuan (1)

Dilatation of the stomach, spasm of the stomach, bad digestion, chronic gastritis, enterocolitis, vomiting, haematuria.

Point 11-VC (German:VC11, French:VC11, Lavier:F11): Chien Li

Oedema, peritonitis, vomiting, bad digestion.

Point 12-VC (German:VC12, French:VC12, Lavier:F12): Chung Kuan

All affections of the stomach, acute or chronic gastritis, dilatation of the stomach, spasm of the stomach, haemorrhage of the stomach, anorexia, bad digestion. This point is equally indicated for cholera and uterine affections.

Point 13-VC (German:VC13, French:VC13, Lavier:F13): Shang Kuan

All affections of the stomach as in the preceding point as well as chronic enterocolitis, peritonitis, hernia, bronchitis, pleuritis, nephritis.

Point 14-VC (German:VC14, French:VC14, Lavier:F14): Chü Ch'ieh

Pericarditis, bronchitis, spasm of the diaphragm, spasm of the stomach, spasm of the rectus of the abdomen, vomiting, anorexia, swelling of the abdomen, pleuritis, psychopathy, nervous anxiety with palpitations.

Point 15-VC (German:VC15, French:VC15, Lavier:F15): Chiu Wei

Maladies of the heart, bronchitis, chronic gastritis, cerebral weakness, neuropathy, dyspnoea, tonsillitis, pharyngitis, pulmonary emphysema, intercostal neuralgia, epigastric neuralgia.

Point 16-VC (German:VC16, French:VC16, Lavier:F16): Chung Ting

Pulmonary congestion, dyspnoea, tonsillitis, stricture of the oesophagus, vomiting of milk in the case of infants, vomiting in general.

Point 17-VC (German:VC17, French:VC17, Lavier:F17): Iisien Chung

Intercostal neuralgia, stricture of the oesophagus, cough, bronchitis, mammitis, vomiting of milk in the case of infants, anxiety with palpitations.

Point 18-VC (German:VC18, French:VC18, Lavier:F18): Yü" Tang

Pleuritis, dyspnoea, vomiting, vomiting of milk in the case of infants, bronchitis.

Point 19-VC (German:VC19, French:VC19, Lavier:F19): Tz'u Kung

Pleuritis, stricture of the oesophagus, pulmonary congestion, pulmonary tuberculosis, bronchitis, haemorrhage of the stomach.

Point 20-VC (German:VC20, French:VC20, Lavier:F20): Hua Kai

Dyspnoea, bronchitis, pleuritis, pulmonary congestion, tonsillitis, pharyngitis, spasm of the glottis.

Point 21-VC (German:VC21, French:VC21, Lavier:F21): Hsian Chi

Intercostal neuralgia, pulmonary congestion, tonsillitis, dyspnoea, stricture of the oesophagus, spasm of the stomach.

Point 22-VC (German:VC22, French:VC22, Lavier:F22): Tien T'u

Congestion of the face, dyspnoea, spasm of the glottis, pharyngitis, tonsillitis, acute paralysis of the hyoid muscles, vomiting, spasms of the oesophagus.

Point 23-VC (German:VC23, French:VC23, Lavier:F23): Lien Ch'üan

Bronchitis, dyspnoea, pharyngitis, vomiting, swelling of the tongue, atonia of the muscles at the root of the tongue.

Point 24-VC (German:VC24, French:VC24, Lavier:F24): Ch'eng Chiang

Apoplexy, facial paralysis, oedema of the face, diabetes, dental neuralgia, epilepsy.

Meridian: TU MEI

Point 1-VG (German:VG1, French:VG1, Lavier:M1): Ch'ang Ch'iang

Haemorrhoids, chronic blennorrhagia, intestinal haemorrhage, diarrhoea, vomiting,

spermatorrhoea, lumbar neuralgia, epilepsy.

Point 2-VG (German:VG2, French:VG2, Lavier:M2): Yao Yii

Dorso-lumbar neuralgia with sensation of cold in the inferior members, stoppage of menstruation, infrequent urination, blennorrhagia, haemorrhoids.

Point 3-VG (German:VG3, French:VG3, Lavier:M3): Yang Kuan

Arthritis of the knee, neuralgia in region of the lumbar vertebrae, swelling of the lower abdomen, diarrhoea, enterocolitis.

Point 4-VG (German:VG4, French:VG4, Lavier:M4): Ming Men

Headache, acute infantile meningitis, hernia, pains in the lumbar area, haemorrhoids, leucorrhoea, bourdonnements, incontinence of urine, spermatorrhoea, insomnia.

Point 5-VG (German:VG5, French:VG5, Lavier:M5): Hsian Ch'u

Spasm of the back and flanks, acute enterocolitis, epigastric neuralgia, colic.

Point 6-VG (German:VG6, French:VG6, Lavier:M6): Chi Chung

Epilepsy, haemorrhoids, rectal prolapse, diarrhoea.

Point 7-VG (German:VG7, French:VG7, Lavier:M7): Chung Ch'u

NONE,.

Point 8-VG (German:VG8, French:VG8, Lavier:M8): Chin Shu

Epilepsy, dorso-lumbar neuralgia, violent spasm or contracture of the stomach, nervous depression.

Point 9-VG (German:VG9, French:VG9, Lavier:M9): Chili Yang

Dorso-lumbar neuralgia, sensation of cold in the epigastrium, jaundice, anorexia, borborygmus, peritonitis, intercostal neuralgia.

Point 10-VG (German:VG10, French:VG10, Lavier:M10): Ling T'ai

Asthma, bronchitis, pulmonary tuberculosis, chilling. This point is especially useful

to prevent the consequences of a chilling.

Point 11-VG (German:VG11, French:VG11, Lavier:M11): Shen Tao

All affections of the heart, headaches, cerebral weakness, inflammation of the mandible, intercostal neuralgia, chronic enterocolitis.

Point 12-VG (German:VG12, French:VG12, Lavier:M12): Shen Chu

Epilepsy, night fevers, cerebral weakness, weakness of the medulla, epistaxis, bronchitis, terror in children. This point is especially useful in the treatment of cerebral and medullary affections.

Point 13-VG (German:VG13, French:VG13, Lavier:M13): T'ao Tao

Spasm of the nape of the neck, spasm of the scapula, malaria, nervous depression.

Point 14-VG (German:VG14, French:VG14, Lavier:M14): Ta Ch'ui

Malaria, chilling, pulmonary emphysema, pulmonary tuberculosis, epistaxis, vomiting, jaundice, psychopathy, spasm of the nape of the neck, gingivitis.

Point 15-VG (German:VG15, French:VG15, Lavier:M15): Ya Men

Chronic headaches, paralysis of the throat, hoarse throat, pharyngitis, cerebral congestion, meningitis, epistaxis, myelitis.

Point 16-VG (German:VG16, French:VG16, Lavier:M16): Feng Fu

Headaches, neuralgia of the nape of the neck, epistaxis, pharyngitis, psychopathy, apoplexy, jaundice, fever after chilling.

Point 17-VG (German:VG17, French:VG17, Lavier:M17): Nao Hu

NONE.

Point 18-VG (German:VG18, French:VG18, Lavier:M18): Ch'iang Chien

Headaches, vertigo, vomiting, epilepsy in children, insomnia, nervous depression.

Point 19-VG (German:VG19, French:VG19, Lavier:M19): Hou Ting

Cerebral congestion, vertigo, migraine, spasm of the vertex, epilepsy.

Point 20-VG (German:VG20, French:VG20, Lavier:M20): Pai Hui

Headaches, vertigo, apoplexy, cerebral anaemia, epilepsy, nasal polyps, rectal prolapse, haemorrhoids.

Point 21-VG (German:VG21, French:VG21, Lavier:M21): Chien Ting

Headaches, vertigo, cerebral congestion, cerebral anaemia, congestion of the face, terror in children, nasal polyps.

Point 22-VG (German:VG22, French:VG22, Lavier:M22): Hsin Hui

Headaches, cerebral anaemia, vertigo, complexion of the face sallow or congested, epistaxis, excessive sleep.

Point 23-VG (German:VG23, French:VG23, Lavier:M23): Shang Hsing

Congestion of the face, frontal neuralgia, nasal polyps, ocular congestion, intermittent fever.

Point 24-VG (German:VG24, French:VG24, Lavier:M24): Shen Ting

Frontal neuralgia, vertigo, acute rhinitis, inflammation of the lacrimal glands, vomiting, anxiety with palpitations.

Point 25-VG (German:VG25, French:VG25, Lavier:M25): Su Liao

Nasal polyps, furuncle or ulceration of the nose, lacrymation, stopped nose, epistaxis.

Point 26-VG (German:VG26, French:VG26, Lavier:M26): Shui Kou

Diabetes, oedema, epilepsy, cerebral congestion, spasm or atonia of the muscles of the eye, spasm or atonia of the muscles of the mouth, reanimation (point of).

Point 27-VG (German:VG27, French:VG27, Lavier:M27): Yüeh T'uan

Epilepsy, jaundice, epistaxis, dryness of the tongue, contractures of the lips, gingivitis, abscess or ulceration of the mouth.

Point 28-VG (German:VG28, French:VG28, Lavier:M28): K'en Chiao

Nasal polyps, stopped nose, neuralgia of the nape of the neck, lacrymation, congestion or pruritus of the inner canthus of the eye, corneal opacity.

[THERAPEUTIC REPERTORY]

[The Use of Associated Points]

[Tr. note, J. Lavier: The use of certain points in association with other points is known to produce excellent results. Only a résumé of their action is given, because the principle involved is very complex and cannot be explained here. All points presented here after are used in association with each other, and the piqûres are made bilaterally.]

[Generic therapy]

stimulate the vitality, augments the defences of the organism, to be used during the course of a fever, to be used in the treatment of pulmonary tuberculosis, strengthen and reinforce generic therapeutic action:

English : 14-VG, 11-CO, 4-CO

Lavier : M14, E11, E4

lack of vitality and pain at the nape of the neck:

English : 20-GB, 16-VG.

Lavier : B20, M16.

lack of vitality and gastro-intestinal troubles:

English : 30-ST, 40-ST.

Lavier : D30, D40.

lack of vitality and pain and cold in the head:

English : 23-VG, 20-CO.

Lavier : M23, E20.

regulates sweating:

English : 4-CO, 7-KI

Lavier : E4, S7

all afflictions of the head, afflictions of the face:

English : 11-CO, 4-CO

Lavier : E11, E4

afflictions of the eyes, add:

English : 1-BL, 23-TH.

Lavier : U1, P23.

afflictions of the nose, add:

English : 20-CO, 19-CO.

Lavier : E20, E19.

bourdonnements, deafness, add:

English : 2-GB, 17-TH.

Lavier : B2, P17.

affections of the mouth, affections of speech, add:

English : 8-HC, 26-VG.

Lavier : V8, M26.

maladies of the throat, add:

English : 6-ST, 10-LU.

Lavier : D6, R10.

toothache, swelling of the gums, add:

English : 7-ST.

Lavier : D7.

spasm of the face, paralysis of the face, add:

English : 4-ST.

Lavier : D4.

affections of the upper part of the body, afflictions of the shoulders, afflictions of the arms, afflictions of the head, afflictions of the neck, inflammation of the throat, cough, pleurisy:

English : 15-CO, 11-CO

Lavier : E15, E11

affections of the lower part of the body:

English : 30-GB, 34-GB

Lavier : B30, B34

all afflictions caused by the elements of nature (the wind or humidity).

English : 11-CO, 54-BL, 39-ST, 8-CO

Lavier : E11, U54, D39, E8

according to the location of the affliction to be used singly or together, add:

English : 8-CO, 39-ST

Lavier : E8, D39

physiology of the internal organ liver, physiology of the internal organs kidneys,
physiology of the intestines, physiology of the internal organ stomach.

English : 11-CO, 34-GB

Lavier : E11, B34

external inflammations, ulcers, uterine disorders, ovarian disorders

English : 11-CO, 6-SP

Lavier : E11, L6

action upon the lower members, acts upon the stomach, acts upon the intestines

English : 6-SP, 36-ST

Lavier : L6, D36

calming action upon the nervous system.

English : 40-ST, 34-GB.

Lavier : D40, B34.

extreme nervous disorder, add :

English : 4-CO, 3-LI

Lavier : E4, H3

epilepsy, convulsions, add:

English : 20-VG, 7-HE.

Lavier : M20, C7.

nerves, constipation.

English : 40-ST, 34-GB

Lavier : D40, B34

all maladies of the lower abdomen, all maladies of the bladder, all maladies of the urinary tract, all maladies of the genitalia

English : 6-VC, 25-ST

Lavier : F6, D25

physiology of the intestines, physiology of the stomach, vomiting, diarrhoea:

English : 2-VC, 36-ST

Lavier : F2, D36

tonic for the gastro-intestinal system.

English : 4-CO, 36-ST

Lavier : E4, D36

stomach

English : 8-HC, 36-ST

Lavier : V8, D36

pleurisy

English : 14-VG, 6-HC

Lavier : M14, V6

Restores vitality in the case of weakness:

English : 6-HC, 6-SP

Lavier : V6, L6

cough, expectoration of blood, pulmonary tuberculosis, troubles which result from an excess of debauchery.

English : 10-LU, 3-KI

Lavier : R10, S3

pain in the nape of the neck, pain in the back, tonic for internal organs.

English : 10-BL, 11-BL

Lavier : U10, U11

genital system.

English : 6-VC, 4-VC, 3-VC, 19-VC

Lavier : F6, F4, F3, F19

child cough, child dyspnoea, child fever, child afflictions of the throat.

English : 4-CO, 11-LU, 1-CO

Lavier : E4, R11, E1

vomiting, diarrhoea.

[bleed the points]

English : 3-HC, 54-BL

Lavier : V3, U54

[THE MOST ACTIVE POINTS FOR A SPECIFIC ORGAN OR REGION]

Head:

English : 4-CO, 7-HE, 7-LU, 5-HC, 20-GB, 24-VG, 20-VG, 36-ST, 1-KI, 54-BL, 8-ST.

Lavier : E4, C7, R7, V5, B20, M24, M20, D36, S1, U54, D8.

Face:

English : 4-CO, 11-CO, 26-VG.

Lavier : E4, E11, M26.

Neck:

English : 7-LU, 4-CO, 13-VG, 17-TH.

Lavier : R7, E4, M13, P17.

Mouth:

English : 4-CO, 11-LU, 9-LU.

Lavier : E4, R11, R9.

Eye:

English : 11-CO, 4-CO, 8-ST, 1-BL, 2-BL, 23-TH, 4-VG, 1-GB, 18-BL.

Lavier : E11, E4, D8, U1, U2, P23, M4, B1, U18.

Ear:

English : 2-GB, 19-SI, 21-TH, 17-TH, 5-TH, 2-TH, 4-CO, 11-CO.

Lavier : B2, A19, P21, P17, P5, P2, E4, E11.

Nose:

English : 4-CO, 11-CO, 12-BL, 20-GB, 13-BL, 23-VG, 7-BL, 20-CO.

Lavier : E4, E11, U12, B20, U13, M23, U7, E20.

Throat:

English : 11-LU, 3-TH, 4-CO, 54-BL, 22-VC, 11-BL, 15-BL, 5-LU.

Lavier : R11, P3, E4, U54, F22, U11, U15, R5.

burning soreness, aphonia, add:

English : 22-VC, 6-KI.

Lavier : F22, S6.

mutism, add:

English : 4-CO, 5-HC.

Lavier : E4, V5.

Tongue:

English : 15-BL, 4-CO.

Lavier : U15, E4.

severe atonia, add:

English : 5-HE.

Lavier : C5.

Teeth:

English : 4-CO, 44-ST, 6-ST, 6-HC, 16-VG.

Lavier : E4, D44, D6, V6, M16.

Pharynx:

English : 15-BL, 4-CO, 3-TH, 11-LU, 54-BL, 6-HC, 9-LU.

Lavier : U15, E4, P3, R11, U54, V6, R9.

Tonsils:

English : 11-LU, 4-CO, 3-TH, 54-BL.

Lavier : R11, E4, P3, U54.

Oesophagus:

English : 4-CO, 6-HC, 9-LU, 22-VC, 12-VC, 17-BL.

Lavier : E4, V6, R9, F22, F12, U17.

Liver:

English : 14-LI, 12-VC, 14-VC, 13-LI, 18-BL, 17-BL, 19-BL, 20-BL.

Lavier : H14, F12, F14, H13, U18, U17, U19, U20.

Stomach:

English : 6-HC, 36-ST, 13-VC, 12-VC, 11-VC, 10-VC, 19-KI, 44-ST, 4-SP, 21-BL, 13-LI.

Lavier : V6, D36, F13, F12, F11, F10, S19, D44, L4, U21, H13.

Pancreas:

English : 6-HC, 36-ST, 12-VC, 10-VC, 18-BL, 15-BL, 19-BL, 20-BL, 17-BL.

Lavier : V6, D36, F12, F10, U18, U15, U19, U20, U17.

Gall-bladder:

English : 19-BL, 12-VC, 10-VC, 36-ST, 9-VG, 6-HC, 13-LI.

Lavier : U19, F12, F10, D36, M9, V6, H13.

Intestines:

English : 36-ST, 25-ST, 9-VC, 8-VC, 24-BL, 4-VC, 18-BL, 19-BL, 4-VG.

Lavier : D36, D25, F9, F8, U24, F4, U18, U19, M4.

Heart:

English : 12-BL, 15-BL, 11-VG, 6-HC, 14-VG, 5-HE, 7-HE, 5-HC, 14-VC, 4-HE.

Lavier : U12, U15, M11, V6, M14, C5, C7, V5, F14, C4.

Trachea:

English : 4-CO, 7-LU, 7-HC, 9-LU, 22-VC, 17-VC, 12-BL, 13-BL, 38-BL, 10-VG, 14-VG, 24-BL, 40-ST.

Lavier : E4, R7, V7, R9, F22, F17, U12, U13, U38, M10, M14, U24, D40.

Lungs:

English : 4-CO, 9-LU, 7-LU, 14-VG, 11-BL, 12-BL, 13-BL, 38-BL, 22-VC, 5-LU, 36-ST, 17-VC, 18-ST.

Lavier : E4, R9, R7, M14, U11, U12, U13, U38, F22, R5, D36, F17, D18.

Peritoneum:

English : 9-VC, 28-ST, 25-ST, 23-BL, 9-SP, 36-ST, 4-VC.

Lavier : F9, D28, D25, U23, L9, D36, F4.

Spleen:

English : 13-LI , 25-ST, 20-BL, 22-BL, 23-BL, 18-BL, 19-BL, 36-ST.

Lavier : H13 , D25, U20, U22, U23, U18, U19, D36.

Kidneys:

English : 6-SP, 9-SP, 36-ST.

Lavier : L6, L9, D36.

Ureter:

English : 23-BL, 6-SP, 9-SP.

Lavier : U23, L6, L9.

Bladder:

English : 22-BL, 23-BL, 24-BL, 4-VC, 6-SP, 9-SP, 31-BL, 32-BL, 33-BL, 34-BL.

Lavier : U22, U23, U24, F4, L6, L9, U31, U32, U33, U34.

Urethra:

English : 6-SP, 9-SP, 4-VC.

Lavier : L6, L9, F4.

Penis:

English : 29-ST, 30-ST, 6-SP, 9-SP, 1-LI, 4-VC.

Lavier : D29, D30, L6, L9, H1, F4.

Testicles:

English : 23-BL, 47-BL, 3-VC, 4-VC, 6-SP, 9-SP.

Lavier : U23, U47, F3, F4, L6, L9.

Vagina:

English : 3-VC, 2-VC, 6-SP, 10-SP, 9-SP.

Lavier : F3, F2, L6, L10, L9.

Uterus :

English : 23-BL, 25-BL, 22-BL, 4-VC, 3-VC, 6-VC, 9-SP, 6-SP, 10-SP, 2-SP, 1-SP, 1-KI.

Lavier : U23, U25, U22, F4, F3, F6, L9, L6, L10, L2, L1, S1.

Fallopian Tubes:

English : 6-VC, 4-VC, 3-VC, 6-SP, 9-SP, 29-ST.

Lavier : F6, F4, F3, L6, L9, D29.

Ovaries :

English : 23-BL, 29-ST, 1-LI 6-SP, 9-SP.

Lavier : U23, D29, H1 L6, L9.

Breasts :

English : 15-BL, 18-ST, 17-VC, 21-GB.

Lavier : U15, D18, F17, B21.

Back:

English : 54-BL, 3-TH, 14-VG.

Lavier : U54, P3, M14.

Chest:

English : 5-HC, 6-HC, 9-LU, 34-GB, 8-HE, 7-LU.

Lavier : V5, V6, R9, B34, C8, R7.

Abdomen:

English : 36-ST, 25-ST, 6-VC, 8-VC, 8-LI.

Lavier : D36, D25, F6, F8, H8.

Flanks;

English : 54-BL, 23-BL, 31-BL, 32-BL, 33-BL, 34-BL, 2-VG.

Lavier : U54, U23, U31, U32, U33, U34, M2.

Pubis:

English : 4-VC, 3-VC, 2-VC, 6-SP, 10-SP.

Lavier : F4, F3, F2, L6, L10.

Coccyx:

English : 1-VG, 57-BL, 4-VG, 2-VG, 31-BL, 32-BL, 33-BL, 34-BL, 35-BL.

Lavier : M1, U57, M4, M2, U31, U32, U33, U34, U35.

Hand:

English : 7-HC, 6-TH, 4-CO, 3-TH, 4-SI.

Lavier : V7, P6, E4, P3, A4.

Forearm:

English : 4-CO, 11-CO, 6-TH, 7-HC, 5-HC.

Lavier : E4, E11, P6, V7, V5.

Elbow :

English : 11-CO, 5-LU, 3-HC, 10-CO, 13-CO, 3-HE.

Lavier : E11, R5, V3, E10, E13, C3.

Arm:

English : 15-CO, 11-CO, 5-LU, 3-HE.

Lavier : E15, E11, R5, C3.

Shoulder:

English : 15-CO, 16-CO, 21-BL.

Lavier : E15, E16, U21.

Foot:

English : 3-KI, 60-BL, 3-LI, 44-ST.

Lavier : S3, U60, H3, D44.

Leg:

English : 57-BL, 6-SP, 54-BL, 34-GB.

Lavier : U57, L6, U54, B34.

Knee:

English : 54-BL, 34-GB, 9-SP, 33-ST.

Lavier : U54, B34, L9, D33.

Thigh:

English : 30-GB, 54-BL, 31-GB, 2-VG, 23-BL.

Lavier : B30, U54, B31, M2, U23.

[MALADIES OF THE ALIMENTARY TRACT]

Odontalgia:

English : 4-CO, 11-CO, 6-ST, 17-SI, 2-LI.

Lavier : E4, E11, D6, A17, H2.

due to pyorrhoea, add:

English : 8-ST, 17-CO, 17-TH, 7-GB, 20-GB.

Lavier : D8, E17, P17, B7, B20.

Stomatitis:

English : 12-GB, 20-GB, 10-BL, 21-GB, 15-SI, 11-CO, 14-VG, 12-VG, 6-ST, 4-ST, 10-CO, 4-CO.

Lavier : B12, B20, U10, B21, A15, E11, M14, M12, D6, D4, E10, E4.

Pharyngitis:

English : 20-GB, 10-BL, 21-GB, 14-VG, 12-VG, 14-SI, 11-CO, 4-CO, 17-BL, 18-BL.

Lavier : B20, U10, B21, M14, M12, A14, E11, E4, U17, U18.

Tonsillitis:

English : 20-GB, 10-BL, 9-ST, 17-CO, 16-SI, 6-ST, 11-BL, 12-BL, 14-SI, 21-GB, 4-CO, 11-CO, 17-TH, 3-TH, 1-TH, 3-CO, 11-LU, 15-SI.

Lavier : B20, U10, D9, E17, A16, D6, U11, U12, A14, B21, E4, E11, P17, P3, P1, E3, R11, A15.

Parotiditis:

English : 6-ST, 4-CO, 5-ST, 17-TH, 20-GB, 36-ST, 8-ST, 7-ST, 12-GB, 11-BL, 13-SI.

Lavier : D6, E4, D5, P17, B20, D36, D8, D7, B12, U11, A13.

Pyrosis :

English : 20-GB, 10-BL, 14-SI, 4-CO, 11-CO, 15-SI, 12-VG, 13-BL, 15-BL, 17-BL, 1-HC, 14-LI, 24-GB, 10-CO, 22-VC, 15-VC.

Lavier : B20, U10, A14, E4, E11, A15, M12, U13, U15, U17, V1, H14, B24, E10, F22, F15.

Spasm of the Oesophagus:

English : 10-BL, 20-GB, 15-SI, 21-GB, 15-TH, 18-BL, 19-BL, 20-BL, 22-BL, 23-BL, 15-VC, 22-VC, 10-CO, 4-CO, 11-CO, 5-SP.

Lavier : U10, B20, A15, B21, P15, U18, U19, U20, U22, U23, F15, F22, E10, E4, E11, L5.

Gastritis:

English : 19-BL, 18-BL, 20-BL, 21-BL, 22-BL, 26-BL, 13-VC, 12-VC, 10-VC, 14-VC, 19-ST, 6-HC, 36-ST.

Lavier : U19, U18, U20, U21, U22, U26, F13, F12, F10, F14, D19, V6, D36.

Stomach Ulcers:

English : 18-BL, 19-BL, 20-BL, 17-BL, 22-BL, 25-BL, 23-BL, 13-VC, 13-LI , 14-VC, 12-VC, 10-VC, 36-ST, 38-ST, 6-HC, 5-LU, 6-TH, 7-HE, 1-SP.

Lavier : U18, U19, U20, U17, U22, U25, U23, F13, H13 , F14, F12, F10, D36, D38, V6, R5, P6, C7, L1.

Stomach Cancer:

English : 18-BL, 21-BL, 23-BL, 22-BL, 25-BL, 6-HC, 36-ST, 15-VC, 2-LI, 12-VC.

Lavier : U18, U21, U23, U22, U25, V6, D36, F15, H2, F12.

Dilatation of the Stomach:

English : 18-BL, 19-BL, 20-BL, 21-BL, 66-BL, 13-LI, 25-GB, 21-KI, 14-VC, 20-ST, 19-ST, 36-ST.

Lavier : U18, U19, U20, U21, U66, H13, B25, S21, F14, D20, D19, D36.

constipation, add:

English : 14-SP, 15-SP, 25-BL, 27-BL, 25-ST.

Lavier : L14, L15, U25, U27, D25.

Neuralgia of the epigastrium:

English : 12-VC, 13-VC, 36-ST, 18-BL, 19-BL, 20-BL, 21-BL, 24-BL, 25-BL, 23-BL, 27-BL, 14-VC, 13-LI, 1-LI, 45-ST, 11-GB.

Lavier : F12, F13, D36, U18, U19, U20, U21, U24, U25, U23, U27, F14, H13, H1, D45, B11.

Vomiting through nervousness:

English : 10-BL, 20-GB, 22-BL, 23-BL, 25-BL, 36-ST, 37-ST, 45-ST, 4-CO, 44-ST, 5-HC, 6-SP.

Lavier : U10, B20, U22, U23, U25, D36, D37, D45, E4, D44, V5, L6.

Nausea, without vomiting:

[Pique:]

English : 9-LU, 7-HC, 19-BL, 5-LU.

Lavier : R9, V7, U19, R5.

[To be followed by cauterizations of:]

English : 5-HC, 1-SP, 13-LI, 18-ST.

Lavier : V5, L1, H13, D18.

Hyperchlorhydria:

English : 20-GB, 11-BL, 36-ST.

Lavier : B20, U11, D36.

accompanied by constipation:

English : 25-BL, 14-SP, 17-BL.

Lavier : U25, L14, U17.

Hypochlorhydria:

English : 18-BL, 19-BL, 20-BL, 21-BL, 22-BL, 14-VC, 13-VC, 12-VC, 36-ST, 6-TH.
Lavier : U18, U19, U20, U21, U22, F14, F13, F12, D36, P6.

Indigestion of nervous origin:

English : 10-BL, 20-GB, 18-BL, 19-BL, 20-BL, 21-BL, 13-VC, 12-VC, 10-VC, 13-LI, 25-GB, 10-CO, 36-ST, 2-LI.

Lavier : U10, B20, U18, U19, U20, U21, F13, F12, F10, H13, B25, E10, D36, H2.

Acute Enterocolitis:

[Pique:]

English : 4-VG, 21-BL, 22-BL, 23-BL, 24-BL, 25-BL, 26-BL, 25-ST, 15-SP, 14-KI, 26-GB, 36-ST, 6-SP.

Lavier : M4, U21, U22, U23, U24, U25, U26, D25, L15, S14, B26, D36, L6.

[To be followed by cauterization of:]

English : 4-VC.

Lavier : F4.

Chronic Enterocolitis:

[Cauterization is contraindicated]:

English : 36-ST, 25-ST, 37-ST, 4-VC, 2-LI, 26-ST.

Lavier : D36, D25, D37, F4, H2, D26.

Acute appendicitis:

English : 36-ST, 16-KI, 13-SP, 26-GB, 27-GB, 28-GB, 29-GB, 12-SP, 24-BL, 25-BL.

Lavier : D36, S16, L13, B26, B27, B28, B29, L12, U24, U25.

Intestinal tuberculosis:

[When the needles do not give results, cauterize]

English : 23-BL, 25-BL, 27-BL, 6-SP, 38-BL, 17-BL, 13-BL, 1-VG, 4-VG.

Lavier : U23, U25, U27, L6, U38, U17, U13, M1, M4.

Intestinal occlusion:

English : 25-BL, 27-BL, 12-VC, 36-ST.

Lavier : U25, U27, F12, D36.

Haemorrhoids:

English : 23-BL, 24-BL, 25-BL, 27-BL, 4-VG, 1-VG, 20-VG, 49-BL, 50-BL, 6-SP, 57-BL, 60-BL, 35-BL.

Lavier : U23, U24, U25, U27, M4, M1, M20, U49, U50, L6, U57, U60, U35.

[Cauterize heavily and often]

English : 1-VG.

Lavier : M1.

[Pique several times]

English : 6-SP, 60-BL.

Lavier : L6, U60.

Rectal prolapse:

English : 20-GB, 22-BL, 23-BL, 25-BL, 31-BL, 32-BL, 33-BL, 34-BL, 25-ST, 26-ST, 15-KI, 1-VG, 36-ST, 1-KI, 2-VG.

Lavier : B20, U22, U23, U25, U31, U32, U33, U34, D25, D26, S15, M1, D36, S1, M2.

Hernia, Colic:

English : 22-BL, 24-BL, 25-BL, 26-BL, 25-ST, 2-LI.

Lavier : U22, U24, U25, U26, D25, H2.

Constipation:

English : 27-BL, 23-BL, 24-BL, 25-BL, 25-ST, 23-ST, 26-ST, 4-VC, 6-SP, 36-ST, 6-TH, 57-BL.

Lavier : U27, U23, U24, U25, D25, D23, D26, F4, L6, D36, P6, U57.

Sclerosis of the Liver:

English : 23-BL, 25-BL, 28-BL, 31-BL, 32-BL, 33-BL, 34-BL, 21-BL, 36-ST, 4-VC, 14-VC, 14-LI, 8-LU, 13-BL.

Lavier : U23, U25, U28, U31, U32, U33, U34, U21, D36, F4, F14, H14, R8, U13.

Jaundice:

[Always regard the cause in making the choice of the points]

English : 10-BL, 20-GB, 15-SI, 21-GB, 14-SI, 18-BL, 19-BL, 20-BL, 44-BL, 21-BL, 22-BL, 23-BL, 24-BL, 25-BL, 21-KI, 14-VC, 36-ST, 15-VC, 4-CO, 12-VC, 44-ST, 54-BL, 9-VG.

Lavier : U10, B20, A15, B21, A14, U18, U19, U20, U44, U21, U22, U23, U24, U25, S21, F14, D36, F15, E4, F12, D44, U54, M9.

Biliary Calculi

English : 22-BL, 23-BL, 24-BL, 25-BL, 13-VC.

Lavier : U22, U23, U24, U25, F13.

[Add on the right side only]

English : 13-LI, 25-GB.

Lavier : H13, B25.

[End with]

English : 15-VC.

Lavier : F15.

Peritonitis:

English : 17-BL, 27-BL, 22-BL, 2-LI, 11-LI.

Lavier : U17, U27, U22, H2, H11.

[Otherwise following points are sometimes preferred]

English : 18-BL, 19-BL, 20-BL, 22-BL, 23-BL, 24-BL, 25-BL.

Lavier : U18, U19, U20, U22, U23, U24, U25.

Ascites:

English : 22-BL, 23-BL, 24-BL, 25-BL, 9-VC, 14-SP, 4-VC, 19-KI, 6-SP, 36-ST, 39-GB, 31-BL, 32-BL, 33-BL, 34-BL, 6-HC, 9-SP, 3-KI, 8-LI.

Lavier : U22, U23, U24, U25, F9, L14, F4, S19, L6, D36, B39, U31, U32, U33, U34, V6, L9, S3, H8.

[MALADIES OF THE RESPIRATORY SYSTEM]

Laryngitis:

English : 10-BL, 20-GB, 14-VG, 21-GB, 13-BL, 22-VC, 7-LU, 5-LU, 1-TH, 16-VG, 5-HC.

Lavier : U10, B20, M14, B21, U13, F22, R7, R5, P1, M16, V5.

Aphonia, Laryngeal paralysis:

English : 10-BL, 20-GB, 14-VG, 14-SI, 16-TH, 17-CO, 15-TH, 17-TH, 15-SI, 13-SI, 11-CO, 11-LU.

Lavier : U10, B20, M14, A14, P16, E17, P15, P17, A15, A13, E11, R11.

[Further Aphonia, Further Laryngeal paralysis]

English : 4-CO, 10-CO.

Lavier : E4, E10.

Tracheitis :

English : 12-GB, 10-BL, 20-GB, 12-VG, 11-BL, 12-BL, 13-BL, 17-BL, 19-BL, 3-HC, 4-CO, 22-VC.

Lavier : B12, U10, B20, M12, U11, U12, U13, U17, U19, V3, E4, F22.

Bronchitis:

English : 20-GB, 10-BL, 14-SI, 11-BL, 12-BL, 13-BL, 14-BL, 36-BL, 38-BL, 41-BL, 10-CO, 4-CO, 3-HE.

Lavier : B20, U10, A14, U11, U12, U13, U14, U36, U38, U41, E10, E4, C3.

[To stimulate the general condition add]

English : 17-BL, 18-BL, 14-VC, 36-ST, 11-CO.

Lavier : U17, U18, F14, D36, E11.

Asthma:

English : 10-BL, 20-GB, 13-ST, 14-SI, 11-BL, 12-BL, 13-BL, 14-BL, 15-BL, 36-BL, 38-BL, 4-CO.

Lavier : U10, B20, D13, A14, U11, U12, U13, U14, U15, U36, U38, E4.

[stimulate the general condition (prefer cauterizations)]

English : 17-BL, 21-BL, 22-BL, 25-BL.

Lavier : U17, U21, U22, U25.

Broncho-pneumonia:

English : 11-BL, 12-BL, 13-BL, 14-BL, 15-BL, 18-BL, 25-KI, 26-KI, 27-KI, 13-ST, 14-ST, 15-ST, 16-ST.

Lavier : U11, U12, U13, U14, U15, U18, S25, S26, S27, D13, D14, D15, D16.

Pulmonary tuberculosis:

English : 15-SI, 14-SI, 11-BL, 36-BL, 13-BL, 14-BL, 15-BL, 17-BL.

Lavier : A15, A14, U11, U36, U13, U14, U15, U17.

[Pulmonary tuberculosis upon the breast should be included:]

English : 13-ST, 27-KI, 14-ST.

Lavier : D13, S27, D14.

[Pulmonary tuberculosis augment vitality, Pulmonary tuberculosis augment assimilation, Pulmonary tuberculosis augment appetite:]

English : 18-BL, 19-BL, 20-BL, 21-BL, 22-BL, 23-BL, 24-BL.

Lavier : U18, U19, U20, U21, U22, U23, U24.

[reduce night sweating:]

English : 2-LI, 4-CO, 7-KI, 10-LU, 6-HC.

Lavier : H2, E4, S7, R10, V6.

[general tonic cauterize:]

English : 38-BL, 36-ST, 11-CO.

Lavier : U38, D36, E11.

Pulmonary emphysema:

English : 11-BL, 12-BL, 13-BL, 14-SI, 36-BL, 37-BL, 38-BL, 18-BL, 22-BL, 23-BL, 4-VG, 3-HE, 7-LU, 1-KI.

Lavier : U11, U12, U13, A14, U36, U37, U38, U18, U22, U23, M4, C3, R7, S1.

Afflictions of the pleura:

English : 11-BL, 12-BL, 13-BL, 14-BL, 15-BL, 17-BL, 37-BL, 38-BL, 39-BL, 3-HE, 36-ST, 6-SP, 6-TH, 34-GB, 3-LI, 13-LI, 14-LI.

Lavier : U11, U12, U13, U14, U15, U17, U37, U38, U39, C3, D36, L6, P6, B34, H3, H13, H14.

[MALADIES OF THE GENITO-URINARY SYSTEM]

Nephritis:

English : 22-BL, 23-BL, 24-BL, 25-BL, 27-BL, 28-BL, 31-BL, 32-BL, 33-BL, 34-BL, 25-ST, 14-SP, 6-SP, 4-VC, 7-VC, 3-KI, 8-LI, 9-SP.

Lavier : U22, U23, U24, U25, U27, U28, U31, U32, U33, U34, D25, L14, L6, F4, F7, S3, H8, L9.

Renal congestion;

English : 4-VG, 25-BL, 23-BL, 24-BL, 28-ST, 6-SP, 54-BL.

Lavier : M4, U25, U23, U24, D28, L6, U54.

Inflammation of the renal pelvis:

English : 23-BL, 4-VG, 24-BL, 25-BL, 49-ST, 25-ST, 14-SP, 36-ST, 6-SP.

Lavier : U23, M4, U24, U25, D49, D25, L14, D36, L6.

Spasm of the bladder:

English : 24-BL, 25-BL, 27-BL, 26-BL, 31-BL, 32-BL, 33-BL, 34-BL, 28-BL, 7-VG, 2-VC, 23-BL, 9-SP, 4-VG.

Lavier : U24, U25, U27, U26, U31, U32, U33, U34, U28, M7, F2, U23, L9, M4.

Renal calculi:

English : 22-BL, 23-BL, 24-BL, 46-BL, 47-BL, 25-BL, 27-BL, 26-BL, 6-SP, 34-GB, 3-KI, 36-ST.

Lavier : U22, U23, U24, U46, U47, U25, U27, U26, L6, B34, S3, D36.

Renal blockage:

English : 4-VG, 23-BL, 28-BL, 49-BL, 1-LI, 45-ST, 3-CO, 10-LU, 11-LU, 8-HE.

Lavier : M4, U23, U28, U49, H1, D45, E3, R10, R11, C8.

Cystitis (in the male):

English : 25-BL, 28-BL, 23-BL, 31-BL, 32-BL, 33-BL, 34-BL, 50-BL, 51-BL, 35-BL, 4-VC, 12-KI, 15-SP, 6-SP.

Lavier : U25, U28, U23, U31, U32, U33, U34, U50, U51, U35, F4, S12, L15, L6.

Vesical calculi:

English : 24-BL, 25-BL, 27-BL, 28-BL, 31-BL, 33-BL, 36-ST, 6-SP.

Lavier : U24, U25, U27, U28, U31, U33, D36, L6.

Orchitis, Flydrocele

English : 23-BL, 24-BL, 25-BL, 26-BL, 31-BL, 32-BL, 33-BL, 34-BL, 7-VG, 2-VC, 10-SP, 36-ST, 6-SP, 8-SP, 66-BL, 65-BL, 30-ST, 3-VC.

Lavier : U23, U24, U25, U26, U31, U32, U33, U34, M7, F2, L10, D36, L6, L8, U66, U65, D30, F3.

Flydrocele :

English : 8-LI, 4-LI, 5-SP, 1-LI.

Lavier : H8, H4, L5, H1.

Blennorrhagia:

English : 15-SP, 25-ST, 31-BL, 32-BL, 33-BL, 34-BL, 24-BL, 26-BL, 50-BL, 35-BL, 4-VC, 12-KI, 6-SP.

Lavier : L15, D25, U31, U32, U33, U34, U24, U26, U50, U35, F4, S12, L6.

Spermatorrhoea, Impotence:

English : 4-VC, 12-KI, 3-VC, 25-ST, 2-VC, 36-ST, 20-GB, 10-BL, 11-BL, 14-SI, 12-VG, 17-BL, 31-BL, 32-BL, 33-BL, 34-BL, 4-VG, 6-SP.

Lavier : F4, S12, F3, D25, F2, D36, B20, U10, U11, A14, M12, U17, U31, U32, U33, U34, M4, L6.

[MALADIES OF THE CIRCULATORY SYSTEM]

Acute endocarditis:

English : 13-BL, 17-BL, 15-SI, 14-SI, 14-VG, 11-VC, 12-VC, 6-HC, 44-ST, 3-KI, 4-LI, 7-HC, 1-SP, 9-HE, 7-HE.

Lavier : U13, U17, A15, A14, M14, F11, F12, V6, D44, S3, H4, V7, L1, C9, C7.

Chronic endocarditis:

English : 4-CO, 6-HC, 11-CO, 5-LU, 15-BL, 27-KI, 1-LU, 25-KI, 39-BL, 38-BL, 36-ST, 7-HE.

Lavier : E4, V6, E11, R5, U15, S27, R1, S25, U39, U38, D36, C7.

Pseudoangina:

English : 16-VG, 10-BL, 20-GB, 16-TH, 16-SI, 12-BL, 15-SI, 14-SI, 14-VG, 11-BL, 15-BL, 4-CO, 36-BL, 39-BL, 36-ST, 5-HC, 60-BL.

Lavier : M16, U10, B20, P16, A16, U12, A15, A14, M14, U11, U15, E4, U36, U39, D36, V5, U60.

Palpitations, frights and terrors:

English : 10-BL, 20-GB, 11-BL, 12-BL, 14-SI, 25-KI, 19-SP, 4-LU, 3-HE, 7-HE, 5-HC, 6-HC.

Lavier : U10, B20, U11, U12, A14, S25, L19, R4, C3, C7, V5, V6.

Paroxysmal tachycardia:

English : 10-BL, 20-GB, 11-BL, 12-BL, 14-SI, 25-KI, 19-SP, 3-HE, 38-BL, 36-ST, 7-HE.

Lavier : U10, B20, U11, U12, A14, S25, L19, C3, U38, D36, C7.

Pericarditis:

English : 6-HC, 5-HC, 15-BL, 14-VG, 12-VG, 21-GB, 38-BL, 39-BL, 13-BL.

Lavier : V6, V5, U15, M14, M12, B21, U38, U39, U13.

Arteriosclerosis:

English : 11-CO, 4-CO, 36-ST, 6-SP, 38-BL, 4-VG, 12-VG, 14-VG, 21-GB.

Lavier : E11, E4, D36, L6, U38, M4, M12, M14, B21.

Phlebitis:

[Local points may be added to these]

English : 14-VG, 12-VG, 21-GB, 4-VG.

Lavier : M14, M12, B21, M4.

Phlebectasia:

Local points may be added to these.

English : 20-VG, 14-VG, 12-VG, 4-VG.

Lavier : M20, M14, M12, M4.

Anaemia:

English : 12-VG, 17-BL, 21-BL, 4-VG, 1-LU, 4-VC, 36-ST, 44-ST, 40-ST, 12-VC, 20-GB.

Lavier : M12, U17, U21, M4, R1, F4, D36, D44, D40, F12, B20.

[Cauterize twenty to thirty times, heavily]

English : 1-VG.

Lavier : M1.

Chloropenia :

English : 31-BL, 32-BL, 33-BL, 34-BL. 4-VC, 26-BL, 38-BL. 11-CO. 36-ST, 6-SP, 40-ST, 44-ST, 4-VG, 6-HC.

Lavier : U31, U32, U33, U34. F4, U26, U38. E11. D36, L6, D40, D44, M4, V6.

[Cauterize heavily point once every ten days]

English : 1-VG.

Lavier : M1.

Polycythaemia:

English : 14-VG, 12-VG, 20-BL, 18-BL, 21-BL, 3-HC, 5-LU, 54-BL, 57-BL, 28-VG, 21-GB.

Lavier : M14, M12, U20, U18, U21, V3, R5, U54, U57, M28, B21.

[Pique together]

English : 54-BL, 3-HC.

Lavier : U54, V3.

[Pique and bleed]

English : 4-CO.

Lavier : E4.

[MALADIES OF THE NERVOUS SYSTEM]

Cerebral anaemia:

English : 10-BL, 4-SI, 20-GB, 15-SI, 14-SI, 21-GB, 4-HC, 10-CO, 36-ST, 4-CO, 1-LI, 45-ST, 44-ST, 40-ST, 23-VG, 12-VC, 41-ST.

Lavier : U10, A4, B20, A15, A14, B21, V4, E10, D36, E4, H1, D45, D44, D40, M23, F12, D41.

Cerebral congestion:

English : 10-BL, 4-SI, 20-GB, 15-SI, 14-SI, 21-GB, 10-CO, 4-CO, 36-ST, 37-ST, 39-ST, 6-SP.

Lavier : U10, A4, B20, A15, A14, B21, E10, E4, D36, D37, D39, L6.

Cerebral congestion and constipation, add:

English : 25-BL, 14-SP, 15-SP, 25-ST.

Lavier : U25, L14, L15, D25.

Cerebral haemorrhagic:

English : 10-BL, 4-SI, 20-GB, 15-SI, 14-SI, 21-GB, 4-HC, 10-CO, 4-CO, 36-ST, 37-ST, 39-ST, 1-KI, 1-LI, 3-CO, 60-BL.

Lavier : U10, A4, B20, A15, A14, B21, V4, E10, E4, D36, D37, D39, S1, H1, E3, U60.

[If the patient has overeaten, the bladder and intestine may be evacuated by piqûres at:]

English : 18-BL, 19-BL, 20-BL, 22-BL, 23-BL, 6-SP.

Lavier : U18, U19, U20, U22, U23, L6.

Frontal neuralgia:

English : 2-BL, 4-BL, 14-GB, 17-TH, 7-ST, 23-TH.

Lavier : U2, U4, B14, P17, D7, P23.

Neuralgia of the maxilla:

English : 2-ST, 1-GB, 3-ST, 17-TH, 6-ST.

Lavier : D2, B1, D3, P17, D6.

Neuralgia of the mandible:

English : 2-GB, 6-ST, 5-ST, 17-TH, 17-SI.

Lavier : B2, D6, D5, P17, A17.

Neuralgia of the temple:

English : 7-GB, 1-GB.

Lavier : B7, B1.

Neuralgia of the occiput:

English : 19-VG, 7-GB, 19-GB, 7-BL, 10-BL, 20-GB, 20-VG, 12-GB, 18-TH, 16-TH, 11-GB, 13-SI, 11-BL, 10-CO.

Lavier : M19, B7, B19, U7, U10, B20, M20, B12, P18, P16, B11, A13, U11, E10.

Neuralgia of the radius:

English : 14-CO, 13-CO, 10-CO, 9-CO, 7-CO, 4-CO, 5-CO.

Lavier : E14, E13, E10, E9, E7, E4, E5.

Neuralgia of the median nerve:

English : 4-LU, 4-HC, 5-HC, 7-HC, 6-HC, 2-HC.

Lavier : R4, V4, V5, V7, V6, V2.

Neuralgia of the forearm (ulnaris nerve):

English : 3-HE, 7-HE, 6-HE, 5-HE, 2-HE.

Lavier : C3, C7, C6, C5, C2.

Neuralgia of the thorax:

English : 13-ST, 14-ST, 15-ST, 16-ST.

Lavier : D13, D14, D15, D16.

Neuralgia of the costae:

English : 2-LU, 1-LU, 20-SP, 19-SP, 18-SP.

Lavier : R2, R1, L20, L19, L18.

Neuralgia of the supra-posterior shoulder area:

English : 12-SI, 16-CO, 11-BL, 14-SI, 15-SI, 15-CO, 13-SI.

Lavier : A12, E16, U11, A14, A15, E15, A13.

Neuralgia of the scapula:

English : 9-SI, 14-TH, 11-SI, 15-CO, 13-SI.

Lavier : A9, P14, A11, E15, A13.

Neuralgia of the axilla:

English : 15-CO, 9-SI, 1-HE, 12-TH.

Lavier : E15, A9, C1, P12.

Neuralgia intercostalis:

English : 12-BL, 13-BL, 14-BL, 15-BL, 17-BL, 18-BL, 19-BL, 26-KI, 25-KI, 24-KI, 22-KI.

Lavier : U12, U13, U14, U15, U17, U18, U19, S26, S25, S24, S22.

[In winter it is advisable to use]

English : 2-LI, 6-TH, 11-CO.

Lavier : H2, P6, E11.

neuralgia of the flank, neuralgia of the flank abdomen:

English : 22-BL, 23-BL, 24-BL, 25-BL, 27-BL, 26-BL, 31-BL, 47-BL, 26-GB, 28-GB, 31-ST, 30-GB.

Lavier : U22, U23, U24, U25, U27, U26, U31, U47, B26, B28, D31, B30.

Neuralgia of the leg (femoralis nerve):

English : 22-BL, 23-BL, 24-BL, 27-BL, 25-BL.

Lavier : U22, U23, U24, U27, U25.

[On the side which is painful only, then bilaterally]

English : 30-GB, 31-ST, 9-LI, 10-SP, 9-SP, 8-SP, 2-SP.

Lavier : B30, D31, H9, L10, L9, L8, L2.

Neuralgia of the external surface of the thigh:

English : 4-VG, 23-BL, 24-BL, 31-ST, 32-GB, 30-GB, 32-ST, 34-ST.

Lavier : M4, U23, U24, D31, B32, B30, D32, D34.

Sciatica:

English : 23-BL, 24-BL, 25-BL, 27-BL, 31-BL, 32-BL, 33-BL, 34-BL, 30-GB, 31-ST, 50-BL, 51-BL, 36-ST, 6-SP, 60-BL, 9-SP, 54-BL, 53-BL.

Lavier : U23, U24, U25, U27, U31, U32, U33, U34, B30, D31, U50, U51, D36, L6, U60, L9, U54, U53.

Neuralgia of the knee:

English : 35-ST, 34-GB, 53-BL, 33-GB, 10-SP, 8-LI, 34-ST.

Lavier : D35, B34, U53, B33, L10, H8, D34.

Paralysis or spasm of the face:

English : 17-TH, 21-TH, 2-GB, 3-ST, 2-ST, 2-BL, 23-TH, 7-GB, 6-ST, 1-GB, 4-ST, 22-TH.

Lavier : P17, P21, B2, D3, D2, U2, P23, B7, D6, B1, D4, P22.

Paralysis of the masseter muscles, spasm of the masseter muscles:

English : 6-GB, 7-ST, 19-ST, 6-ST, 17-TH, 5-ST.

Lavier : B6, D7, D19, D6, P17, D5.

[spasm of the masseter muscles by trismus and grinding of the teeth, during the course of cerebral or medullary affections]

English : 17-TH, 3-GB, 7-ST, 6-ST, 5-GB, 6-GB, 1-GB, 2-GB, 3-ST, 2-ST, 23-TH, 2-BL.

Lavier : P17, B3, D7, D6, B5, B6, B1, B2, D3, D2, P23, U2.

[In this case following points may also be employed]

English : 10-BL, 20-GB, 11-CO, 10-CO, 2-LI, 5-SP, 4-CO.

Lavier : U10, B20, E11, E10, H2, L5, E4.

Paralysis or spasm of the tongue:

English : 10-BL, 16-VG, 20-GB, 15-VG, 21-GB, 19-SI, 17-TH, 24-VC, 23-VC, 18-CO, 9-ST, 6-ST.

Lavier : U10, M16, B20, M15, B21, A19, P17, F24, F23, E18, D9, D6.

Strabismus:

English : 1-GB, 6-GB, 17-TH, 15-SI, 14-SI, 12-VG, 14-VG, 14-GB, 2-ST.

Lavier : B1, B6, P17, A15, A14, M12, M14, B14, D2.

Paralysis of the sterno-cleido-masloides:

English : 15-SI, 14-SI, 15-TH, 36-BL, 37-BL, 38-BL, 40-BL, 41-BL.

Lavier : A15, A14, P15, U36, U37, U38, U40, U41.

when the affection extends to the thorax add:

English : 12-GB, 16-TH, 17-SI, 16-SI, 20-GB, 18-SI, 12-ST, 21-GB, 4-SI.

Lavier : B12, P16, A17, A16, B20, A18, D12, B21, A4.

Paralysis of the diaphragm:

English : 21-BL, 22-BL, 19-ST, 14-LI, 24-GB, 15-VC.

Lavier : U21, U22, D19, H14, B24, F15.

Hiccough:

English : 13-LI, 14-LI, 17-BL, 11-ST, 6-LU, 20-GB, 3-KI, 16-VG, 13-ST.

Lavier : H13, H14, U17, D11, R6, B20, S3, M16, D13.

Contracture of the diaphragm:

English : 18-BL, 19-BL, 20-BL, 21-KI, 19-ST, 24-GB, 14-LI.

Lavier : U18, U19, U20, S21, D19, B24, H14.

Writer's cramp:

English : 10-LU, 11-LU, 3-CO, 4-CO, 4-TH, 9-LU, 7-LU, 6-LU, 11-CO, 6-TH, 6-SI, 5-CO, 8-HC, 5-HC.

Lavier : R10, R11, E3, E4, P4, R9, R7, R6, E11, P6, A6, E5, V8, V5.

Radial paralysis:

English : 21-GB, 16-CO, 15-CO, 13-TH, 11-CO, 10-CO, 9-CO, 8-CO, 4-TH, 6-LU, 9-LU, 10-LU, 11-LU, 4-CO, 2-CO, 3-CO.

Lavier : B21, E16, E15, P13, E11, E10, E9, E8, P4, R6, R9, R10, R11, E4, E2, E3.

Paralysis of the median nerve:

English : 15-SI, 14-SI, 21-GB, 14-VG, 3-LU, 2-HC, 2-HE, 3-HC, 4-HC, 6-HC, 5-HC, 7-HC, 9-TH, 6-TH.

Lavier : A15, A14, B21, M14, R3, V2, C2, V3, V4, V6, V5, V7, P9, P6.

Paralysis of the abductors of the arm:

English : 17-SI, 16-SI, 17-CO, 14-SI, 21-GB, 15-CO, 14-TH, 3-LU, 2-HC, 5-LU, 4-HC, 10-CO.

Lavier : A17, A16, E17, A14, B21, E15, P14, R3, V2, R5, V4, E10.

[Paralysis of the abductors of the arm and paralysis of the fingers add]

English : 15-SI, 14-SI, 14-VG, 2-HE, 3-HE, 9-TH, 7-SI, 4-HC.

Lavier : A15, A14, M14, C2, C3, P9, A7, V4.

Paralysis of the pectoral muscles:

English : 17-SI, 16-SI, 17-CO, 1-LU, 20-SP, 19-SP, 18-SP, 23-GB, 17-SP, 21-SP.

Lavier : A17, A16, E17, R1, L20, L19, L18, B23, L17, L21.

Paralysis of the thorax:

English : 15-SI, 14-SI, 21-GB, 26-KI, 25-KI, 24-KI, 23-KI, 22-KI, 14-ST, 15-ST, 16-ST, 20-SP.

Lavier : A15, A14, B21, S26, S25, S24, S23, S22, D14, D15, D16, L20.

Paralysis of the trapezius:

English : 15-SI, 14-SI, 21-GB, 36-BL, 37-BL, 38-BL, 39-BL, 12-BL, 13-BL, 14-BL.

Lavier : A15, A14, B21, U36, U37, U38, U39, U12, U13, U14.

Paralysis of the latissimus dorsi:

English : 15-SI 14-SI, 21-GB, 14-TH, 15-CO, 9-SI, 13-TH, 22-BL, 23-BL, 24-BL, 25-BL, 27-BL.

Lavier : A15 A14, B21, P14, E15, A9, P13, U22, U23, U24, U25, U27.

[Paralysis of the latissimus dorsi supplement]

English : 11-CO, 10-CO, 6-TH, 6-HC, 7-SI, 4-HE.

Lavier : E11, E10, P6, V6, A7, C4.

Paralysis of the anterior muscles of the thigh:

English : 22-BL, 23-BL, 24-BL, 25-BL, 11-SP, 9-LI, 10-SP, 10-KI, 8-LI, 7-LI.

Lavier : U22, U23, U24, U25, L11, H9, L10, S10, H8, H7.

Paralysis of the knee:

English : 22-BL, 23-BL, 24-BL, 25-BL, 27-BL, 11-LI, 13-CO, 10-KI, 8-LI.

Lavier : U22, U23, U24, U25, U27, H11, E13, S10, H8.

Paralysis of the sciatic nerve:

English : 50-BL, 51-BL, 30-GB, 52-BL, 55-BL, 58-BL, 6-SP.

Lavier : U50, U51, B30, U52, U55, U58, L6.

Paralysis of the sciatic nerve at the internal popliteal area:

[Add to the points for paralysis of the sciatic nerve, above:]

English : 54-BL, 8-KI, 3-KI, 5-SP, 2-LI, 4-SP, 6-SP.

Lavier : U54, S8, S3, L5, H2, L4, L6.

Paralysis of the saphenous nerve:

[Add to the points for paralysis of the sciatic nerve, above:]

English : 53-BL, 36-ST, 37-ST, 38-ST, 39-ST, 39-GB, 43-GB, 40-GB, 41-ST, 44-ST,

60-BL.

Lavier : U53, D36, D37, D38, D39, B39, B43, B40, D41, D44, U60.

Cramp in the calf:

English : 50-BL, 30-GB, 31-ST, 54-BL, 56-BL, 57-BL, 55-BL, 6-SP, 61-BL, 63-BL.

Lavier : U50, B30, D31, U54, U56, U57, U55, L6, U61, U63.

Epilepsy:

English : 14-VG, 20-VG, 24-VG, 1-KI, 11-LU, 61-BL, 5-HC, 12-VG, 14-VC, 20-GB, 4-CO, 16-VG, 26-VG, 1-SP, 7-HC, 15-VC, 12-VC, 8-HC, 62-BL.

Lavier : M14, M20, M24, S1, R11, U61, V5, M12, F14, B20, E4, M16, M26, L1, V7, F15, F12, V8, U62.

Migraine:

English : 4-GB, 5-GB, 6-GB, 14-GB, 2-BL, 22-TH, 10-CO, 36-ST, 4-CO, 1-GB, 12-VC, 44-ST, 4-VC, 6-SP.

Lavier : B4, B5, B6, B14, U2, P22, E10, D36, E4, B1, F12, D44, F4, L6.

Headache:

English : 10-BL, 20-GB, 21-GB, 18-VG, 14-VG, 20-VG, 16-VG, 8-ST, 1-GB.

Lavier : U10, B20, B21, M18, M14, M20, M16, D8, B1.

Hysteria:

[Results may be obtained by acting upon the principal points located upon the back, the region of the kidneys, the abdomen and the members, or in the case of alternation between happiness and sadness, pique]

English : 26-VG, 5-CO, 7-LU, 7-HC, 7-HE.

Lavier : M26, E5, R7, V7, C7.

[If the patient has a stupid deportment, cauterize:]

English : 11-LU, 15-BL.

Lavier : R11, U15.

[Then pique immediately:]

English : 7-HE, 1-KI, 12-VC.

Lavier : C7, S1, F12.

[If the patient is sad, cauterize:]

English : 20-VG, 7-HC.

Lavier : M20, V7.

[Then pique:]

English : 28-VG, 6-ST.

Lavier : M28, D6.

Mental alienation, all mental disorders:

English : 7-HE, 36-ST, 20-VG, 6-SP, 4-CO, 4-VC, 2-LI, 6-HC, 3-VC, 38-BL, 13-BL, 14-VG, 4-VG.

Lavier : C7, D36, M20, L6, E4, F4, H2, V6, F3, U38, U13, M14, M4.

[RHEUMATOLOGY]

Rheumatism of the neck:

English : 10-BL, 20-GB, 16-TH, 16-SI.

Lavier : U10, B20, P16, A16.

Lumbar rheumatism:

English : 4-VG, 2-VG, 47-BL, 3-VG, 25-BL, 27-BL, 31-BL, 32-BL, 30-GB.

Lavier : M4, M2, U47, M3, U25, U27, U31, U32, B30.

Rheumatism of the shoulder:

English : 15-CO, 9-SI, 13-SI, 13-TH, 14-TH, 10-SI.

Lavier : E15, A9, A13, P13, P14, A10.

Rheumatism of the back:

English : 14-SI, 11-BL, 13-BL, 15-BL, 17-BL, 36-BL, 41-BL.

Lavier : A14, U11, U13, U15, U17, U36, U41.

[If the members are also painful, add:]

English : 10-CO, 11-CO, 50-BL, 34-GB.

Lavier : E10, E11, U50, B34.

[OBSTETRICS]

[(Under the conditions of pregnancy, the method of the needles and the cauterizations may only be practised by a Master in the art of Acupuncture, because of the dangers involved. Tr. note, J.L.)]

DURING PREGNANCY

Cutaneous affections:

English : 13-BL, 23-BL, 11-CO, 6-LI, 6-SP, 1-HE.

Lavier : U13, U23, E11, H6, L6, C1.

Jaundice:

English : 12-VC, 36-ST, 4-SP, 54-BL, 4-SI, 9-VG, 10-CO, 4-CO, 10-KI, 44-ST, 19-BL, 18-BL, 20-BL, 22-BL, 21-KI, 14-VC, 10-BL, 20-GB, 21-GB, 15-SI.

Lavier : F12, D36, L4, U54, A4, M9, E10, E4, S10, D44, U19, U18, U20, U22, S21, F14, U10, B20, B21, A15.

Oedema:

English : 6-SP, 9-SP, 10-CO, 36-ST, 23-BL, 20-BL, 21-BL, 39-GB.

Lavier : L6, L9, E10, D36, U23, U20, U21, B39.

[Cauterize]

English : 6-VC, 7-VC, 4-VC.

Lavier : F6, F7, F4.

Vomiting:

English : 36-ST, 6-HC, 5-HC, 7-HC, 6-SP, 5-LU, 19-BL.

Lavier : D36, V6, V5, V7, L6, R5, U19.

[Before the fifth month following points may be employed:]

English : 12-VC, 21-KI 11-VC.

Lavier : F12, S21 F11.

Eclampsia:

English : 36-ST, 6-HC, 7-HC, 34-GB, 21-GB, 14-SI.

Lavier : D36, V6, V7, B34, B21, A14.

[If the patient is relatively calm following points may be used:]

English : 10-BL, 16-VG, 20-GB, 26-VG.

Lavier : U10, M16, B20, M26.

DURING THE ACCOUCHEMENT

Delayed delivery

[These points are to be very strongly stimulated]

English : 6-SP, 15-SP, 60-BL, 4-CO.

Lavier : L6, L15, U60, E4.

AFTER THE ACCOUCHEMENT

The uterus does not return to normal dimensions, loss of blood:

English : 3-VC, 6-SP, 4-VC, 10-KI, 6-TH, 36-ST, 16-VG, 23-BL, 33-GB.

Lavier : F3, L6, F4, S10, P6, D36, M16, U23, B33.

Puerperal fever, metritis, salpingitis:

English : 25-BL, 27-BL, 28-BL, 31-BL, 32-BL, 3-VC, 4-VC, 10-CO, 36-ST, 4-CO, 6-SP.

Lavier : U25, U27, U28, U31, U32, F3, F4, E10, D36, E4, L6.

Mammitis, abscess of the breast:

English : 16-ST, 1-HC, 18-SP, 18-ST, 22-KI 18-BL, 19-BL, 1-HE, 2-HC, 38-BL, 39-BL, 21-GB, 17-VC, 7-HC, 1-SI, 54-BL, 36-ST.

Lavier : D16, V1, L18, D18, S22 U18, U19, C1, V2, U38, U39, B21, F17, V7, A1,

U54, D36.

Agalactia:

[Pique]

English : 1-SI, 1-HE.

Lavier : A1, C1.

[Cauterize:]

English : 17-VC, 18-ST.

Lavier : F17, D18.

Excess of milk:

English : 18-ST, 15-SI, 36-BL, 37-BL, 1-LU, 18-BL, 15-BL, 3-HE, 5-HE.

Lavier : D18, A15, U36, U37, R1, U18, U15, C3, C5.

Phlegmasia alba dolens:

[Cauterization of the local points is strictly FORBIDDEN.]

English : 4-VG, 33-GB, 25-BL, 31-BL, 32-BL, 33-BL, 34-BL, 11-LI, 8-LI, 32-ST, 10-SP.

Lavier : M4, B33, U25, U31, U32, U33, U34, H11, H8, D32, L10.

[GYNECOLOGY]

Painful menses:

English : 6-SP, 36-ST, 4-VC, 12-VG, 23-BL, 24-BL, 25-BL, 31-BL, 32-BL, 1-GB, 6-GB.

Lavier : L6, D36, F4, M12, U23, U24, U25, U31, U32, B1, B6.

Insufficient menstruation, amenorrhoea:

English : 4-VG, 23-BL, 25-BL, 1-VG, 4-CO, 6-SP, 8-SP, 10-SP, 14-KI, 12-KI, 4-VC, 3-VC, 2-VC, 29-ST, 60-BL.

Lavier : M4, U23, U25, M1, E4, L6, L8, L10, S14, S12, F4, F3, F2, D29, U60.

Overabundant menstruation:

English : 6-VC, 1-LI, 10-KI, 4-VC, 3-LI, 2-KI, 6-SP, 3-VC, 2-SP, 12-ST, 10-ST, 1-HE, 3-HC, 54-BL.

Lavier : F6, H1, S10, F4, H3, S2, L6, F3, L2, D12, D10, C1, V3, U54.

Vaginitis:

English : 4-VG, 47-BL, 30-BL, 6-SP, 33-BL, 1-VG, 2-VC, 11-LI, 12-KI, 8-SP, 29-ST.

Lavier : M4, U47, U30, L6, U33, M1, F2, H11, S12, L8, D29.

[Strong cauterization of:]

English : 2-VG.

Lavier : M2.

Pruritus vulvae, Female Cystitis:

English : 25-BL, 31-BL, 32-BL, 33-BL, 34-BL, 1-VG, 4-VC, 3-VC, 2-VC, 31-ST, 11-LI, 30-ST.

Lavier : U25, U31, U32, U33, U34, M1, F4, F3, F2, D31, H11, D30.

[Cauterize:]

English : 35-BL.

Lavier : U35.

Inflammation of the ovaries:

[Pique is FORBIDDEN in the case of acute pain.]

[Deep pique is equally FORBIDDEN in chronic cases.]

[It is recommended that the local points be strongly cauterized.]

English : 4-VC, 28-BL, 29-BL, 2-VC, 11-KI, 36-ST, 37-ST, 39-ST, 7-SP, 6-SP.

Lavier : F4, U28, U29, F2, S11, D36, D37, D39, L7, L6.

PEDIATRICS

Child Convulsions:

English : 11-LU , 4-CO, 11-CO, 28-VG, 14-VG, 1-KI, 12-VC, 54-BL, 20-VG, 25-VG, 57-BL, 21-BL, 23-BL.

Lavier : R11 , E4, E11, M28, M14, S1, F12, U54, M20, M25, U57, U21, U23.

Child Nocturnal terrors:

[Use the points indicated above for convulsions and cauterize:]

English : 20-VG.

Lavier : M20.

Child Digestive disturbances:

English : 22-BL, 21-BL, 25-BL, 10-BL, 6-VC, 25-ST, 6-SP.

Lavier : U22, U21, U25, U10, F6, D25, L6.

[Followed by very superficial piqûres on following points to calm the nervous system:]

English : 20-GB, 14-VG, 10-CO, 4-CO.

Lavier : B20, M14, E10, E4.

Infantile Paralysis

[Add the points of paralysis according to the location:]

English : 12-VG, 25-ST, 36-ST.

Lavier : M12, D25, D36.

[AFFECTIONS OF THE EYES, EARS AND NOSE]

Congestion of the conjunctiva:

English : 4-BL, 23-TH, 14-GB, 10-BL, 20-GB, 11-BL, 14-SI, 15-SI, 16-VG, 12-VG, 10-CO, 4-CO.

Lavier : U4, P23, B14, U10, B20, U11, A14, A15, M16, M12, E10, E4.

Conjunctivitis:

English : 23-TH, 1-GB, 14-GB, 2-ST, 7-HC, 4-CO, 20-CO, 5-CO, 42-GB, 10-BL, 20-GB, 14-VG, 12-VG, 18-BL, 20-BL, 4-GB.

Lavier : P23, B1, B14, D2, V7, E4, E20, E5, B42, U10, B20, M14, M12, U18, U20,

B4.

Hemeralopia:

English : 1-BL, 1-GB, 2-BL, 23-TH, 2-ST, 23-VG, 14-GB.

Lavier : U1, B1, U2, P23, D2, M23, B14.

[If the results are insufficient, add:]

English : 17-BL, 18-BL, 21-BL, 19-BL, 22-BL, 23-BL, 10-CO, 36-ST, 6-SP.

Lavier : U17, U18, U21, U19, U22, U23, E10, D36, L6.

Purulent conjunctivitis:

English : 8-ST, 14-GB, 10-BL, 20-GB, 16-TH, 16-GB.

Lavier : D8, B14, U10, B20, P16, B16.

Entropion:

English : 23-TH, 1-GB, 4-GB, 10-BL, 20-GB, 14-VG, 12-VG, 11-CO, 36-ST, 19-BL, 18-BL.

Lavier : P23, B1, B4, U10, B20, M14, M12, E11, D36, U19, U18.

Cataract (Do not fail to prescribe a rich diet) :

English : 20-VG, 8-BL, 10-BL, 11-CO.

Lavier : M20, U8, U10, E11.

Glaucoma:

English : 20-GB, 6-GB, 10-BL, 14-GB, 16-TH, 16-GB, 2-ST.

Lavier : B20, B6, U10, B14, P16, B16, D2.

Obstruction of the Eustachian tubes:

English : 20-GB, 6-GB, 20-CO, 11-CO, 19-SI.

Lavier : B20, B6, E20, E11, A19.

Otitis of the middle ear:

English : 20-GB, 21-TH, 19-SI, 17-TH, 17-SI, 2-GB, 21-GB, 15-SI, 14-SI, 6-ST, 4-

CO, 11-CO, 36-ST.

Lavier : B20, P21, A19, P17, A17, B2, B21, A15, A14, D6, E4, E11, D36.

Mastoiditis, bourdonnements:

English : 20-GB, 21-TH, 19-SI, 17-TH, 17-SI, 2-GB, 21-GB, 15-SI, 14-SI, 6-ST, 4-CO, 11-CO, 36-ST.

Lavier : B20, P21, A19, P17, A17, B2, B21, A15, A14, D6, E4, E11, D36.

Epistaxis:

English : 2-BL, 25-VG, 23-VG, 10-BL, 20-GB, 15-VG, 4-VC, 21-GB, 15-SI, 14-VG, 12-VG, 54-BL, 11-SI, 10-CO, 4-CO.

Lavier : U2, M25, M23, U10, B20, M15, F4, B21, A15, M14, M12, U54, A11, E10, E4.

[In the case of urgency, pique:]

English : 23-VG, 54-BL.

Lavier : M23, U54.

[The following day following points are to be piqued:]

English : 10-CO, 36-ST.

Lavier : E10, D36.

Rhinitis:

English : 20-GB, 10-BL, 14-VG, 16-VG, 12-BL, 19-CO, 20-CO, 23-VG, 4-CO, 20-VG, 8-HC, 2-SI.

Lavier : B20, U10, M14, M16, U12, E19, E20, M23, E4, M20, V8, A2.

Ozena:

English : 20-VG, 20-GB, 10-BL, 23-VG, 14-VG, 4-VG, 11-CO, 20-CO, 36-ST, 19-CO.

Lavier : M20, B20, U10, M23, M14, M4, E11, E20, D36, E19.

Anosmia:

English : 16-VG, 20-GB, 21-BL, 17-BL, 23-VG, 8-ST, 2-BL, 1-BL, 19-CO, 20-CO, 6-ST, 4-CO.

Lavier : M16, B20, U21, U17, M23, D8, U2, U1, E19, E20, D6, E4.

[INFECTIOUS DISEASES]

Malaria:

English : 14-VG, 13-VG, 3-KI, 3-SI, 5-HC, 7-KI 7-HE, 13-LI, 20-BL.

Lavier : M14, M13, S3, A3, V5, S7 C7, H13, U20.

[Malaria and splenomegaly with intermittent attacks:]

English : 11-CO, 36-ST, 1-HE, 2-LI, 13-BL, 18-BL, 20-BL, 25-ST, 14-VG, 6-HC.

Lavier : E11, D36, C1, H2, U13, U18, U20, D25, M14, V6.

Whooping Cough:

[It is also possible to use only one of the following methods. In any case, always withdraw the needle very rapidly.]

[Pique:]

English : 5-SP,

Lavier : L5,

[Cauterize:]

English : 13-BL.

Lavier : U13.

[Pique :]

English : 4-CO.

Lavier : E4.

[Cauterize :]

English : 38-BL.

Lavier : U38.

[Pique :]

English : 11-CO.

Lavier : E11.

[Cauterize :]

English : 12-ST, 18-BL, 21-BL.

Lavier : D12, U18, U21.

[Pique :]

English : 5-SP, 11-CO.

Lavier : L5, E11.

Cholera:

[Pique :]

English : 4-CO, 12-VC, 3-LI, 44-ST, 36-ST, 57-BL, 26-VG, 6-HC, 25-VG, 5-HC, 39-GB.

Lavier : E4, F12, H3, D44, D36, U57, M26, V6, M25, V5, B39.

[Cauterize :]

English : 25-ST, 8-VC, 13-LI, 6-VC.

Lavier : D25, F8, H13, F6.

[Pique :]

English : 5-LU, 54-BL, 11-LU, 1-SI, 1-TH.

Lavier : R5, U54, R11, A1, P1.

Petechial Typhus Fever:

[First stage:]

English : 11-CO, 36-ST, 3-CO, 12-VC, 34-GB.

Lavier : E11, D36, E3, F12, B34.

[Second stage:]

English : 5-HC, 8-ST, 20-GB, 11-CO, 6-SP, 10-CO, 23-BL, 20-BL.

Lavier : V5, D8, B20, E11, L6, E10, U23, U20.

[Third stage:]

English : 6-TH, 4-VC, 7-KI, 19-SI, 21-TH, 38-BL, 4-HE.

Lavier : P6, F4, S7, A19, P21, U38, C4.

[After a few days give a supplementary treatment as follows:]

English : 11-CO, 7-LU, 36-ST, 33-GB, 6-SP, 21-BL, 17-BL, 23-BL.

Lavier : E11, R7, D36, B33, L6, U21, U17, U23.

[DERMATOLOGY]

Humid eruptions:

English : 11-CO, 4-CO, 10-CO, 36-ST, 39-GB, 15-CO, 3-HC, 30-GB, 1-KI.

Lavier : E11, E4, E10, D36, B39, E15, V3, B30, S1.

Abscess of the axilla:

English : 38-GB, 3-LI.

Lavier : B38, H3.

Scabies, eczema, impetigo:

English : 11-CO, 6-TH, 5-CO, 5-SI, 7-HC, 4-CO, 3-SI, 54-BL, 10-CO, 36-ST, 38-GB, 60-BL, 2-LI, 6-SP.

Lavier : E11, P6, E5, A5, V7, E4, A3, U54, E10, D36, B38, U60, H2, L6.

[Give ten cauterizations to :]

English : 10-SP, 17-BL.

Lavier : L10, U17.

Furuncle upon the face, Furuncle of the nostril:

[Cauterize :]

English : 4-CO.

Lavier : E4.

Furuncle upon the back:

[Pique :]

English : 21-GB, 10-CO, 36-ST, 54-BL, 15-GB, 2-LI, 5-HE, 3-LI.

Lavier : B21, E10, D36, U54, B15, H2, C5, H3.

[DIVERSE AFFECTIONS]

Hyperthyroid, goitre :

English : 10-BL, 20-GB, 11-BL, 14-VG, 12-VG, 22-VC, 10-ST, 9-ST, 23-VC, 15-KI, 26-GB, 26-ST, 1-GB, 2-ST.

Lavier : U10, B20, U11, M14, M12, F22, D10, D9, F23, S15, B26, D26, B1, D2.

[If there is a goitre:]

English : 4-CO, 11-CO, 22-VC, 15-SI, 14-SI, 21-GB, 20-GB, 1-HE.

Lavier : E4, E11, F22, A15, A14, B21, B20, C1.

Diabetes:

English : 20-BL, 23-BL, 4-VC, 17-BL, 26-BL, 28-BL, 29-BL, 31-BL, 32-BL, 33-BL, 34-BL, 36-ST, 6-SP, 5-KI, 50-BL, 6-HE.

Lavier : U20, U23, F4, U17, U26, U28, U29, U31, U32, U33, U34, D36, L6, S5, U50, C6.

Uraemia:

English : 20-GB, 16-VG, 10-BL, 14-VG, 12-VG, 4-VG, 23-BL, 28-BL, 6-SP.

Lavier : B20, M16, U10, M14, M12, M4, U23, U28, L6.

Gout:

English : 2-LI, 44-ST, 5-SP, 4-SP, 4-LI.

Lavier : H2, D44, L5, L4, H4.

Index

Stichwortverzeichnis

abdomen.....56, 82, 87	Cerebral haemorrhage.....79	Eclampsia.....90
Abdomen.....63	Chest.....63	eczema.....99
abscess.....90	child afflictions of the throat.....57	Elbow.....64
Abscess.....99	Child Convulsions.....93	emphysema.....73
Abscess of the axilla.....99	child cough.....57	endocarditis.....76
abscess of the breast.....90	Child Digestive disturbances.....93	Enterocolitis.....68, 69
ACCOUCHEMENT.....90	child dyspnoea.....57	Entropion.....94
Agalactia.....91	child fever.....57	epigastrium.....67
amenorrhoea.....92	Child Nocturnal terrors.....93	epilepsy.....56
anaemia.....79	Chloropenia.....78	Epilepsy.....86
Anaemia.....78	Cholera.....98	Epistaxis.....95
Anosmia.....96	Coccyx.....64	eruptions.....98
aphonia.....59	cold.....53	Eustachian tubes.....95
Aphonia.....72	Colic.....70	Excess of milk.....91
appendicitis.....69	conjunctiva.....94	expectoration of blood.....57
appetite.....73	conjunctivitis.....94	external inflammations.....55
arm.....84, 85	Conjunctivitis.....94	Eye.....58
Arm.....64	constipation.....56, 67, 68, 79	eyes.....54
arms.....54	Constipation.....70	EYES.....94
Arteriosclerosis.....77	convulsions.....56, 93	face.....54, 82, 99
Ascites.....71	Convulsions.....93	Face.....58
Asthma.....72	cough.....54, 57	Fallopian Tubes.....62
atonia.....59	Cough.....97	fever.....53, 57, 90
back.....57, 87, 88, 99	cramp.....84	Fever.....98
Back.....63	Cramp.....86	fingers.....85
Biliary Calculi.....71	Cramp in the calf.....86	flank.....82
bladder.....56, 60, 74, 79	Cutaneous affections.....89	Flanks.....63
Bladder.....62	Cystitis.....75, 92	Flydrocele.....75
Blennorrhagia.....76	deafness.....54	Foot.....64
bourdonnements.....54, 95	debauchery.....57	forearm.....80
breast.....73, 90	defences of the organism.....53	Forearm.....64
Breasts.....63	Delayed delivery.....90	frights.....77
Bronchitis.....72	Diabetes.....100	Furuncle.....99
Broncho-pneumonia.....73	diaphragm.....83, 84	Gall-bladder.....60
burning soreness.....59	diarrhoea.....56, 57	Gastritis.....66
calculi.....75	Digestive disturbances.....93	genital system.....57
Calculi.....71	dyspnoea.....57	genitalia.....56
calming.....55	ear.....95	Glaucoma.....95
Cancer.....67	Ear.....58	goitre.....99, 100
Cataract.....95		Gout.....100
Cerebral congestion.....79		gums.....54

Haemorrhoids.....	69	median nerve.....	80, 84	Odontalgia.....	65
Hand.....	64	menses.....	91	Oedema.....	89
head.....	53, 54	menstruation.....	92	Oesophagus.....	60, 66
Head.....	58	Mental alienation.....	88	Orchitis.....	75
Headache.....	87	mental disorders.....	88	Otitis of the middle ear.....	95
Heart.....	61	metritis.....	90	ovarian disorders.....	55
Hemeralopia.....	94	Migraine.....	87	ovaries.....	92
Hernia.....	70	mouth.....	54	Ovaries.....	63
Hiccough.....	84	Mouth.....	58	Overabundant menstruation	
Humid eruptions.....	98	mutism.....	59	92
Hyperchlorhydria.....	68	nape of the neck.....	53, 57	Ozena.....	96
Hypochlorhydria.....	68	Nausea.....	68	pain in the back.....	57
Hysteria.....	87	neck.....	53, 54, 57, 88	pain in the nape of the neck	
impetigo.....	99	Neck.....	58	57
Impotence.....	76	Nephritis.....	74	Painful menses.....	91
Indigestion.....	68	nerves.....	56	Palpitations.....	77
Insufficient menstruation....	92	nervous disorder.....	56	Pancreas.....	60
Intestinal occlusion.....	69	nervous system.....	55, 93	paralysis.....	54, 72, 84-86, 93
Intestinal tuberculosis.....	69	NERVOUS SYSTEM.....	79	Paralysis.....	82-86, 93
intestines.....	55, 56	neuralgia.....	79, 82	Paralysis of the abductors of	
Intestines.....	60	Neuralgia.....	67, 80-82	the arm.....	84, 85
Jaundice.....	70, 89	Neuralgia intercostalis.....	81	Paralysis of the anterior	
kidneys.....	55, 87	Neuralgia of the axilla.....	81	muscles of the thigh.....	85
Kidneys.....	61	Neuralgia of the costae.....	81	Paralysis of the diaphragm.....	83
knee.....	82, 86	Neuralgia of the epigastrium		paralysis of the face.....	54
Knee.....	65	67	Paralysis of the knee.....	86
lack of vitality.....	53	Neuralgia of the external		Paralysis of the latissimus	
Laryngeal paralysis.....	72	surface of the thigh.....	82	dorsi.....	85
Laryngitis.....	72	neuralgia of the flank.....	82	Paralysis of the masseter	
latissimus dorsi.....	85	Neuralgia of the forearm....	80	muscles.....	83
leg.....	82	Neuralgia of the knee.....	82	Paralysis of the median nerve	
Leg.....	65	Neuralgia of the leg.....	82	84
liver.....	55	Neuralgia of the mandible. .	80	Paralysis of the saphenous	
Liver.....	60, 70	Neuralgia of the maxilla....	80	nerve.....	86
loss of blood.....	90	Neuralgia of the median		paralysis of the sciatic nerve	
lower abdomen.....	56	nerve.....	80	86
lower members.....	55	Neuralgia of the occiput....	80	Paralysis of the sciatic nerve	
lower part of the body.....	55	Neuralgia of the radius.....	80	86
Lumbar rheumatism.....	88	Neuralgia of the scapula....	81	Paralysis of the sterno-	
Lungs.....	61	Neuralgia of the temple.....	80	cleido-masloides.....	83
maladies of the throat.....	54	Neuralgia of the thorax.....	81	Paralysis of the thorax.....	85
Malaria.....	96	Nocturnal terrors.....	93	Paralysis of the trapezius..	85
Mammitis.....	90	nose.....	54	Parotiditis.....	66
mandible.....	80	Nose.....	59	Paroxysmal tachycardia....	77
masseter muscles.....	83	NOSE.....	94	pectoral muscles.....	85
Mastoiditis.....	95	occiput.....	80	PEDIATRICS.....	93
maxilla.....	80	occlusion.....	69	Penis.....	62

Pericarditis.....	77	Sclerosis.....	70	Throat.....	59
Peritoneum.....	61	Sclerosis of the Liver.....	70	tongue.....	83
Peritonitis.....	71	shoulder.....	81, 88	Tongue.....	59
Pharyngitis.....	65	Shoulder.....	64	tonic.....	56, 57, 73
Pharynx.....	59	shoulders.....	54	tonic for internal organs.....	57
Phlebectasia.....	77	soreness.....	59	tonic for the gastro-intestinal	
Phlebitis.....	77	spasm.....	54, 82, 83	system.....	56
Phlegmasia alba dolens.....	91	Spasm.....	66, 74	Tonsillitis.....	66
pleura.....	74	Spasm of the bladder.....	74	Tonsils.....	60
pleurisy.....	54, 57	spasm of the face.....	54, 82	toothache.....	54
pneumonia.....	73	spasm of the masseter		Trachea.....	61
Polycythaemia.....	78	muscles.....	83	Tracheitis.....	72
pregnancy.....	89	speech.....	54	trapezius.....	85
PREGNANCY.....	89	Spermatorrhoea.....	76	trismus.....	83
Pruritus.....	92	Spleen.....	61	tuberculosis.....	53, 57, 69, 73
Pseudoangina.....	76	sterno-cleido-masloides.....	83	ulcers.....	55
Pubis.....	63	stimulate the vitality.....	53	Ulcers.....	67
Puerperal fever.....	90	stomach.....	55, 56	upper part of the body.....	54
pulmonary tuberculosis. .	53, 57	Stomach.....	60, 67	Uraemia.....	100
Pulmonary tuberculosis.....	73	Stomach Cancer.....	67	Ureter.....	61
pyorrhoea.....	65	Stomach Ulcers.....	67	Urethra.....	62
Pyrosis.....	66	Stomatitis.....	65	urinary tract.....	56
Rectal prolapse.....	70	Strabismus.....	83	uterine.....	55
Renal blockage.....	75	strengthen and reinforce		uterus.....	90
Renal calculi.....	75	generic therapeutic action..	53	Uterus.....	62
Renal congestion.....	74	sweating.....	53, 73	Vagina.....	62
renal pelvis.....	74	swelling.....	54	Vaginitis.....	92
rheumatism.....	88	teeth.....	83	Vesical calculi.....	75
Rheumatism.....	88	Teeth.....	59	vitality.....	53, 57, 73
Rhinitis.....	96	temple.....	80	vomiting.....	56, 57, 68
salpingitis.....	90	terrors.....	77, 93	Vomiting.....	67, 89
saphenous nerve.....	86	Testicles.....	62	vulvae.....	92
Scabies.....	99	thigh.....	82, 85	weakness.....	57
scapula.....	81	Thigh.....	65	Whooping Cough.....	97
sciatic nerve.....	86	thorax.....	81, 83, 85	Writer's cramp.....	84
Sciatica.....	82	throat.....	54, 57		

