

× Agrega Firebase a tu app de Flutter

1 Prepara tu espacio de trabajo

La forma más fácil de comenzar es con la CLI de FlutterFire.

Antes de continuar, asegúrate de cumplir estos requisitos:

- Instala [Firebase CLI](#) y accede a tu cuenta (ejecuta `firebase login`)
- Instala el [SDK de Flutter](#)
- Crea un proyecto de Flutter (ejecuta `flutter create`).

Siguiente

2 Instala y ejecuta la CLI de FlutterFire

3 Inicializa Firebase y agrega complementos

```
Problems 1 Output Debug Console Terminal Ports Postman Console
• → repo-projecte2-DecathDAM git:(main) npm install -g firebase-tools
npm warn deprecated node-domexception@1.0.0: Use your platform's native DOMException instead
npm warn deprecated json-ptr@3.1.1: Package no longer supported. Contact Support at https://www.npmjs.com/support for more info.
added 750 packages in 21s

92 packages are looking for funding
  run `npm fund` for details
○ → repo-projecte2-DecathDAM git:(main) |
```

```
Problems 1 Output Debug Console Terminal Ports Postman Console
○ → repo-projecte2-DecathDAM git:(main) firebase login
i The Firebase CLI's MCP server feature can optionally make use of Gemini in Firebase. Learn more about Gemini in
oogle.com/docs/gemini-in-firebase#how-gemini-in-firebase-uses-your-data
✓ Enable Gemini in Firebase features? Yes

i Firebase optionally collects CLI and Emulator Suite usage and error reporting information to help improve our pr
privacy policy (https://policies.google.com/privacy) and is not used to identify you.
✓ Allow Firebase to collect CLI and Emulator Suite usage and error reporting information? Yes

i To change your preferences at any time, run `firebase logout` and `firebase login` again.

Visit this URL on this device to log in:
https://accounts.google.com/o/oauth2/auth?client_id=563584335869-fgrhgmd47bqnekij5i8b5pr03ho849e6.apps.googleuserco
gleapis.com%2Fauth%2Fcloudplatformprojects.readonly%20https%3A%2F%2Fwww.googleapis.com%2Fauth%2Ffirebase%20https%3A
nse_type=code&state=1048839175&redirect_uri=http%3A%2F%2Flocalhost%3A9005

Waiting for authentication...
█
```

Woohoo!

Firebase CLI Login Successful

You are logged in to the Firebase Command-Line interface. You can immediately close this window and continue using the CLI.

```
Waiting for authentication...

✓ Success! Logged in as pcodorniu@iesebre.com
○ → repo-projecte2-DecathDAM git:(main) █
```

Problems 1 Output Debug Console Terminal Ports Postman Console

- → `repo-projecte2-DecathDAM git:(main)` `dart pub global activate flutterfire_cli`
The Dart CLI developer tool uses Google Analytics to report usage and diagnostic data along with package dependencies, and crash reporting to send basic crash reports. This data is used to help improve the Dart platform, Flutter framework, and related tools.

Telemetry is not sent on the very first run. To disable reporting of telemetry, run this terminal command:

```
dart --disable-analytics
```

If you opt out of telemetry, an opt-out event will be sent, and then no further information will be sent. This data is collected in accordance with the Google Privacy Policy (<https://policies.google.com/privacy>).

Downloading packages... .

+ `ansi_styles` 0.3.2+1

+ `args` 2.7.0

+ `async` 2.13.0

+ `source_span` 1.10.1

+ `string_scanner` 1.4.1

+ `term_glyph` 1.2.2

+ `tint` 2.0.1

+ `typed_data` 1.4.0

+ `web` 1.1.1

+ `win32` 5.15.0

+ `xml` 6.6.1

+ `yaml` 3.1.3

Building package executables... (2.9s)

Built `flutterfire_cli:flutterfire`.

Installed executable `flutterfire`.

Warning: Pub installs executables into `$HOME/.pub-cache/bin`, which is not on your path.

You can fix that by adding this to your shell's config file (`.bashrc`, `.bash_profile`, `.zshrc` etc.):

```
export PATH="$PATH":"$HOME/.pub-cache/bin"
```

Activated `flutterfire_cli` 1.3.1.

- → `repo-projecte2-DecathDAM git:(main)`

```
alumne@m3pau-codorniu:~  
→ ~ echo 'export PATH="$PATH":"$HOME/.pub-cache/bin"' >> ~/.zshrc  
→ ~ source ~/.zshrc  
[oh-my-zsh] Insecure completion-dependent directories detected:  
-rw-r--r-- 1 nobody nogroup 2554 de nov. 26 02:26 /usr/share/zsh/vendor-complet  
ions/_antigravity  
  
[oh-my-zsh] For safety, we will not load completions from these directories until  
[oh-my-zsh] you fix their permissions and ownership and restart zsh.  
[oh-my-zsh] See the above list for directories with group or other writability.  
  
[oh-my-zsh] To fix your permissions you can do so by disabling  
[oh-my-zsh] the write permission of "group" and "others" and making sure that the  
[oh-my-zsh] owner of these directories is either root or your current user.  
[oh-my-zsh] The following command may help:  
[oh-my-zsh] compaudit | xargs chmod g-w,o-w  
  
[oh-my-zsh] If the above didn't help or you want to skip the verification of  
[oh-my-zsh] insecure directories you can set the variable ZSH_DISABLE_COMPFIX to  
[oh-my-zsh] "true" before oh-my-zsh is sourced in your zshrc file.  
→ ~
```

```
alumne@m3pau-codorniu:~  
→ ~ flutterfire --version  
1.3.1  
→ ~
```

```
Problems 3 Output Debug Console Terminal Ports Postman Console  
• → repo-project2-DecathDAM git:(main) flutterfire configure --project=decathdam  
i Found 2 Firebase projects. Selecting project decathdam.  
✓ Which platforms should your configuration support (use arrow keys & space to select)? · android, ios, macos, web, windows  
i Firebase android app com.decathdam.decathdam is not registered on Firebase project decathdam.  
i Registered a new Firebase android app on Firebase project decathdam.  
i Firebase ios app com.decathdam.decathdam is not registered on Firebase project decathdam.  
i Registered a new Firebase ios app on Firebase project decathdam.  
i Firebase macos app com.decathdam.decathdam registered.  
i Firebase web app decathdam (web) is not registered on Firebase project decathdam.  
i Registered a new Firebase web app on Firebase project decathdam.  
i Firebase windows app decathdam (windows) is not registered on Firebase project decathdam.  
i Registered a new Firebase windows app on Firebase project decathdam.  
  
Firebase configuration file lib/firebase_options.dart generated successfully with the following Firebase apps:  
  
Platform  Firebase App Id  
web       1:1024270967652:web:bf7d515cb869b5b074d071  
android   1:1024270967652:android:6011bb5130e2829674d071  
ios       1:1024270967652:ios:62afb0c85cb43b2b74d071  
macos     1:1024270967652:ios:62afb0c85cb43b2b74d071  
windows   1:1024270967652:web:261f5cdd9bc0d26174d071  
  
Learn more about using this file and next steps from the documentation:  
> https://firebase.google.com/docs/flutter/setup  
○ → repo-project2-DecathDAM git:(main) x
```

Run | Debug | Profile

```
void main() async {  
  // Imprescindible: assegura que Flutter estigui llest abans d'iniciar Firebase  
  WidgetsFlutterBinding.ensureInitialized();  
  
  // Connecta l'app amb Firebase usant la configuració del teu fitxer  
  await Firebase.initializeApp(options: DefaultFirebaseOptions.currentPlatform);  
  
  runApp(const MyApp());  
}
```

Per si fem un hosting de l'app del projecte ja tenim esta captura

Woohoo!

Firebase CLI GitHub Login
Successful

You are logged into GitHub via the Firebase CLI. You can immediately close this window and continue using the Firebase CLI.