COMPLETE USER GUIDE

Create. Edit. Convert.

Your complete WWE 2K19 graphics and font workspace.

Fonts and atlases / Nameplates and locators
Match results and matchups / Video conversion
Export, installation and troubleshooting

GFX Studio - By 2KLIVE

Source interface edition | October 17, 2026

NAVIGATION

CONTENTS

Click a chapter to jump directly to its walkthrough.

01 **QUICK START** 4
Your first successful edit

02 **SETUP & REQUIREMENTS** 5
Prepare a working installation

03 **HOME DASHBOARD** 6
Start or resume work

04 **THE SHARED INTERFACE** 8
What the controls mean

05 **FILES & DOCUMENT TYPES** 9
Choose a suitable source

06 **LAYERS & INSPECTORS** 10
Select once, edit the relevant controls

07 **NAMEPLATES** 11
Names, social handles and championships

08 **TRANSITIONS & MOTION** 13
Preserve the entrance and exit you need

09 **ANIMATION LIBRARY & KEY MENUS** 15
Work with native tracks deliberately

10 **LOCATORS** 16
Build a readable location card

11 **MATCH RESULTS** 18
A static font-and-foreground workflow

12 **MATCHUPS** 20
Compose the loading match screen

13 **MATCHUP TEXT & FONTS** 22
Size, position and letter artwork

14 **MATCHUP FONT ATLAS** 23
View, export and import a real sheet

15 **FULL-SCREEN LAYOUT** 24
Unsqueeze compatible matchup slots

16 **WRESTLER RENDERS** 25
Reference PNGs without changing the PAC

17 **IMAGES & FOREGROUNDS** 26
Replace artwork using PNG or DDS

18 **BACKGROUND VIDEO** 27
Playback, Bink replacement and MP4

19 **FONT STUDIO** 28
A template-based font workspace

Read Quick Start first; workspace maps help locate the controls.

NAVIGATION

CONTENTS

Click a chapter to jump directly to its walkthrough.

20 **FONT PROPERTIES** 30
Generate clean lettering

21 **DONORS & SPECIAL IMPORTS** 31
Use supported font artwork sources

22 **GLYPHS & ATLAS EDITING** 32
Make precise artwork repairs

23 **FONT & GRAPHIC PORTING** 34
Combine compatible sources

24 **ASSETS & TEXTURES** 35
Inspect underlying resources

25 **GFX CONVERTER: SETUP** 36
Prepare verified Bink conversion

26 **GFX CONVERTER: SOURCES** 38
Read status and output mapping

27 **SUPERSTAR NAMEPLATE VIDEO** 39
A dedicated converter output

28 **CONVERSION SETTINGS & SPEED** 40
Choose output and performance

29 **RUNNING A CONVERSION** 41
Progress, cancel and output bundle

30 **EXPORT PAC & OTHER OUTPUTS** 42
Save the right deliverable

31 **INSTALL & VERIFY IN-GAME** 43
Finish the job

32 **UPDATES, SETTINGS & ABOUT** 44
Keep the workspace current

33 **SHORTCUTS & POINTER CONTROLS** 45
A fast working reference

34 **TROUBLESHOOTING: EDITORS** 46
Opening, previews and lettering

35 **TROUBLESHOOTING: OUTPUTS** 47
Imports, conversion and export

36 **GLOSSARY & EDIT BOUNDARIES** 48
Know what actually changes

37 **PROJECT CHECKLIST** 49
A repeatable source-to-game workflow

Read Quick Start first; workspace maps help locate the controls.

START HERE

QUICK START

Your first successful edit

1. Connect the game

Open Settings at the lower left. Choose the WWE 2K19 installation you intend to edit, then confirm the game Oodle DLL and texconv.exe paths. Save. If you have multiple installations, check this first: an export installed into another copy will not appear in your test game.

2. Open the right document

Use Home > Open PAC or the header Open button. Home identifies fonts and graphics automatically. In GFX Editor, choose Nameplates, Locators, Results or Matchups before opening a category-specific PAC. Detection checks decoded layout content rather than trusting a filename alone.

3. Edit, review, export

Select the layer in the preview or Layers tree. Adjust an understood property, inspect multiple frames when animation is involved, and use Export PAC to save a new copy. The main export button starts export; its attached arrow opens other supported output choices.

4. Install and test

Close the game, back up the intended live PAC, then install your exported copy under the correct slot filename. Exporting a copy does not install it. Restart and test short names, long names, accents and relevant variants.

> First project: move one name layer, export a separate copy, and verify that change in-game before making a larger redesign.

SETUP & REQUIREMENTS

Prepare a working installation

Keep the application together

Extract the complete release into a writable folder. Keep the EXE with its supplied _internal folder, artwork, styles and tools. Moving only the EXE can break startup or hide resources. The packaged app does not require a separate Python installation.

Settings fields

Game directory The WWE 2K19 installation that supplies runtime libraries and installed assets.

Game Oodle DLL The installed game's oo2core_6_win64.dll, used to read/write supported compressed archive entries. Changing the game folder updates the proposed path; verify it exists.

texconv.exe The texture encoder used for supported DDS replacements. Use the included copy or a valid local executable.

Check for updates automatically Enables packaged-app background checks. Manual checking remains available on Home.

Video dependencies

Embedded movie previews use the game's Bink runtime libraries. GFX Converter and Matchup MP4 import also need verified RAD Video Tools. Use GFX Converter > Set Up RAD Tools to locate and verify the encoder and decoder. RAD installers are not bundled.

Your files

Normal PAC exports go to a folder you choose, with exports offered by default. Recent files and preferences are stored in gfxstudio_settings.json. Keep exports and pristine sources separate. Choose the installation folder, not just its pac subfolder.

HOME DASHBOARD

Start or resume work

Open Graphic / Open PAC

Open a supported graphic or font. Home inspects content and routes it to the correct workspace. A loaded editor's Open operates in that context and asks before discarding unexported work.

Create New / Choose Workflow

Create font from TTF / OTF Choose a compatible template first if none is loaded, then supply a typeface. The template provides character coverage and game bindings.

Port game font / Port SYM font Import supported donor artwork into a 2K19 font template. These are specific format adapters, not universal game-font importers.

Port nameplate font + background Supply a target 2K19 PAC, donor font pack and donor Bink movie. The template retains the game layout and bindings.

Recent Files

Search by filename or workspace. Click a row or press Enter to reopen it. Hover for the full path. Right-click for Open, Show in Explorer, Copy Path or Remove from Recent. Removing an entry does not delete the file. A missing entry is not a stored backup; locate the moved file or restore it yourself.


Quick Access

Open Font Studio, GFX Editor, GFX Converter or Assets & Textures. Assets & Textures remains available here although its sidebar entry is hidden. The footer shows game connection status and Check for Updates.

ILLUSTRATED WORKSPACE MAP

HOME WORKSPACE

Current interface capture with a quick control locator.



01 Recent Files

Search and reopen work; right-click a row for file actions.

02 Choose Workflow

Start supported font or font/background port workflows.

03 Quick Access

Open a workspace; Assets & Textures is available here.

Sample artwork illustrates controls, not an in-game validation image. Zoom this PDF to inspect fine UI details.

THE SHARED INTERFACE

What the controls mean

Header and navigation

The sidebar switches workspaces; Settings and About sit at the bottom. The header identifies the section and document. A dot in the title indicates outstanding edits. The banner and icon are decorative.

Open Opens a document for the current workspace. File browsing remembers its last used folder.

Save icon / Export PAC Invoke the normal PAC copy-export workflow where available. Save does not silently overwrite the opened source.

Export arrow Secondary outputs supported by the current document, such as FTPK or atlas PNG. Export Options opens PAC export settings. Disabled actions lack a required document or resource.

Graphics toolbar

Category tabs switch separate document controllers, retaining each loaded document and history. Undo/Redo acts on the active workspace. Edit permits selection/movement; Preview locks editing and hides selection outlines and guides.

Safe / Grid Display composition guides, not changes to the exported image.

Fit / percentage zoom Fit follows the preview frame; percentages set manual zoom. Neither changes PAC dimensions.

Camera / Fullscreen Save the composition without guides or enlarge the preview. Escape returns from fullscreen.

> The old File/Edit/Create/Tools/View/Help strip and left Tools button are hidden. Use visible buttons, inspector tabs and context menus for everyday work. Legacy shortcuts can still exist without visible menus.

FILES & DOCUMENT TYPES

Choose a suitable source

PAC A game archive containing supported layouts, fonts, textures and/or movies. A filename alone does not prove category or destination slot.

FTPK / FNTPCK Supported font pack data. Export FTPK saves a selected pack, not the complete system-font PAC.

YFB An embedded font sheet with glyph records and atlas references. Select the correct sheet before editing.

PNG / DDS PNG is an editable image interchange format. DDS is the game texture representation; supported PNG replacement is encoded to the target DDS format.

BK2 / BIK / MP4 Bink inputs are checked for compatibility. Matchup backgrounds also accept MP4 through conversion before export.

TTF / OTF / FNT / XML / SYM Typeface and supported donor inputs. BMFont descriptors need their associated image pages. SYM uses its supported menu-archive adapter.

JSFB A screen-layout reference for specialized 2K24 styling. Its filename alone does not establish embedded glyph or atlas content.

Category validation

Nameplates contain wrestler-name arrangements; Locators contain location layouts; Results contain winner/draw-style static layouts; Matchups contain competitor-name/match-format structures. Unsupported or ambiguous layouts are rejected rather than opened blindly.

> If an unfamiliar mod is rejected, retain the source and exact error. Renaming the file does not change its decoded layout or make it compatible.

LAYERS & INSPECTORS

Select once, edit the relevant controls

Two-level sidebar

Layers occupies the top region and scrolls independently. The inspector below uses the remaining space. Drag the divider to resize them. Double-click the Layers heading to maximize or restore it where supported.

Selection and hierarchy

Click the tree row or corresponding artwork. Search filters the tree; clear it if a layer seems missing. Container nodes mirror the file hierarchy, so repeated Scene00 or technical names can be legitimate. A parent/group transform affects descendants.

Context menu

Right-click an actual layer for supported actions. Text, texture, video and reference-render layers have different actions. The small three-dot Actions button exposes the selected layer menu. Empty canvas and guides are not replaceable resources. Right-click should open the menu without toggling playback.

Contextual properties

Text shows preview text, size and transforms. Images and backgrounds show relevant resource actions. A locked layer, or a workspace in Preview mode, cannot be edited until unlocked or returned to Edit.

Visibility and locks

Treat these as editor/preview controls. Do not assume hiding a row or locking it rewrites runtime visibility flags. Verify intended game changes through actual resource/transform edits and an exported PAC.

> Resize Layers instead of scrolling through unrelated properties. Each region has its own scrollbar deliberately.

NAMEPLATES

Names, social handles and championships

Open and choose a variant

Select Nameplates and Open a suitable PAC. Layout and Variant sit above the preview. Layout selects an embedded ATB; Variant selects an arrangement such as a single-line name, social handle or championship-related text. Inspect every variant you intend to use.

Properties

Select Wrestler name or another text object. Preview Text only changes the example; the game supplies live names. The default is THE UNDERTAKER. Size changes selected-layer scale for export. Position X/Y and Scale X/Y describe native transforms; Apply to Existing Keys commits supported field edits. Move name lines together appears for applicable multi-line layouts.

Inspector tabs

Properties Text, size and transform controls for the selection.

Transitions Searchable presets and a secondary Keys view.

Assets Font/artwork preview substitutions and actual embedded Bink selection/replacement.

Tools Internal names, raw channels, copy/reset transforms and advanced inspection.

Clean preview


Fit maintains the snug native 16:9 frame during resizing. Transparency inside the 1920 x 1080 composition is part of the overlay, not an outside gutter. The bottom bar has Play/Pause, Stop, scrubbing and time.

> Font (Preview) opens resource substitutions; it does not replace the embedded pack. Use Font Studio or the font/background port for a saved font-artwork change.

ILLUSTRATED WORKSPACE MAP

NAMEPLATE WORKSPACE

Current interface capture with a quick control locator.



01 Layout and Variant

Choose the embedded layout and arrangement above the canvas.

02 Resizable inspector

Drag the divider; choose Properties, Transitions, Assets or Tools.

03 Playback

Play/pause, Stop, scrub and inspect time below the preview.

Sample artwork illustrates controls, not an in-game validation image. Zoom this PDF to inspect fine UI details.

TRANSITIONS & MOTION

Preserve the entrance and exit you need

Library

Open Transitions > Library. Choose the Nameplate or Locator family and search for a show. Apply transition or drag the preset onto the timeline. Compatible show sets can update matching name lines and manager variants together. Font artwork and the movie remain unchanged.

Keys view

ATB frame chooses a layout frame. Diamonds represent decoded keys; click one for its exact frame or scrub the ruler. The channel filter narrows the display. Position and scale are editable; unidentified channels remain inspection data.

Record keys Explicitly records supported edits at the current frame instead of normal movement behavior. Check it before dragging.

Add / Duplicate / Delete Edit supported native position/scale keys. Duplicating requires a selected key and new frame. Keep at least one key on a track.

Link tracks / Move keys in selected group Link supported movement or retime a shared frame on a layer and descendants. Ordering/collision checks apply.

Scale all keys Alters scale across the animation, not the preview zoom.

Custom transitions

Save Custom Transition stores supported selected-layer motion for the Custom library. Apply it to a compatible target. Refresh gathers available source transitions; missing source files can produce scan errors.

> Text ATB timing and BK2 timing are separate. Retiming keys does not retime the movie. Review the complete entrance, held section and exit after timing changes.

ILLUSTRATED WORKSPACE MAP

TRANSITION WORKSPACE

Current interface capture with a quick control locator.



01 Library / Keys

Separate show presets from detailed native key editing.

02 Searchable presets

Apply a compatible show set or use a custom transition.

03 Timeline

Select decoded keys and review motion alongside the preview.

Sample artwork illustrates controls, not an in-game validation image. Zoom this PDF to inspect fine UI details.

ANIMATION LIBRARY & KEY MENUS

Work with native tracks deliberately

Per-key context menu

Right-click a timeline diamond. Edit values changes a supported position/scale key. Move to frame retimes the selected marker, with Link tracks behavior when enabled. Duplicate key creates a supported copy at a new frame. Delete key preserves at least one key on a native track. Go to this frame moves the playhead; Key details displays its native mode and payload for inspection. Unknown native values remain read-only.

Advanced Animation Library

Transitions > Keys > Animation library opens the detailed source-track browser. Gather installed tracks scans available sources; Add folder includes another extracted graphics folder. Search show, source, variant or layer. Animated layers only filters static entries.

Choose what transfers

Reuse position / movement, Reuse scale animation and Reuse native colour / alpha keys select compatible tracks. The preview graph and scrubber help compare motion; alpha is an observed-byte interpretation, not a universal colour editor. Keep target placement / size at anchor frame preserves the supported target anchor relationship. Donor anchor frame chooses the donor reference frame.

Apply and inspect

Apply to selected layer transfers the chosen supported tracks to that target only. Parent/group effects must be considered separately. Font packs and Bink movies remain unchanged. Review the full animation and use Undo if the target's inherited motion produces an unexpected result.

> Native track inspection is an advanced task. Avoid interpreting raw channel bytes as verified colour, opacity or game-time semantics.

LOCATORS

Build a readable location card

Open and select

Choose Locators and open the correct PAC. Select Layout and Variant above the canvas, then the location-text layer. Default sample: NEW YORK, NY. Test a long city/venue name without changing the live text supplied by the game.

Size and placement

Size changes lettering proportionally. Position X/Y and Scale X/Y edit supported transforms; use Apply to Existing Keys where appropriate. Normal dragging shifts existing position keys together to preserve the entrance/exit path. If a parent was selected accidentally, Undo before continuing.

Animated workflow

Locators use Properties, Transitions, Assets and Tools just like Nameplates. Use locator presets in Transitions. Inspect the hierarchy and all intended variants before export. The bottom transport supports Play/Pause, Stop, scrubbing and elapsed/total time.

Assets

Choose the embedded movie and replace it with a checked BK2/BIK. Font/artwork assignment in Assets is preview-only. Edit the real font in Font Studio or build a compatible font/background port for an exported artwork change.

Viewing

Fit keeps the canvas snug and responds to resizing. Preview hides editing outlines. Transparent space within the native frame can be intentional for an overlay.

> Space plays/pauses when this workspace is active and you are not typing in a text field or using an open menu/dialog.

ILLUSTRATED WORKSPACE MAP

LOCATOR WORKSPACE

Current interface capture with a quick control locator.



01 Variant selection

Review the appropriate location arrangement.

02 Location sample

Use NEW YORK, NY or another test string; live game text is separate.

03 Animated preview

Space and the transport share the playback behavior.

Sample artwork illustrates controls, not an in-game validation image. Zoom this PDF to inspect fine UI details.

MATCH RESULTS

A static font-and-foreground workflow

Open Results

Select Results and open a match-result PAC. Choose Layout and Variant, then the winner or supported text layer. Default sample: THE UNDERTAKER. The game supplies actual result text; the sample is preview-only.

Properties

Adjust Size, Position X/Y and Scale X/Y, then Apply transform for supported field edits. Inspect winner/team/draw variants exposed by the PAC. A selected parent can move multiple descendants, so check the selected-layer name before applying.

Assets and foreground

Font/artwork assignment is a preview substitution. The Foreground section is actual texture replacement: choose its named DDS target, inspect required dimensions, then Replace Foreground PNG / DDS. A supported PNG is converted to the original DDS encoding for export.

Static workflow

Results has Properties and Assets, without a transition library or animated playback bar. Do not use Nameplate transition instructions for a result card. Its preview uses the same snug native canvas fit.


Checks

Keep replacement dimensions exact, preserve transparency and select the correct texture. Font-atlas pages are excluded from the foreground selector. Wrong-size artwork is rejected instead of silently stretched. A replacement is a PAC edit and can be undone.

> The camera saves a preview image, not an installable result PAC. Export PAC saves the actual resource and transform changes.

RESULT WORKSPACE

Current interface capture with a quick control locator.



01 Static layout

Select the result arrangement; no video transport is needed.

02 Properties / Assets

Edit transforms or use the actual Foreground replacement.

03 Native canvas

Fit preserves composition coordinates; guides are display-only.

Sample artwork illustrates controls, not an in-game validation image. Zoom this PDF to inspect fine UI details.

MATCHUPS

Compose the loading match screen

Open a matchup

Choose Matchups and open the intended PAC. Choose Matchup variant above the preview and Competitor names or Match title for the one-on-one text view. The default competitor sample is THE UNDERTAKER VS KANE. The scene combines movie background, foreground DDS and embedded font resources.

Inspector tabs

Properties Contextual Text, Image or BK2 controls plus supported static transforms.

Renders Two wrestler PNG reference cards for previews/screenshots only.

Tools Matchup Layout conversion, Restore from .bak and installed-slot browsing.

Select and adjust

Select the actual text/image layer in the tree or composition. Right-click for its supported text/resource/transform actions. Edit permits movement; Preview locks manipulation and hides editing overlays. Separate objects can control competitor names, match rules and championship text.

Playback and output


The bottom Play/Pause button or Space previews the background; Stop returns to the start. Scrub to inspect a frame. Matchups has no transition timeline: Bink supplies motion while supported foreground placement is static. Export PAC saves actual changes; the camera saves a composition PNG without guides.

> If the selected file has no embedded font pack, lettering may be baked into DDS artwork. Font-edit actions are unavailable for that resource.

ILLUSTRATED WORKSPACE MAP

MATCHUP WORKSPACE

Current interface capture with a quick control locator.



01 Variant and text role

Choose which matchup arrangement or text object to inspect.

02 Properties / Renders / Tools

Contextual resources, reference PNGs and layout utilities.

03 Background transport

Play the movie or scrub a frame before taking a screenshot.

Sample artwork illustrates controls, not an in-game validation image. Zoom this PDF to inspect fine UI details.

MATCHUP TEXT & FONTS

Size, position and letter artwork

Sample versus game text

Select a text layer and edit its preview string. Competitor names, match format, match title and championship labels can be separate objects. The sample does not replace the game's live names or rules.

Rendered size

Font size and A-/A+ proportionally resize the text layer while retaining placement. This is canvas size, not desktop typeface point size. Supported proportional resize handles keep lettering evenly scaled. Separate Scale X/Y fields still describe axis-specific layout data.

Embedded artwork

Change font imports a supported source for the embedded matchup font. Export PAC saves it. This differs from the Nameplate/Locator Font (Preview) substitution. View Font Atlas shows actual glyph artwork, which is more useful than one sample word when diagnosing a bad letter.

Clipping

If letters are cut off inside their atlas cells, moving the text cannot restore missing pixels. Regenerate from the original TTF/OTF with a suitable size/baseline or repair a same-size atlas PNG. If intact artwork is cropped by the foreground render region, inspect Full-Screen Layout instead.

Verify

Test the same slot, variant and installation used for export. Long names, capitals, accents and descenders reveal issues hidden by the default sample. Enlarging a bitmap is not the same as enlarging its glyph-cell metadata.

> If changing position works but clipping remains, check the atlas before making further layout changes.

MATCHUP FONT ATLAS

View, export and import a real sheet

Open

Select an embedded text layer and choose Properties > Text > View Font Atlas. Choose a sheet from the selector, which shows its dimensions. Fit displays the whole sheet. A matchup without embedded sheets cannot expose a font atlas through this action.

Export and edit

Export Atlas as PNG saves editable glyph artwork. Keep an untouched copy, then edit a duplicate. Preserve exact dimensions and transparency. Keep every character inside its existing cell because the game still uses the original glyph coordinates.

Import

Choose Import Atlas PNG in the same window and select the matching edited sheet. Dimensions are checked. Review multiple letters in the composition and Export PAC. Ctrl+Z reverses the supported artwork import.

What changes

Atlas import changes bitmap artwork. It does not add character coverage, infer new cell coordinates, create kerning or change live strings. A composition screenshot is a flattened scene image and is not a font atlas.

Inspect carefully

At 100%, check capital tops, descenders, accents, punctuation and alpha edges. If several sheets exist, export/edit/import each intended page separately. Keep the sheet name and dimensions in your notes to avoid mixing pages.

> Paint outside an existing cell and the glyph can still be cropped in-game, even if those pixels are visible in the complete atlas image.

FULL-SCREEN LAYOUT

Unsqueeze compatible matchup slots

Purpose

Tools > Matchup Layout > Convert to Full-Screen Layout updates the supported foreground render-region height to 908 and stretches its associated DDS to 2048 x 1024 when required. The composition is 1920 x 1080; foreground texture dimensions are a separate measurement.

Open-time offer

Prompt slots: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 27, 34, 101 and 102. The actual file is inspected. An offer appears only when conversion is needed. Already-full files and the existing six-blob family skip conversion.

Convert and review

Yes updates the current disk PAC and automatically reopens it in the preview. No leaves it unchanged. Manual conversion covers other inspected candidates. Browse installed matchup slots examines the configured game's match_up folder.

Backups and prerequisites

This is an in-place operation, unlike normal Export PAC. It reads the current PAC and creates .pac.bak only if absent; an existing backup is never overwritten. Export pending edits and reopen the intended PAC first. Restore from .bak restores that retained rollback point, which may be older than your current changes.

Verification

Conversion checks render height, blob count, slot identity and unrelated stored content. The foreground is intentionally stretched, so review proportions and test the slot in-game.

> This conversion does not fix glyphs already clipped inside their atlas cells. Repair font artwork separately if necessary.

WRESTLER RENDERS

Reference PNGs without changing the PAC

Renders tab

Wrestler 1 and Wrestler 2 each provide a thumbnail, filename, Replace, remove, Visible and Mirror controls. Choose a transparent PNG that is not completely empty.

Fixed reference slots

References use original PNG pixels at 1:1 in native scene space. They are anchored to fixed left/right centers and a shared bottom baseline. Transparent padding is preserved. The app does not trim or automatically fit the wrestler PNG to the screen.

Appearance

Visible hides that reference. Mirror flips it for preview. Replace selects another PNG; remove clears it. These controls help judge composition around the game's eventual wrestler artwork.

Export boundaries

Reference PNGs appear in preview and composition screenshots. They are not embedded in PAC exports and will not install as game portraits. Actual game render replacement remains a separate workflow.

Prepare correctly

Use an appropriate PNG canvas size before loading. If a reference is too large, inspect its real dimensions and transparent margins rather than compensating by moving game text to suit an incorrect reference.

> Use the camera for a shareable mockup. Use Export PAC for the installable matchup, then test the game's own wrestlers.

IMAGES & FOREGROUNDS

Replace artwork using PNG or DDS

Select the target

Matchups: select a DDS foreground layer and use Properties > Image > Replace image or its context action. Results: choose Assets > Foreground and the named DDS. Home > Assets & Textures can inspect supported entries in a loaded graphics session.

PNG conversion

Supported PNG artwork is encoded to the target's original DDS format using texconv. Keep the required width/height and alpha transparency. Normal replacement is not a general resize operation: dimensions must match the target.

DDS input

Choose compatible same-size DDS data. The extension alone does not prove suitable compression or layout. The app validates replacement and preserves supported target encoding expectations.

Full-screen exception

The dedicated Full-Screen Layout action stretches its resolved matchup foreground to 2048 x 1024. Importing a large PNG into an unrelated smaller texture does not invoke this conversion.

Review

Inspect transparent edges, fine text and gradients at 100%. Undo a wrong-target replacement before retrying. Export PAC saves actual replacement; Preview image and Export PNG are inspection/extraction operations.

> Foreground DDS, font atlas DDS and preview wrestler PNGs have different roles. Replacing one is not a substitute for replacing another.

BACKGROUND VIDEO

Playback, Bink replacement and MP4

Transport

Nameplates, Locators and Matchups have Play/Pause, Stop, scrubber and time. Space toggles playback in the active workspace when focus is not in text entry or an open menu/dialog. Results has no video transport. Preview audio is off.

Replace Bink

Choose the movie resource. Matchups exposes BK2 Background in Properties; Nameplates/Locators expose it in Assets. Replace BK2 accepts compatible BK2/BIK. The movie is checked against the configured game runtime, becomes part of PAC export and can be undone.

Matchup MP4

The Matchup replacement dialog also accepts MP4. Set up RAD Video Tools in GFX Converter first. Choose the MP4, wait for conversion and compatibility checking, inspect playback, then Export PAC. The file is genuinely converted rather than simply renamed.

Timing and support

Movie and ATB frames use an approximation in preview; playback is not proof of exact game timing. Modern Bink revisions may need a current decoder and re-encoding. Nameplate/Locator replacement currently accepts BK2/BIK, not MP4.

Restore

Where available, Restore Original resets that resource to the opened session's original bytes. This differs from Full-Screen Layout's Restore from .bak, which changes the disk PAC.

> A missing/invalid game Bink library can prevent preview even when a file plays in another video application.

FONT STUDIO

A template-based font workspace

Open a template

Open a compatible font PAC/pack or the installed system font. Its usual path is pac/menu/win/Assets/ltag_wwe19_font_win.pac. The template supplies character codes, binding names and sheet structures; creation is not an empty universal font document.

Font Sheets

Choose Embedded pack and a sheet. Search filters the list; Sheets hides/restores the browser. Each sheet is edited independently and changes remain when switching packs/sheets. button.yfb commonly stores interface/controller artwork; leave it alone unless deliberately editing those icons.

Main views

Preview Shows sample text using actual glyph artwork. The sample is display-only.

Glyphs Search and inspect individual characters, Unicode codes and artwork.

Atlas View the complete bitmap sheet, toggle cell guides and import/export PNG.

Inspector

Properties holds generation settings or contextual glyph/atlas information. Assets offers TTF/OTF, font-pack, SYM and atlas actions. Tools holds donor-spacing, wider-atlas and advanced sizing/reset controls.

Output and navigation

Undo/Redo, Fit/percentage zoom, camera and fullscreen act on the active font view. Export PAC saves edited packs in the complete document. Export FTPK is a selected-pack output, not a system-font PAC replacement.

> Review letters, digits, punctuation, accents and controller icons before installing a new system font.

ILLUSTRATED WORKSPACE MAP

FONT STUDIO WORKSPACE

Current interface capture with a quick control locator.



01 Font Sheets

Choose a pack/sheet and search without losing other edits.

02 Preview / Glyphs / Atlas

Switch the working view; toolbar zoom is display-only.

03 Inspector

Properties, Assets and Tools group font operations.

Sample artwork illustrates controls, not an in-game validation image. Zoom this PDF to inspect fine UI details.

FONT PROPERTIES

Generate clean lettering

Import TTF / OTF

Use Assets > Import TTF / OTF with a compatible template. Character set controls which existing characters are eligible; Latin is a useful start. Unsupported/missing glyphs are retained rather than creating arbitrary new character records.

Font size The size of generated letter artwork, separate from graphics-layer scale.

Baseline The vertical reference used in generation. An incorrect baseline can cut off capitals or descenders even after moving the graphics layer.

Character width Horizontal typeface-generation factor, not a new kerning table.

Apply Font Properties Regenerates artwork from the selected source/settings and affects export. Preview strings and zoom do not.

Remembered source

Sources are retained per sheet for regeneration. Increase/decrease tools regenerate from that source rather than repeatedly stretching a previous result. Manual glyph or atlas PNG edits clear the saved generation source so regeneration cannot silently erase hand edits.

Original / Donor

Original keeps template spacing. Donor uses supported donor-width repacking. Tools contains the equivalent Use donor font spacing and Allow wider atlas controls. Repacking can move glyph rectangles and clears old kerning; it does not import the donor's kerning table.

> Start conservatively. Inspect the full cell grid and accented letters before enlarging characters already touching cell boundaries.

DONORS & SPECIAL IMPORTS

Use supported font artwork sources

Font packs

Assets > Import font pack accepts supported FTPK/FNTPCK, compatible PAC font containers and BMFont text/XML. Keep BMFont pages beside its descriptor. Ordinary RGBA pages are supported; packed-channel textures are not decoded by this route.

Transfer behavior

Matching characters receive donor artwork. The target retains character coverage, binding names and unknown metadata. Missing characters and private-use artwork are preserved. Capital-letter bounds provide an estimated shared baseline; inspect descenders and accents.

Spacing and width

Use donor font spacing if original widths squeeze the lettering. Allow wider atlas permits supported expansion up to 4096 pixels wide. This explicit repacking differs from importing an arbitrary larger PNG. Preserved glyphs can move to new rectangles; old kerning is cleared.

SYM

Import SYM font uses the supported SYM menu PAC reader. It is a specific adapter, not support for every archive with a .pac suffix. Review its output like any donor port.

Compatibility

The observed YFB versions 100/130 and supplied NXT donor are known workflows. Other proprietary versions need compatible support; matching extensions do not establish it. Retain the donor sample and exact error if rejected.

> Use complete PAC export for a system font install. An exported FTPK is useful for reuse but is not the complete system archive.

GLYPHS & ATLAS EDITING

Make precise artwork repairs

Find a character

Open Glyphs. Search by character/Unicode and filter All characters, Letters & digits, Symbols or Private-use icons. Select a tile to inspect its enlarged artwork and recorded information. Selection is preserved across refreshes where possible.

Single glyph

Export its PNG, edit a duplicate and replace it using the glyph action in Properties. Preserve required glyph-image dimensions and transparency. This fixes one damaged letter/punctuation mark without regenerating the whole sheet.

Whole atlas

Use Atlas or Assets > Export atlas PNG. Keep exact dimensions and existing cells. Import atlas PNG changes selected-sheet artwork without inferring new coordinates. Grid guides help inspection; they do not become part of exported artwork.

Quality checks

At 100%, inspect capital tops, descenders, accents, punctuation, alpha edges and stray pixels. Check multiple sheets if present. Opaque backgrounds or halos can look harmless on a dark preview but remain visible over a bright game background.

Undo and regeneration

Undo reverses supported artwork edits. Manual PNG changes clear the saved typeface-generation source. Keep edited PNGs and a separate PAC copy before experimenting with a new generation pass.

> Font pixels and glyph metadata work together. Artwork outside a cell can still be cropped by the game.

GLYPH WORKSPACE

Current interface capture with a quick control locator.



01 Search and filter

Find characters or Unicode entries in the selected sheet.

02 Glyph selection

Inspect artwork before exporting or replacing a character.

03 Contextual information

Check the selected glyph and use its artwork actions.

Sample artwork illustrates controls, not an in-game validation image. Zoom this PDF to inspect fine UI details.

FONT & GRAPHIC PORTING

Combine compatible sources

Font + background

Home > Choose Workflow > Port nameplate font + background opens the port dialog. Select Nameplate or Locator, a target 2K19 PAC, donor font pack and donor BK2/BIK. Build port & preview creates the working result. The target provides game bindings/text animation; donor font artwork and movie are imported together.

Review

Check all intended layouts/variants, long text, placement and entrance/exit timing. A donor font may not suit the original template's transforms. Export a new PAC after review. The template and donor files are retained.

Legacy batch font utility

The retained folder-wide utility ports compatible show fonts across supported extracted PAC folders. It creates new exports and per-sheet reports while preserving non-font content. It is distinct from GFX Converter's movie-template processing.

Legacy 2K24 styling

The specialized styling utility reads compatible JSFB references. A full source-layer hierarchy distinguishes similar variants. Screen placement and optional transform scale are understood; candidate font size/bounds/colour are references, not an entire imported animation.

Current access

The old Tools/menu strip is hidden. Home exposes the supported font/background port. Legacy batch/styling utilities remain implementation features and should not be confused with visible inspector buttons or guaranteed menu entries in every packaged release.

> Use a valid 2K19 destination template. A donor filename does not establish the actual live-game slot or install path.

ASSETS & TEXTURES

Inspect underlying resources

Open

Home > Quick Access > Assets & Textures opens the resource workspace; its sidebar entry is hidden. It uses the graphics session supplied by GFX Editor. Open the intended graphic and activate its category first.

Resource inventory

Select an entry to inspect a supported DDS preview or resource information. Layouts, packs and movies can appear in the inventory. A listed binary entry is not necessarily editable.

Export PNG Saves the decoded selected texture for external editing or inspection.

Import PNG / DDS Replaces a supported texture with matching dimensions and compatible encoding.

Extract asset Saves the raw resource. Extraction does not convert an unknown format.

Prefer contextual replacement

Result and Matchup foreground controls help select the correct texture. Use Font Studio or Matchup Font Atlas for glyph sheets. Use the video replacement flow for a movie so runtime-compatibility checks are performed.

Shared changes

A texture replacement modifies the loaded graphics session. Return to the relevant category, inspect it and Export PAC. Viewing or extracting assets does not install them into the game.

> A foreground image, font atlas and raw movie are different resources. Choose the appropriate workflow rather than replacing whichever entry happens to be highlighted.

GFX CONVERTER: SETUP

Prepare verified Bink conversion

Purpose

GFX Converter adapts supported extracted newer WWE 2K graphics to observed 2K19 template layouts. It exports standalone movies, not complete PACs. It does not extract proprietary game archives, install assets or render arbitrary After Effects projects.

Source family

WWE 2K22-2K24 selects the legacy recipes. WWE 2K25-2K26 selects the observed Thunderdome family. Choose correctly before import. Unsupported custom layouts stay excluded instead of being forced through the wrong template.

Set Up RAD Tools

Use the setup dialog's official download-page action if needed. Install/extract RAD Video Tools yourself, then Detect or Browse to the encoder/decoder. Verify tests them before saving. Current decoding may be needed for modern Bink revisions rejected by the old game runtime.

Choose Source Folder

Browse to extracted graphics. Recognizable movies are assigned to roles and validated for layout and decoding. The source row's play icon opens its original movie in a separate player. Previewing a source does not prove it matches a conversion recipe.

Dependencies


RAD executables/installers are not distributed with the app. Encoding and source decoding are verified separately. No After Effects installation is required for the supported built-in recipes.

> A movie that plays in another application can still need decoding/re-encoding before the configured 2K19 runtime will accept it.

ILLUSTRATED WORKSPACE MAP

CONVERTER WORKSPACE

Current interface capture with a quick control locator.



01 Source game / folder

Choose a family and import extracted Bink graphics.

02 Files and validation

Read dimensions, status and source preview before conversion.

03 Settings and Convert

Set output policy, select targets and choose processing speed.

Sample artwork illustrates controls, not an in-game validation image. Zoom this PDF to inspect fine UI details.

GFX CONVERTER: SOURCES

Read status and output mapping

Inputs

Titantron, Stage, Apron, Banner and Nameplate are primary roles. Multiple nameplates have individual inclusion checkboxes. Ambiguous names/folders can need explicit role assignment in Advanced Settings.

Status

Valid means required layout/decoder checks passed. Needs validation has not completed those checks. Unsupported does not match a verified recipe. Overrides cannot bypass validation. Missing optional sources disable only dependent outputs.

Template destinations

Apron / Ringpost 512 x 256.

Ramp 640 x 640.

Minitron 512 x 256.

Walltron Legacy family 512 x 512; observed modern family 1024 x 1024.

Titantron 0 / 1 / 2 1280 x 320, 960 x 320 and 640 x 640.

Superstar Nameplate Dedicated crop/duration workflow described next.

Source requirements

Observed recipes expect Stage 2048 x 2048, Apron 660 x 240 and Banner 2048 x 64. Stage supplies Ramp/Minitron and combines with Banner for Walltron. Titantron is normalized to the template canvas. Barricade is detectable/previewable but has no verified export destination here.

> These are supported recipe dimensions, not universal rules for every arena or custom graphics package.

SUPERSTAR NAMEPLATE VIDEO

A dedicated converter output

Output type

Superstar Nameplate converts supported nameplate/overall source movies to a Bink output. It does not replace the GFX Editor's PAC layout/font editing workflow.

Select sources

Import recognizable nameplate movies. Multiple files appear as separate rows; uncheck any to exclude. Select the compatible Superstar Nameplate output. Hover its output row for the crop behavior.

Framing

Supported oversized input is normalized to 1920 x 1080, then the top 456 pixels are cropped, retaining the bottom 624-pixel region. Supported native 1920-wide inputs retain their original scale. Review the source framing to confirm the desired artwork survives.

Timing

The complete animation is remapped to no more than five seconds at 30 fps. Supported transparency is preserved; audio is omitted. This duration limit differs from ordinary converter recipes that preserve the main source duration.

Install separately

Video slot ID contributes to naming. Inspect the exported movie and conversion report before using your slot-installation workflow. The PAC's live wrestler text and font remain separate resources.

> This operation creates a background movie. It does not generate or import a new font.

CONVERSION SETTINGS & SPEED

Choose output and performance

Output Settings

Output Folder is the destination parent. Naming Format uses the supported 2K19 convention. Backup existing files retains the prior output when replacing that template/slot export. Overwrite without backup is the explicit alternative. Open output folder when complete reveals the final bundle.

Targets

Check compatible outputs; Select compatible checks enabled targets. Disabled outputs lack valid dependencies. The summary counts sources, valid files, targets and items needing attention.

Speed prompt

Press Convert All Compatible after validation and tool setup. Choose Low, Balanced or Fast, then Start Conversion. Low uses one render worker; Balanced allows up to four; Fast up to eight. Memory limits can reduce workers. RAD encoding runs separately, so render speed is not a guaranteed end-to-end multiplier.

Remember

Remember my choice and don't ask again persists the mode and skips later prompts. Conversion Settings has the speed selector and remember checkbox so you can change the mode or restore prompting. Cancel does not start conversion or apply tentative dialog changes.

Advanced Settings & Mapping

Set Video slot ID, encoder/decoder paths and explicit source-role assignments. Validate files reruns checks. Role assignment fixes discovery ambiguity; it does not make an unsupported atlas compatible.

> Balanced is a practical start. Low leaves more capacity for other work; Fast suits a machine with sufficient CPU and memory.

RUNNING A CONVERSION

Progress, cancel and output bundle

Start

Check source family, valid inputs, selected outputs, destination, slot ID and backup policy. Convert All Compatible asks for speed unless remembered. Unverified RAD tools route to setup first.

Progress

Watch the current stage as well as percentage. Estimated time remaining changes with decoding, rendering, encoding and validation. Temporary frame data needs disk space; allow room at the output/work locations.

Cancel

Cancel requests a stop and cleans temporary decoded/rendered frames. Wait for cleanup to finish before retrying. The completed bundle is published only after all selected outputs validate; unfinished movies are not successful exports.

Verification

Output dimensions/timing and decoded frames are checked, along with acceptance by the game's Bink runtimes. Ordinary recipes preserve main source duration and loop shorter companion clips as needed. Superstar Nameplate has its separate duration limit.

Bundle

Open output reveals the result. conversion-report.json records sources/templates, dimensions/timing and checksums. Audio is omitted. The verified route can use Bink 1 compression published under requested .bk2 names; the extension does not imply native Bink 2 encoding.

> Conversion protects original sources and does not automatically install movies into the game. Install only the verified outputs needed by the intended slot.

EXPORT PAC & OTHER OUTPUTS

Save the right deliverable

PAC copy export

Use Save or Export PAC. Choose filename/destination and review Included modified sheets / assets. No modifications indicates an exact-copy export. The opened source path is protected, so select a different path.

Existing output

Keep Back up an existing output before replacing it enabled. Confirm backup-and-replace or choose a new filename. This protects a previous exported copy; retain a separate live-game backup for installation.

Validation

A staged copy is generated and validated before publication. Controls lock against conflicting edits. Open output folder appears on success. A failed export reports the error and permits correction; never install an unverified partial artifact.

Other deliverables

Export FTPK saves a selected font pack. Export atlas PNG saves a selected bitmap sheet. Camera/Export PNG (Screenshot) saves the composition without guides. None of these image/pack outputs is a complete installable PAC replacement.

Legacy combined export

The retained combined utility needs the same original PAC loaded for font and graphic edits. Conflicts on one resource are rejected. It is not an always-visible menu in the simplified interface; use the supported visible workflow for the packaged release.

> Full-Screen Layout is the deliberate exception: it writes the current matchup disk PAC while retaining .pac.bak.

INSTALL & VERIFY IN-GAME

Finish the job

Identify the destination

Record the actual installation, slot and runtime filename. Sample names may be descriptive rather than real slot names. If you maintain several game copies, check both configured and tested folders.

Installation steps

1. Close WWE 2K19.
2. Back up the live target PAC to a separate labeled folder.
3. Copy the validated export to the destination using its required slot filename.
4. Launch and test the same slot/variant.

Verify the change

Matchups: test the edited competitor-name or match-title layer. Nameplates/Locators: watch entrance, held frame and exit. Results: check applicable winner/team/draw variants. System fonts: inspect menus and controller icons. Include long/short names, accents and descenders.

Recover

Restore the live backup if installation fails. Full-Screen Layout > Restore from .bak restores its retained disk rollback point. Ctrl+Z affects supported session edits, not a manual installation performed in Explorer. Normal PAC copy export leaves the source intact.

> Structural validation checks the file, not final game rendering. Dynamic text, masks and runtime placement still need in-game testing.

UPDATES, SETTINGS & ABOUT

Keep the workspace current

Check for Updates

Home offers manual checking. The packaged app checks at startup and periodically when enabled in Settings. A notification opens the update dialog with version/notes. The configured repository is 2KLive/Genesis; filtering selects GFX Studio packages rather than unrelated Genesis releases.

Install

Choose Download update and wait for verification. Export outstanding edits and finish current operations, then Install and restart. Supported preferences/work folders are preserved and the prior installation is backed up. Startup failure triggers the supported rollback path.

Release requirements

A published compatible GFX Studio package is required; a repository commit alone is not a downloadable app update. Source-mode runs can inspect metadata but automatic installation is for the packaged EXE.

Settings

The lower-left Settings button changes game folder, Oodle, texconv and automatic checking. Review paths when moving the app or switching installations. Converter speed/remember preferences are in Conversion Settings instead.

About

About identifies GFX Studio, version and 2KLIVE. Visit 2KLIVE on Linktree opens the creator page. Third-Party Notices opens the included notices; Close returns to editing.

> Retain the displayed error if download/install fails. Resolve connectivity, permissions or outstanding edits before retrying.

REFERENCE

SHORTCUTS & POINTER CONTROLS

A fast working reference

Ctrl+Z / Ctrl+Y Undo / Redo in the active workspace.

Ctrl+S / Ctrl+Shift+S PAC copy-export where applicable.

Ctrl+O Retained Open Template shortcut routes to Font Studio. Use visible Open for a graphics category.

Space Play/pause Nameplates, Locators or Matchups when active and not typing or using a menu/dialog.

Escape Return from fullscreen or dismiss an applicable menu/dialog.

Left-click / drag Select / move editable artwork. Normal animated position movement shifts keys together.

Arrow / Shift+Arrow Move one / ten native canvas pixels.

Shift while dragging Supported center snapping near screen center.

Wheel / middle-drag Zoom / pan in image/canvas views.

Right-click Supported selected-layer actions.

Fit Restore automatic fit; manual zoom disables it until Fit is selected again.

Layers heading double-click Maximize/restore the supported layer region.

Divider drag Resize inspector regions and other resizable workspace sections.

Enter on a recent entry Reopen it.

> Text fields keep normal typing/navigation behavior. If a shortcut seems inactive, close menus/dialogs and move focus out of text entry.

TROUBLESHOOTING: EDITORS

Opening, previews and lettering

Wrong category or rejected file

Try Home routing and confirm source/origin. Do not rename the file to force compatibility. An unfamiliar mod may need parser support. Preserve the original and exact error.

Transparent empty space

Use Fit. Extra outside gutters should be removed, but transparency within the native overlay is legitimate. Check Layout, Variant and frame: artwork may enter later. Do not crop away the native canvas merely to fill a panel.

Space does not play

Use an animated category, not Results. Leave text fields and close menus/dialogs. Check that a valid movie is selected and the configured game's Bink libraries exist. Try visible Play to separate focus problems from decoder problems.

Disabled properties

Return to Edit, unlock and select the actual resource/layer. Unsupported controls remain restricted. DDS-baked lettering has no embedded font to regenerate.

Font changed only in preview

Sample text and Nameplate/Locator font-resource assignments are display-only. Use actual embedded-font editing, Export PAC, install the right copy and test the same variant.

Letter tops cut off

Inspect the atlas at 100%. Correct generation size/baseline or repair a cell-safe PNG. Moving cannot recover missing glyph pixels. Render-region cropping is a separate Full-Screen Layout issue.

TROUBLESHOOTING: OUTPUTS

Imports, conversion and export

PNG rejected

Check selected target, exact dimensions, real PNG format and alpha. A scene screenshot is not a glyph atlas. Full-screen resizing is specific to the resolved matchup foreground.

Background rejected

Use the verified replacement flow. Modern revisions can require a current RAD decoder and conversion. Matchup MP4 needs RAD setup; Nameplate/Locator replacement accepts Bink inputs.

Convert unavailable

Import, validate and select compatible outputs. Check the source family and mappings; custom unsupported layouts remain excluded. Finish other running operations first.

Slow conversion

Read the stage and ETA. Speed controls render concurrency; memory limits, disk I/O and RAD encoding can dominate. Allow temporary-frame space. Cancel normally and await cleanup before retrying.

Cannot overwrite PAC

Normal export protects its source. Choose a different path. Enable backup for an existing output or use a new name. Check destination existence/permissions. Retain format-validation errors for unsupported archives.

Export absent in-game

Verify installation folder, slot filename and variant. If artwork changes work but transforms do not, isolate the placement/render-region issue. Keep source/export copies and screenshots of both preview and game for comparison.

GLOSSARY & EDIT BOUNDARIES

Know what actually changes

Atlas Bitmap sheet holding glyphs or arranged source graphics.

Glyph A character's artwork and recorded metrics/rectangle.

Baseline Vertical reference for supported font generation.

ATB / layout Decoded hierarchy, transforms, references and supported animation tracks.

Variant Discovered arrangement within a layout.

Foreground / FG Artwork over the background, commonly DDS.

BK2 / BIK Bink movie formats whose revisions require runtime compatibility checks.

Binding Runtime relationship identifying a resource/text role; a preview substitute does not rewrite an unknown binding.

Preview-only

Sample strings, zoom/pan, guides, reference backgrounds, wrestler PNGs and ordinary font/artwork preview substitutions.

Saved with PAC export

Supported transforms/keys, real embedded font artwork, imported atlas pixels, compatible DDS replacements and verified movies.

Direct disk operations

Full-Screen Layout and Restore from .bak. Export pending session work before using these.

Limits

Observed compatible formats are supported, not every game archive or arbitrary AE project. Unknown effects, pivots and colour/opacity meanings are preserved/restricted rather than guessed.

REFERENCE

PROJECT CHECKLIST

A repeatable source-to-game workflow

Before editing

Record installation, slot and original filename. Preserve a pristine source. Open the right category, choose Layout/Variant and identify the actual layer/resource. Confirm tool paths and video dependencies.

Before export

Inspect all intended variants. Test long text, accents and descenders; scrub entrance/exit. Check foreground alpha and video framing. Remember that preview references do not become PAC assets.

Before installation

Use a separate output, inspect included changes and await validation. Keep destination-backup enabled. Retain a live-game original separately. Do not confuse PNG, selected FTPK, converter movie and complete PAC.

After installation

Test the exact slot in the intended game copy. Record the export path and result. If needed, restore the live original and isolate one change at a time.

Help

Prepare app version, category, source filename, slot, configured/tested installation, action, exact error and preview/game screenshots. Keep source and export for comparison. Visit 2KLIVE through About or linktr.ee/2klive.

> Reviewed for the GFX Studio interface on October 17, 2026. Earlier packaged releases can differ in control availability. Check About for your installed version.