


Use Case Diagram



Use Case ID	UC-CM-01
Author	UMMI PDS Development Team
Purpose	Authorized internal users and external principals need to locate crew members in the crew registry by applying one or more search criteria. This use case is the primary entry point into all crew-related workflows within the Crew Module, enabling users to refine the crew list to records matching their operational needs.
Requirement Traceability	FR-CM-01, FR-CM-02, FR-CM-03, FR-CM-04, FR-CM-10, FR-CM-51, FR-CM-53
Priority	High
Preconditions	1. The user is authenticated and holds an active session. 2. The user holds the required crew search permission or holds the Super-Admin role. 3. Crew records exist in the system. 4. Reference data for search filter options (crew statuses, ranks, vessels, locations, vessel types) is available.
Postconditions	<i>Successful Postconditions:</i> 1. The system displays matching crew records in a paginated, vessel-grouped list. 2. The total crew count and average age for the result set are displayed. 3. The search action is recorded in the system audit log. <i>Failed Postconditions:</i> 1. If the user does not hold the required permission, the system redirects to the Home page and records an unauthorized access attempt in the audit log. 2. If mutually exclusive filters are selected, no records are retrieved; the system displays a validation error.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin, Principal, Vessel Owner
Main Flow	1. The user navigates to the Crew Search page. 2. The system verifies the user's permission to access the Crew Search function. 3. The system loads search filter options appropriate to the user's role and assigned vessels. 4. For Principal and Vessel Owner users, the system immediately executes a default search restricted to their assigned vessels and permitted crew statuses. For all other users, the full search panel is presented. 5. The user enters or selects one or more search criteria: name, crew status, availability, rank, rank type, vessel, province, city, vessel experience, special program flags, and optional date filter. 6. The user submits the search request. 7. The system validates the selected criteria for conflicts. 8. The system retrieves crew records matching the validated

	criteria, applying vessel and status restrictions according to the user's role. 9. The system calculates the total count and average age of the matched crew. 10. The system displays crew records in a paginated, vessel-grouped list. 11. The system records the search action in the audit log.
Alternative Flow	A1. Unauthorized Access — At Step 2: 1. The system determines the user does not hold the required crew search permission. 2. The system records the unauthorized access attempt. 3. The system redirects the user to the Home page. 4. Use case ends. A2. Mutually Exclusive Filters Selected — At Step 7: 1. The system detects that two incompatible search filters are both selected. 2. The system displays a validation error message. 3. The search query is not executed. 4. The user corrects the filter selection and resubmits. Use case resumes at Step 7. A3. No Matching Records — At Step 8: 1. The system retrieves zero matching records. 2. The system displays an empty result list with a count of zero. 3. The audit log entry is still recorded. 4. Use case ends. A4. Session Timeout — At any step: 1. The system detects that the user's session is no longer valid. 2. The system attempts to restore the session using stored credentials. 3. If the session cannot be restored, the system redirects the user to the login page. 4. Use case ends.

UC-CM-02 – Reset Crew Search Filters

Use Case ID	UC-CM-02
Author	UMMI PDS Development Team
Purpose	Internal users need to quickly restore the Crew Search page to its default state without manually clearing each filter individually. This use case allows a user to reset all active search criteria in a single action, immediately re-executing the search with default parameters.
Requirement Traceability	FR-CM-05
Priority	Medium
Preconditions	1. The user is authenticated and holds the required crew search

	permission or Super-Admin role. 2. The user is an internal user (Manning Staff, Documentation Officer, Admin, or Super-Admin). The reset function is not available to Principal or Vessel Owner users. 3. The Crew Search page is open with at least one filter modified from its default state.
Postconditions	<i>Successful Postconditions:</i> 1. All name, dropdown, checkbox, and date filter fields are restored to their default values. 2. The crew status filter is reloaded to display active statuses. 3. The system re-executes the crew search using default parameters. 4. The results grid is refreshed to reflect the reset search. <i>Failed Postconditions:</i> 1. Not applicable. The reset function does not make any changes to crew data and cannot result in a data failure state.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin
Main Flow	1. The user clicks the Reset Filters button on the Crew Search page. 2. The system restores all text fields, dropdowns, checkboxes, and date filters to their default values. 3. The system reloads the crew status filter options to display active statuses. 4. The system hides the optional date filter panel. 5. The system automatically executes the crew search using the restored default parameters. 6. The system displays the refreshed crew search results.
Alternative Flow	A1. No Records After Reset — At Step 5: 1. The default search returns zero records. 2. The system displays an empty result list. 3. Use case ends normally; no error is raised.

UC-CM-03 – View Crew Search Results

Use Case ID	UC-CM-03
Author	UMMI PDS Development Team
Purpose	After executing a crew search, authorized users need to review the resulting crew list to identify specific crew members. This use case presents the matched records in a structured, paginated list grouped by vessel assignment, providing enough information for the user to assess each crew member at a glance without opening individual profiles.
Requirement Traceability	FR-CM-06, FR-CM-07, FR-CM-10
Priority	High
Preconditions	1. The user has successfully executed a crew search (UC-CM-01).

	2. The system has retrieved a result set from the search.
Postconditions	<i>Successful Postconditions:</i> 1. Crew records are displayed in a paginated list, grouped by vessel assignment with per-vessel counts. 2. Each record displays the crew member's photo, name, position, status, vessel, age, last vessel, status dates, sea service duration, and availability. 3. Status dates exceeding defined time thresholds are visually highlighted. 4. Pager controls are presented for result sets spanning multiple pages. <i>Failed Postconditions:</i> 1. If the result set is empty, the list displays with zero records and no error is raised.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin, Principal, Vessel Owner
Main Flow	1. Following a successful crew search (UC-CM-01), the system renders the crew result list. 2. The system groups the records by vessel assignment and displays a header row with the per-vessel crew count. 3. For each crew record, the system displays the crew photo with a status border indicator, the crew member's name as a navigation link, position, current status, assigned vessel, age, last vessel, status dates with elapsed-time color highlighting, total UMMI sea service duration, and availability status where applicable. 4. The system displays the total crew count and average age above the result list. 5. If the result set spans more than one page, the system renders pager controls. 6. The user reviews the displayed crew records. 7. The user may navigate to the next or previous page of results using the pager controls. 8. The system retrieves and displays the requested page.
Alternative Flow	A1. No Records — At Step 1: 1. The result set contains zero records. 2. The system displays the result list as empty. No vessel grouping headers are rendered. 3. Use case ends. A2. Page Navigation — At Step 7: 1. The user selects a page number or navigates using First or Last controls. 2. The system re-executes the search and renders the selected page. 3. Use case resumes at Step 3.

Use Case ID	UC-CM-04
Author	UMMI PDS Development Team
Purpose	Manning Staff, Documentation Officers, and Administrators need to export the currently filtered crew list to a formatted Excel workbook for distribution, reporting, or offline use. The export applies the same filter criteria as the active crew search and is logged for audit purposes.
Requirement Traceability	FR-CM-25, FR-CM-26
Priority	High
Preconditions	1. The user is authenticated with the required crew search permission or Super-Admin role. 2. A crew search has been executed and filter parameters are active. 3. The active crew status filter is not set to Applicant. The export function is unavailable for that status.
Postconditions	<i>Successful Postconditions:</i> 1. A formatted Excel workbook is generated and delivered to the user's browser for download. 2. The filename includes the active status filter and the export timestamp. 3. The export action is recorded in the system audit log. <i>Failed Postconditions:</i> 1. If the report cannot be generated, the system displays an error to the user. No partial file is delivered.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin
Main Flow	1. The user applies search filters on the Crew Search page, or the current filter state is active. 2. The user selects the Export Data action. 3. The system collects all currently active filter values. 4. The system records the export action in the audit log with the active filter parameters. 5. The system generates a formatted crew list report using the active filter criteria. 6. The system renders the report as a formatted Excel workbook. 7. The system streams the workbook to the user's browser. 8. The browser presents the file for download.
Alternative Flow	A1. Export Unavailable for Applicant Status — At Step 2: 1. The active crew status filter is set to Applicant. 2. The Export Data action is not presented to the user. 3. Use case does not initiate. A2. Report Generation Failure — At Step 6: 1. The report generation process encounters an error. 2. The system displays an error notification. 3. No file is delivered. Use case ends.

UC-CM-05 – Open Crew Profile

Use Case ID	UC-CM-05
Author	UMMI PDS Development Team
Purpose	After reviewing crew search results, the user needs to navigate to a specific crew member's detailed profile page to access their full information. Each crew member's name in the search results is presented as a navigation link that opens the profile in a new browser tab, preserving the search context.
Requirement Traceability	FR-CM-09
Priority	High
Preconditions	1. The user has executed a crew search and at least one crew record is displayed in the results list (UC-CM-03). 2. The selected crew member's record is present in the result set.
Postconditions	<i>Successful Postconditions:</i> 1. The crew member's profile page opens in a new browser tab. 2. The Crew Search page remains open and unchanged in the original browser tab. <i>Failed Postconditions:</i> 1. If the crew member's record is no longer accessible, the profile page displays an appropriate error. The Crew Search page is not affected.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin, Principal, Vessel Owner
Main Flow	1. The user locates the desired crew member in the search results list (UC-CM-03). 2. The user clicks the crew member's name link. 3. The system opens the crew member's profile page in a new browser tab. 4. The profile page loads the selected crew member's information.
Alternative Flow	A1. Record No Longer Accessible — At Step 4: 1. The crew member's record cannot be retrieved. 2. The profile page displays an error indicator. 3. The user closes the tab and returns to the search results. Use case ends.

UC-CM-06 – Open Crew Change List from Search Results

Use Case ID	UC-CM-06
Author	UMMI PDS Development Team
Purpose	Administrators and Super-Admins need to quickly navigate to the Crew Change List (CCL) for a crew member's currently assigned vessel directly from the search results, without separately navigating to the Manning module. This shortcut is available only for crew members with ON-BOARD or LINE UP status.
Requirement	FR-CM-08

Traceability	
Priority	Medium
Preconditions	1. The user holds the required CCL navigation permission or Super-Admin role. 2. The crew search results (UC-CM-03) include at least one crew member with ON-BOARD or LINE UP status.
Postconditions	<i>Successful Postconditions:</i> 1. The Crew Change List page for the selected vessel opens in a new browser tab. 2. The Crew Search page remains open and unchanged. <i>Failed Postconditions:</i> 1. If the user does not hold the required permission, the vessel name is displayed as plain text without a navigation link. No navigation occurs.
Actors	Admin, Super-Admin
Main Flow	1. The user views the crew search results (UC-CM-03). 2. The system displays the vessel name for ON-BOARD and LINE UP crew members as a navigation link for users with the required permission. 3. The user clicks the vessel name link. 4. The system opens the Crew Change List page for that vessel in a new browser tab.
Alternative Flow	A1. Insufficient Permission — At Step 2: 1. The user does not hold the required CCL navigation permission. 2. The vessel name is rendered as plain text. No link is presented. 3. Use case does not proceed.

UC-CM-07 – View Crew Profile

Use Case ID	UC-CM-07
Author	UMMI PDS Development Team
Purpose	Authorized users need to view a crew member's complete Personnel Information Sheet, which consolidates personal information, statutory benefit numbers, family data, emergency contact details, physical measurements, and uniform specifications. The level of information visible to the user is governed by their access role.
Requirement Traceability	FR-CM-11, FR-CM-12, FR-CM-13, FR-CM-14
Priority	High
Preconditions	1. The user is authenticated. 2. The profile page has been opened with a valid crew member identifier, typically via UC-CM-05. 3. The crew member's record exists in the system.
Postconditions	<i>Successful Postconditions:</i> 1. The Personnel Information Sheet is displayed with all fields

	appropriate to the user's access role. - The crew member's photo is displayed, or a default placeholder is shown if no photo is on record. - The crew member's Body Mass Index is calculated and displayed with a color classification indicator. - The profile view is recorded in the system audit log. <i>Failed Postconditions:</i> - If the crew member identifier is invalid or the record cannot be retrieved, the system displays an error notification.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin, Principal, Vessel Owner
Main Flow	- The user opens the crew profile page via a crew search result link (UC-CM-05) or a direct navigation reference. - The system retrieves the crew member's record using the provided identifier. - The system determines the user's access level for contact and personal detail visibility. - The system applies visibility restrictions based on the user's access level: users with restricted access do not see address, contact number, email address, family information, assessment records, or personal notes. - The system displays the crew member's personal information, statutory benefit numbers, family and emergency contact details (where permitted), physical measurements, uniform sizes, and personal notes (where permitted). - The system calculates and displays the crew member's age and BMI with a color-coded classification. - The system displays the crew member's photo, or a gender-appropriate placeholder image if no photo is on record. - The system records the profile access in the audit log.
Alternative Flow	A1. Invalid Crew Member Identifier — At Step 2: - The system cannot retrieve a record for the provided identifier. - The system displays an error notification. - Use case ends. A2. Restricted User Access — At Step 4: - The user's access level is restricted (e.g., Principal, Vessel Owner). - The system hides address, contact number, email address, family information, assessment records, and personal notes. - Use case continues at Step 5 with restricted data visible.

UC-CM-08 – View Crew Documents

Use Case ID	UC-CM-08
Author	UMMI PDS Development Team
Purpose	Manning Staff, Documentation Officers, and Administrators need to

	review a crew member's document records across six document categories to verify validity, check for items approaching or past expiry, and view scanned document images. This use case is initiated from within the crew profile page.
Requirement Traceability	FR-CM-15, FR-CM-16, FR-CM-17
Priority	High
Preconditions	1. UC-CM-07 has been initiated and the crew profile page is open. 2. The crew member has at least one document category to display.
Postconditions	<i>Successful Postconditions:</i> 1. The selected document category tab displays a list of document records. 2. Documents with an expiry date within or past the defined warning threshold are visually highlighted. 3. A scanned image viewer opens when the user selects a document with a scanned image available. <i>Failed Postconditions:</i> 1. If a document category contains no records, the system displays an empty state message for that category.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin
Main Flow	1. From the crew profile page (UC-CM-07), the user selects a document category tab: Personal Documents, License, Medical, Training Certificate, Out-Source Training, or UMMI Certificate. 2. The system retrieves and displays the document records for the selected category. 3. For each document record, the system displays the document name, number, issue date, expiry date, grade, and an indicator if a scanned image is available. 4. The system applies a visual expiry warning indicator to any document record whose expiry date is within or past the defined warning threshold. 5. The user identifies a document record with a scanned image available. 6. The user selects the scanned image action for that record. 7. The system opens the scanned document image in a popup viewer.
Alternative Flow	A1. No Documents in Category — At Step 2: 1. The selected category contains no records. 2. The system displays an empty state message. 3. Use case ends for this category. A2. No Scanned Image Available — At Step 5: 1. The document record does not have a scanned image. 2. The scanned image action is not presented for that record.

	3. Use case ends without opening the viewer.
--	--

UC-CM-09 – View Sea Service Records

Use Case ID	UC-CM-09
Author	UMMI PDS Development Team
Purpose	Manning Staff, Documentation Officers, and Administrators need to review a crew member's full sea service history, including pre-company and company contract records, to assess total experience for deployment, promotion, or reference purposes.
Requirement Traceability	FR-CM-18, FR-CM-19, FR-CM-20
Priority	High
Preconditions	1. UC-CM-07 has been initiated and the crew profile page is open.
Postconditions	<i>Successful Postconditions:</i> 1. The sea service list displays all recorded sea service entries with vessel, rank, port, dates, and computed duration per entry. 2. The total years of sea service across all records is displayed. <i>Failed Postconditions:</i> 1. If no sea service records exist, the system displays an empty state message and a total service value of zero.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin
Main Flow	1. From the crew profile page (UC-CM-07), the user selects the Sea Service tab. 2. The system retrieves and displays the crew member's sea service history. 3. For each record, the system displays the vessel name, rank held, port, date from, date to, and computed service duration. 4. The system computes and displays the crew member's total years of sea service, combining both pre-company and company contract records. 5. For users assigned to the PDS role, the system displays additional service detail columns.
Alternative Flow	A1. No Sea Service Records — At Step 2: 1. No sea service records are found. 2. The system displays an empty state message and a total service value of zero. 3. Use case ends.

UC-CM-10 – View Assessments

Use Case ID	UC-CM-10
Author	UMMI PDS Development Team
Purpose	Manning Staff, Documentation Officers, and Administrators need to review assessment notes and comments recorded about a crew member. Each assessment record may include an attached document that the user can view in a popup. The assessment function is read-

	only in the current system implementation.
Requirement Traceability	FR-CM-21, FR-CM-22
Priority	Medium
Preconditions	1. UC-CM-07 has been initiated and the crew profile page is open. 2. The authenticated user's access level permits viewing of assessment records (contact-detail-visible access required).
Postconditions	<i>Successful Postconditions:</i> 1. The Assessment tab displays all qualifying assessment records for the crew member. 2. For records with an attached document, the user can open the attachment in a popup viewer. <i>Failed Postconditions:</i> 1. If the user's access level does not permit viewing assessments, the Assessment tab is not displayed. 2. If no assessment records exist, the system displays an empty state message.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin
Main Flow	1. From the crew profile page (UC-CM-07), the user selects the Assessment tab. 2. The system retrieves and displays the assessment records for the crew member. 3. For each record, the system displays the assessment text, date, and an attachment indicator where applicable. 4. The user selects the attachment viewer action for a record that has an attached document. 5. The system opens the attached document in a popup viewer.
Alternative Flow	A1. Assessment Tab Hidden — At Step 1: 1. The user's access level does not permit viewing assessment records. 2. The Assessment tab is not rendered on the profile page. 3. Use case cannot be initiated. A2. No Assessment Records — At Step 2: 1. No assessment records are found for the crew member. 2. The system displays an empty state message. 3. Use case ends. A3. No Attachment Available — At Step 4: 1. The selected record does not have an attached document. 2. The attachment viewer action is not presented. 3. Use case ends.

UC-CM-11 – Print Crew Data Sheet

Use Case ID	UC-CM-11
Author	UMMI PDS Development Team
Purpose	Authorized users need to generate a printable Personnel Data Sheet

	for a crew member for documentation, distribution to principals, or pre-embarkation record keeping. The content of the printed output is governed by the user's access role, with restricted-access users receiving a version that excludes private contact and family details.
Requirement Traceability	FR-CM-27, FR-CM-28
Priority	High
Preconditions	1. UC-CM-07 has been initiated and the crew profile page is open with a valid crew member record.
Postconditions	<i>Successful Postconditions:</i> 1. The system navigates to the report page and renders the crew member's Personnel Data Sheet. 2. The report includes contact details if the user holds full access; the report excludes contact details if the user holds restricted access. <i>Failed Postconditions:</i> 1. If the report cannot be rendered, the report page displays an error. The crew profile page is not affected.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin, Principal, Vessel Owner
Main Flow	1. From the crew profile page (UC-CM-07), the user selects the Print Data Sheet action. 2. The system determines the user's contact detail access level. 3. The system navigates to the report page, passing the crew member identifier and the contact detail inclusion flag. 4. The report page retrieves the crew member's data and renders the Personnel Data Sheet. 5. The system presents the formatted report to the user.
Alternative Flow	A1. Report Rendering Failure — At Step 4: 1. The report page encounters an error while rendering. 2. The report page displays an error notification. 3. Use case ends. The crew profile page is unaffected.

UC-CM-12 – Verify Statutory Information

Use Case ID	UC-CM-12
Author	UMMI PDS Development Team
Purpose	A designated verifier needs to formally confirm that a crew member's statutory benefit numbers — SSS, PhilHealth, Pag-IBIG, and TIN, or TIN specifically — have been reviewed and are accurate. The verification marks the record and notifies the originating workflow upon completion.
Requirement Traceability	FR-CM-23, FR-CM-24
Priority	Medium
Preconditions	1. The crew profile page has been opened in verification mode, indicated by a verification type parameter in the page reference

	(either benefit numbers or TIN). 2. The crew member's record exists and contains the statutory information to be verified.
Postconditions	<i>Successful Postconditions:</i> 1. The crew member's statutory record is marked as verified for the applicable category. 2. The system displays a confirmation notification. 3. The originating page that directed the user to this profile is refreshed. <i>Failed Postconditions:</i> 1. If the user cancels the confirmation, no change is made to the crew member's record. 2. If the verification type parameter is absent or invalid, the verification action is not presented.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin
Main Flow	1. The user opens the crew profile page via a verification reference link that includes a verification type parameter. 2. The system detects verification mode and applies a visual highlight to the statutory information section. 3. The system displays the Verify Information action. 4. The user reviews the statutory information displayed. 5. The user selects the Verify Information action. 6. The system presents a confirmation prompt to the user. 7. The user confirms the verification. 8. The system marks the crew member's statutory record as verified for the applicable category. 9. The system displays a success notification. 10. The system refreshes the originating page.
Alternative Flow	A1. User Cancels Confirmation — At Step 7: 1. The user dismisses the confirmation prompt without confirming. 2. No change is made to the crew member's record. 3. The profile page remains in verification mode. Use case ends. A2. Verification Mode Not Active — At Step 2: 1. No verification type parameter is present in the page reference. 2. The system does not apply verification highlighting and does not display the Verify Information action. 3. The profile page is displayed in standard view mode. Use case ends.

UC-CM-13 – Search and Filter Applicants

Use Case ID	UC-CM-13
Author	UMMI PDS Development Team
Purpose	Manning Staff, Documentation Officers, and Administrators need to locate specific applicants within the applicant pool using one or more search criteria. This use case provides the primary entry point into the applicant recruitment management workflow, enabling users to filter

	the pool to applicants relevant to their current hiring needs.
Requirement Traceability	FR-CM-33, FR-CM-34, FR-CM-52, FR-CM-53
Priority	High
Preconditions	1. The user is authenticated and holds the required applicant pool permission or Super-Admin role. 2. Applicant records exist in the system with a status of Applicant. 3. Reference data for filter options (ranks, rank types, vessel experience types) is available.
Postconditions	<i>Successful Postconditions:</i> 1. The system displays matching applicant records in a paginated list. 2. The total applicant count and average age for the result set are displayed. 3. Each result record displays a vessel experience summary on demand. <i>Failed Postconditions:</i> 1. If the user does not hold the required permission, the system redirects to the Home page and records an unauthorized access attempt. 2. If no applicants match the criteria, the list is displayed as empty.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin
Main Flow	1. The user navigates to the Applicant Pool page. 2. The system verifies the user's permission to access the applicant pool. 3. The system loads filter options for rank, rank type, and vessel experience type. 4. The system executes a default search and displays all current applicants. 5. The user enters or selects search criteria: last name, first name, rank, rank type, vessel experience, and application date range. 6. The user submits the search request. 7. The system retrieves applicant records matching the specified criteria. 8. The system displays the matching records in a paginated list, including applicant photo, name, position, embarkation status, age, contact number, application date, and vessel experience summary. 9. The system displays the total applicant count and average age.
Alternative Flow	A1. Unauthorized Access — At Step 2: 1. The system determines the user does not hold the required permission. 2. The system records the unauthorized access attempt. 3. The system redirects the user to the Home page. Use case

	ends. A2. No Matching Applicants — At Step 7: 1. The system retrieves zero matching records. 2. The system displays an empty result list with a count of zero. Use case ends.
--	---

UC-CM-14 – View Applicant Profile

Use Case ID	UC-CM-14
Author	UMMI PDS Development Team
Purpose	After reviewing applicant pool results, the user needs to navigate to a specific applicant's detailed profile to review their full information before making a hiring or screening decision. The applicant's name in the pool results is presented as a navigation link opening the profile in a new browser tab.
Requirement Traceability	FR-CM-35
Priority	High
Preconditions	1. The user has executed an applicant search (UC-CM-13) and at least one applicant record is displayed. 2. The selected applicant's record is present in the result set.
Postconditions	<i>Successful Postconditions:</i> 1. The applicant's full profile opens in a new browser tab. 2. The Applicant Pool page remains open and unchanged in the original tab. <i>Failed Postconditions:</i> 1. If the applicant record is no longer accessible, the profile page displays an error. The Applicant Pool page is not affected.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin
Main Flow	1. The user locates the desired applicant in the pool results (UC-CM-13). 2. The user clicks the applicant's name link. 3. The system opens the applicant's profile page in a new browser tab.
Alternative Flow	A1. Record No Longer Accessible — At Step 3: 1. The applicant's record cannot be retrieved. 2. The profile page displays an error. 3. The user closes the tab and returns to the pool results. Use case ends.

UC-CM-15 – Add Applicant Manually

Use Case ID	UC-CM-15
Author	UMMI PDS Development Team
Purpose	When an applicant's information needs to be entered directly by Manning Staff — for example, for walk-in applicants or cases where the digital self-encoding link process is not used — an authorized user

	can manually create a new applicant record. The system opens the applicant data entry form in a new browser tab.
Requirement Traceability	FR-CM-36
Priority	High
Preconditions	1. The user is authenticated and holds the required applicant pool permission or Super-Admin role. 2. The Applicant Pool page is open.
Postconditions	<i>Successful Postconditions:</i> 1. The applicant data entry form opens in a new browser tab in Add Applicant mode. 2. The Applicant Pool page remains open. <i>Failed Postconditions:</i> 1. Not applicable. This use case only opens the data entry form. No record is created until the user completes and submits the form within the data entry page.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin
Main Flow	1. From the Applicant Pool page, the user selects the Add Applicant action. 2. The system opens the applicant data entry form in a new browser tab, configured for creating a new applicant record. 3. The user enters the applicant's information in the form.
Alternative Flow	A1. User Closes Form Without Saving — At Step 3: 1. The user closes the data entry form tab without submitting. 2. No applicant record is created. Use case ends.

UC-CM-16 – Generate Applicant Encoding Link

Use Case ID	UC-CM-16
Author	UMMI PDS Development Team
Purpose	Manning Staff and Administrators need to create a personalized, time-limited link that enables a prospective seafarer (applicant) to access the system and self-encode their application information without requiring a permanent user account. The generated link is stored and displayed for immediate forwarding to the applicant.
Requirement Traceability	FR-CM-39, FR-CM-40
Priority	High
Preconditions	1. The user is authenticated with the required applicant pool permission or Super-Admin role. 2. The Applicant Pool page is open. 3. Position (rank) reference data is available for the position selection field.
Postconditions	<i>Successful Postconditions:</i> 1. A new applicant encoding link record is created with Active status.

	- The generated link URL is displayed to the user for copying or forwarding. - The applicant's email address is displayed as the intended recipient. - The action is recorded in the system audit log. <i>Failed Postconditions:</i> - If any required input (applicant name, email address, or validity date) is missing or invalid, no link record is created. - The system displays a specific validation error message identifying the missing or invalid field.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin
Main Flow	- From the Applicant Pool page, the user selects the Generate Applicant Link action. - The system opens the link generation form, pre-populating the validity date to the following day. - The user enters the applicant's full name, email address, position applied for, and validity date. - The user submits the form. - The system validates that the applicant name, email address, and validity date are all present and that the validity date is a valid calendar date. - The system creates a new encoding link record with Active status, associating it with the generating user and the provided applicant details. - The system constructs the personalized encoding link URL from the new record. - The system transitions to a confirmation display showing the generated link URL and the applicant's email address. - The system records the action in the audit log. - The system displays a success notification.
Alternative Flow	A1. Missing Applicant Name — At Step 5: - The applicant name field is empty. - The system displays a validation error: "Invalid Applicant Name." - No record is created. Use case resumes at Step 3. A2. Missing Email Address — At Step 5: - The email address field is empty. - The system displays a validation error: "Invalid Email Address." - No record is created. Use case resumes at Step 3. A3. Invalid Validity Date — At Step 5: - The validity date field is empty or does not contain a valid calendar date. - The system displays a validation error: "Invalid validity date." - No record is created. Use case resumes at Step 3.

Use Case ID	UC-CM-17
Author	UMMI PDS Development Team
Purpose	After generating an applicant encoding link, Manning Staff or Administrators need to forward the link to the applicant so they can begin the self-encoding process. The system composes a pre-formatted email message containing the link, usage instructions, and validity date, and initiates the send action through the user's default email client.
Requirement Traceability	FR-CM-41
Priority	Medium
Preconditions	1. UC-CM-16 has been completed and the generated link confirmation is displayed. 2. A valid email address was provided during link generation. 3. The user's workstation has a default email client configured.
Postconditions	<i>Successful Postconditions:</i> 1. The user's default email client opens with a pre-composed message addressed to the applicant, containing the encoding link, instructions, and validity date. 2. The encoding link record is not modified by this action. <i>Failed Postconditions:</i> 1. If no default email client is configured, the browser cannot open the email client. The link URL remains visible in the confirmation display for manual copying.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin
Main Flow	1. From the generated link confirmation display (UC-CM-16), the user selects the Send Link action. 2. The system composes an email message with the applicant's email address as the recipient, a standard subject line, and a formatted message body containing the encoding link URL, self-encoding instructions, and validity date. 3. The system initiates the email send action through the browser's email protocol handler. 4. The user's default email client opens with the pre-composed message. 5. The user reviews the message and sends it.
Alternative Flow	A1. No Default Email Client Configured — At Step 3: 1. The browser cannot find a configured email client. 2. The system does not open an email client. 3. The encoding link URL remains visible in the confirmation display. 4. The user manually copies the link and sends it through an available channel. Use case ends.

Use Case ID	UC-CM-18
Author	UMMI PDS Development Team
Purpose	Manning Staff and Administrators need to monitor and manage all generated applicant encoding links, reviewing their current status, validity dates, last access timestamps, and the staff member who created them. This use case provides an overview of the digital recruitment intake pipeline and enables subsequent link administration actions.
Requirement Traceability	FR-CM-42, FR-CM-43
Priority	Medium
Preconditions	1. The user is authenticated with the required applicant pool permission or Super-Admin role. 2. The Applicant Pool page is open.
Postconditions	<i>Successful Postconditions:</i> 1. The Link List panel displays all encoding links matching the selected status filter. 2. Links whose validity date has passed are visually highlighted. 3. An action to bulk-transition expired active links is available when applicable. <i>Failed Postconditions:</i> 1. If no links exist for the selected status, the list is displayed as empty.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin
Main Flow	1. From the Applicant Pool page, the user opens the Applicant Link List panel. 2. The system loads the status filter with available link status options. 3. The system retrieves and displays all encoding links matching the default status filter. 4. For each link record, the system displays the applicant name, email address, validity date, last access date, current status, date generated, and the name of the staff member who generated the link. 5. The system applies a visual highlight to link records whose validity date has passed. 6. The user may select a different status from the filter to view links in other states. 7. The system retrieves and redisplay the link list for the selected status.
Alternative Flow	A1. No Links for Selected Status — At Step 3 or Step 7: 1. No link records match the selected status. 2. The system displays an empty state message. Use case ends.

Use Case ID	UC-CM-19
Author	UMMI PDS Development Team
Purpose	Manning Staff and Administrators need to change the status of a specific applicant encoding link — for example, to deactivate a link before its validity expires, or to reclassify a link that has been actioned. The status change requires explicit confirmation to prevent accidental updates.
Requirement Traceability	FR-CM-44
Priority	Medium
Preconditions	1. UC-CM-18 is active and the Link List panel is displayed. 2. At least one link record is visible.
Postconditions	<i>Successful Postconditions:</i> 1. The selected link record's status is updated to the chosen value. 2. The link list refreshes to reflect the change. 3. The action is recorded in the system audit log. 4. A success notification is displayed. <i>Failed Postconditions:</i> 1. If the user cancels the confirmation, the link status is not changed.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin
Main Flow	1. From the Applicant Link List panel (UC-CM-18), the user selects a new status for a link record using the inline status selector. 2. The system presents a confirmation prompt: "Do you really want to change the status?" 3. The user confirms the change. 4. The system updates the link record's status to the selected value. 5. The system refreshes the link list. 6. The system records the change in the audit log and displays a success notification.
Alternative Flow	A1. User Cancels Confirmation — At Step 3: 1. The user dismisses the confirmation prompt without confirming. 2. The status selector reverts to the previous value. 3. No change is made. Use case ends.

UC-CM-20 – Move Expired Validity Links

Use Case ID	UC-CM-20
Author	UMMI PDS Development Team
Purpose	Manning Staff and Administrators need to perform a periodic housekeeping action to transition all Active encoding links whose validity date has passed to an Expired status in bulk. This keeps the Active link list relevant and prevents confusion about which links are

	still usable.
Requirement Traceability	FR-CM-45
Priority	Low
Preconditions	1. UC-CM-18 is active, the Link List panel is open, and the Active status filter is selected. 2. At least one Active link record has a validity date that has passed. The bulk transition action is presented only in this condition.
Postconditions	<i>Successful Postconditions:</i> 1. All Active links whose validity date has passed are updated to Expired status. 2. The link list refreshes to reflect the updated statuses. 3. The action is recorded in the system audit log. 4. A success notification is displayed. <i>Failed Postconditions:</i> 1. Not applicable. This action operates only on eligible records and does not affect records whose validity has not yet passed.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin
Main Flow	1. From the Applicant Link List panel (UC-CM-18) with the Active status filter selected, the user selects the Move Expired Validity Links action. 2. The system identifies all Active links with a validity date in the past. 3. The system updates the identified links to Expired status in bulk. 4. The system refreshes the link list. 5. The system records the action in the audit log and displays a success notification.
Alternative Flow	A1. No Eligible Links — At Step 2: 1. No Active links with a past validity date exist. 2. The Move Expired Validity Links action is not presented to the user. Use case does not initiate.

UC-CM-21 – Delete Applicant Link

Use Case ID	UC-CM-21
Author	UMMI PDS Development Team
Purpose	Manning Staff and Administrators need to permanently remove applicant encoding link records that are no longer needed — typically those in a non-Active state such as Expired or Completed. A confirmation is required before deletion to prevent accidental data loss.
Requirement Traceability	FR-CM-46

Priority	Low
Preconditions	1. UC-CM-18 is active, the Link List panel is open, and a non-Active status filter is selected. 2. At least one link record is displayed.
Postconditions	<i>Successful Postconditions:</i> 1. The selected link record is permanently removed from the system. 2. The link list refreshes. <i>Failed Postconditions:</i> 1. If the user cancels the confirmation, no record is deleted.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin
Main Flow	1. From the Applicant Link List panel (UC-CM-18) showing non-Active links, the user selects the Delete action for a link record. 2. The system presents a confirmation prompt: "Are you sure you want to delete?" 3. The user confirms the deletion. 4. The system permanently removes the selected link record. 5. The system refreshes the link list.
Alternative Flow	A1. User Cancels Deletion — At Step 3: 1. The user dismisses the confirmation prompt. 2. No record is deleted. Use case ends. A2. Delete Action Not Available — At Step 1: 1. The Active status filter is selected in the link list. 2. The Delete action is not presented for Active link records. 3. Use case does not initiate.

UC-CM-22 – Resend Applicant Encoding Link

Use Case ID	UC-CM-22
Author	UMMI PDS Development Team
Purpose	When an applicant reports that they have not received or cannot locate the original encoding link, Manning Staff or Administrators can retrieve the existing link from the Link List panel and resend it without generating a duplicate entry.
Requirement Traceability	FR-CM-47
Priority	Medium
Preconditions	1. UC-CM-18 is active and the Link List panel is displayed. 2. The intended link record is visible in the list.
Postconditions	<i>Successful Postconditions:</i> 1. The generated link confirmation display reopens, showing the existing link URL and the applicant's email address. 2. The user can proceed to send the link using UC-CM-17. <i>Failed Postconditions:</i> 1. Not applicable. No record is modified by this action.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin

Main Flow	1. From the Applicant Link List panel (UC-CM-18), the user selects the applicant's email address link for the record to be resent. 2. The system retrieves the encoding link record and reconstructs the link URL. 3. The system opens the generated link confirmation display, showing the existing URL and the applicant's email address. 4. The user proceeds to resend the link (UC-CM-17).
Alternative Flow	A1. Link Record No Longer Valid — At Step 2: 1. The link record cannot be retrieved. 2. The system displays an error notification. Use case ends.

UC-CM-23 – Hire Applicant

Use Case ID	UC-CM-23
Author	UMMI PDS Development Team
Purpose	When a hiring decision has been made, Manning Staff or Administrators formally change an applicant's status to Hired within the system, transitioning the individual from the applicant pool to the active personnel roster. An explicit confirmation is required before the status change is committed.
Requirement Traceability	FR-CM-37, FR-CM-38
Priority	High
Preconditions	1. The user is authenticated with the required applicant pool permission or Super-Admin role. 2. The applicant record is displayed in the pool results with a status of Applicant.
Postconditions	<i>Successful Postconditions:</i> 1. The applicant's status is updated to Hired. 2. The applicant no longer appears in the Applicant status pool results. 3. A success notification is displayed. 4. The hiring action is recorded in the system audit log. <i>Failed Postconditions:</i> 1. If the user cancels the confirmation, the applicant's status is not changed.
Actors	Manning Staff, Documentation Officer, Admin, Super-Admin
Main Flow	1. The user locates the applicant in the pool results (UC-CM-13). 2. The user selects the Hire action for the applicant record. 3. The system presents a confirmation prompt: "Do you really want to Hire this applicant?" 4. The user confirms the action. 5. The system updates the applicant's status to Hired. 6. The system records the hiring action in the audit log.

	7. The system refreshes the applicant search results. 8. The system displays a success notification.
Alternative Flow	A1. User Cancels Confirmation — At Step 4: 1. The user dismisses the confirmation prompt. 2. No status change is made. Use case ends.

UC-CM-24 – Self-Encode Applicant Information

Use Case ID	UC-CM-24
Author	UMMI PDS Development Team
Purpose	A prospective seafarer who has received a personalized encoding link needs to access the system and enter their own personal, documentation, and sea service information without holding a permanent system account. The system validates the link before granting a scoped access session limited to the data entry form only.
Requirement Traceability	FR-CM-48, FR-CM-49, FR-CM-50
Priority	High
Preconditions	1. Manning Staff has generated a valid encoding link for the applicant (UC-CM-16) and forwarded it to the applicant (UC-CM-17). 2. The applicant is in possession of the link URL. 3. The link's validity date has not passed. 4. The link's status is Active.
Postconditions	<i>Successful Postconditions:</i> 1. The applicant is granted a scoped session with access limited to the applicant data entry form. 2. The last access timestamp on the encoding link record is updated. 3. The access event is recorded in the audit log. 4. The applicant is directed to the data entry form to complete their application information. <i>Failed Postconditions:</i> 1. If the link is invalid, expired, or has a non-Active status, the applicant is redirected to an access-denied page. 2. The invalid access attempt is recorded in the audit log.
Actors	Applicant
Main Flow	1. The applicant follows the encoding link URL received via email. 2. The system validates the link by confirming its existence, Active status, and applicant record association. 3. The system updates the link record's last access timestamp. 4. The system establishes a scoped session for the applicant, restricted to applicant data entry access only. 5. The system records the successful access in the audit log. 6. The system directs the applicant to the applicant data entry form.

	7. The applicant completes and submits their personal, document, and sea service information.
Alternative Flow	A1. Invalid or Non-Active Link — At Step 2: 1. The link record cannot be found, is not Active, or is not associated with a valid applicant record. 2. The system records the invalid access attempt in the audit log. 3. The system redirects the applicant to an access-denied page. 4. Use case ends. A2. Applicant Abandons Form — At Step 7: 1. The applicant closes the browser without submitting. 2. Any unsaved information is not retained. The link record remains Active. 3. Use case ends.

UC-CM-25 – Generate Releasing Checklist

Use Case ID	UC-CM-25
Author	UMMI PDS Development Team
Purpose	Documentation Officers and Administrators need to configure a pre-departure releasing checklist for crew members in LINE UP status assigned to a specific vessel. The checklist consolidates key pre-embarkation administrative checkpoints — including flight booking status, airport terminal, and document issuance confirmations — into a single configuration form ready for export.
Requirement Traceability	FR-CM-29, FR-CM-30, FR-CM-31
Priority	High
Preconditions	1. The user holds Documentation Officer, Admin, or Super-Admin role. 2. The Crew Search page is open with the crew status filter set to LINE UP. 3. A specific vessel is selected in the vessel filter (not the All Vessels option).
Postconditions	<i>Successful Postconditions:</i> 1. The Releasing Checklist configuration panel opens. 2. Flight booking status checkboxes are pre-populated based on existing booking records for the selected vessel. 3. The user can configure all remaining checklist fields and proceed to export. <i>Failed Postconditions:</i> 1. If no specific vessel is selected, the system displays a validation error and the configuration panel does not open. 2. If the user's role does not meet the requirement, the checklist action is not presented.
Actors	Documentation Officer, Admin, Super-Admin
Main Flow	1. The user sets the Crew Status filter to LINE UP on the Crew

	Search page. - The system makes the Releasing Checklist action available for qualifying user roles. - The user selects a specific vessel from the vessel filter. - The user selects the Releasing Checklist action. - The system validates that a specific vessel (not All Vessels) is selected. - The system retrieves existing flight booking records for the selected vessel and pre-populates the flight booking status checkboxes for on-signers and off-signers. - The system opens the Releasing Checklist configuration panel. - The user sets the batch number, airport terminal, and status for each checklist item (GL/Immigration clearance, Information Sheet, Pre-Embarkation Checklist, allotment, visa, End of Contract documentation).
Alternative Flow	A1. No Specific Vessel Selected — At Step 5: - The vessel filter is set to All Vessels. - The system displays a validation error: "Please select a specific vessel." - The configuration panel does not open. Use case ends. A2. Checklist Action Not Presented — At Step 2: - The user's role is not Documentation Officer, Admin, or Super-Admin. - The Releasing Checklist action is not displayed. Use case cannot be initiated.

UC-CM-26 – Export Releasing Checklist

Use Case ID	UC-CM-26
Author	UMMI PDS Development Team
Purpose	After configuring the releasing checklist parameters, the Documentation Officer or Administrator needs to produce the formatted checklist document for operational use. The system exports all configured checklist parameters to the report generation service, which renders the final output.
Requirement Traceability	FR-CM-32
Priority	High
Preconditions	- UC-CM-25 has been completed and the Releasing Checklist configuration panel is open with all fields configured. - A specific vessel is selected.
Postconditions	<i>Successful Postconditions:</i> - The system navigates to the report generation service, passing all checklist parameters. - The report generation service renders the formatted releasing checklist document.

	<i>Failed Postconditions:</i> 1. If the report cannot be rendered, the report generation service displays an error. The Crew Search page is not affected
Actors	Documentation Officer, Admin, Super-Admin
Main Flow	1. From the Releasing Checklist configuration panel (UC-CM-25), the user confirms all checklist fields are configured. 2. The user selects the Export action. 3. The system collects all configured checklist values: batch number, airport terminal, terminal image reference, flight booking statuses, and the status of each document checklist item. 4. The system navigates to the report generation service, passing all collected parameters. 5. The report generation service renders the formatted releasing checklist document. 6. The document is presented to the user.
Alternative Flow	A1. Report Rendering Failure — At Step 5: 1. The report generation service encounters an error. 2. An error is displayed. Use case ends.

FUNCTIONAL REQUIREMENTS

Crew Search and Query

FR-CM-01 The system shall allow authorized users to search crew records using multiple search criteria, including crew member name, crew status, availability, rank, rank type, assigned vessel, province, city, vessel type experience, cadetship program flag, JOCAP program flag, higher license flag, and date range.

FR-CM-02 The system shall restrict the available crew status search options based on the authenticated user's role. Users assigned to the Principal or Vessel Owner role shall only be able to filter by crew members with an ON-BOARD, LINE UP, or ON-BOARD PROM status.

FR-CM-03 The system shall restrict crew search results to crew members assigned to the authenticated user's designated vessels when vessel assignments are configured for that user.

FR-CM-04 The system shall prevent simultaneous selection of the Cadetship and JOCAP search flags and shall display a validation error message if both are selected.

FR-CM-05 The system shall provide a filter reset function that restores all search criteria to their default values, reloads default status options, and automatically re-executes the crew search. This function shall not be available to Principal or Vessel Owner users.

FR-CM-06 The system shall display crew search results in a paginated list of ten records per page, grouped by vessel assignment, with each record presenting the crew member's photo, name, position, crew status, assigned vessel, age, last vessel, status dates, UMMI sea service duration, and current availability.

FR-CM-07 The system shall apply a visual elapsed-time warning indicator to crew status date fields. Records where the status date elapsed period is between four and eight months shall be highlighted in amber; records exceeding eight months shall be highlighted in red. This indicator shall apply only to defined status types.

FR-CM-08 The system shall display the assigned vessel as a navigation link to the Crew Change List for crew members with ON-BOARD or LINE UP status. This navigation link shall be visible only to users holding the CCL navigation permission or Super-Admin role. All other users shall see the vessel name as plain text.

FR-CM-09 The system shall render each crew member's name in the search results list as a navigation link that opens the crew member's profile page in a new browser tab.

FR-CM-10 The system shall calculate and display the total count and average age of crew members matching the active search criteria.

Crew Profile

FR-CM-11 The system shall display the crew member's complete Personnel Information Sheet, including personal information (name, date of birth, age, gender, blood type, religion, nationality, civil status, height, weight, BMI, contact number, email address, home address), statutory benefit numbers (SSS, PhilHealth, Pag-IBIG, TIN, HMO number, HMO expiry, number of dependents), family and emergency contact information, uniform sizes, and personal notes.

FR-CM-12 The system shall restrict the visibility of a crew member's address, contact number, email address, family information, assessment records, and personal notes based on the authenticated user's contact detail access level. Users with restricted access shall not see these fields.

FR-CM-13 The system shall calculate and display the crew member's Body Mass Index with a color-coded classification label indicating the BMI category (e.g., Underweight, Normal, Overweight, Obese).

FR-CM-14 The system shall provide one-click clipboard copy functionality for the crew member's SSS number, PhilHealth number, Pag-IBIG number, TIN, and HMO number when those fields are populated.

FR-CM-15 The system shall display crew member documents organized into six categories: Personal Documents, License, Medical, Training Certificate, Out-Source

Training, and UMMI Certificate. Each document record shall present the document name, number, issue date, expiry date, grade, and an indicator of scanned image availability.

FR-CM-16 The system shall apply a visual expiry warning indicator to document records whose expiry date falls within the defined warning threshold period. The default threshold is three months; individual document types may have custom thresholds.

FR-CM-17 The system shall allow authorized users to open a scanned document image in a popup viewer for document records that have a scanned image available.

FR-CM-18 The system shall display the crew member's sea service history in a list, with each record presenting the vessel name, rank held, port, service start date, service end date, and computed service duration for that record.

FR-CM-19 The system shall calculate and display the crew member's total years of sea service by combining all pre-company and company contract service records.

FR-CM-20 The system shall display additional sea service detail columns for users authenticated with the PDS role.

FR-CM-21 The system shall display assessment records for a crew member in a read-only list, presenting the assessment text, assessment date, and an attachment indicator where applicable. Assessment records shall only be visible to users with contact detail access.

FR-CM-22 The system shall allow authorized users to open an assessment attachment in a popup viewer for assessment records that have an attached document.

FR-CM-23 The system shall provide a statutory information verification action on the crew profile page that marks the crew member's benefit numbers or TIN as verified upon user confirmation.

FR-CM-24 The system shall display the statutory verification action only when the crew profile page is accessed with a valid verification type parameter. The verification type shall be either benefit numbers or TIN.

Reports and Checklists

FR-CM-25 The system shall allow authorized users to export the currently filtered crew list as a formatted Excel workbook. The export shall apply the same filter criteria as the active crew search. The Export action shall not be available when the active crew status filter is Applicant.

FR-CM-26 The system shall record all crew list export actions in the system audit log, capturing the active filter parameters at the time of export.

FR-CM-27 The system shall allow authorized users to generate a printable Personnel Data Sheet for a selected crew member from the crew profile page.

FR-CM-28 The system shall control the inclusion of the crew member's contact and family details in the Personnel Data Sheet based on the authenticated user's contact detail access level.

FR-CM-29 The system shall provide a Releasing Checklist configuration panel for vessels in LINE UP crew status, pre-populating flight booking status checkboxes from existing booking records for the selected vessel. The panel shall include fields for batch number, airport terminal selection, GL/Immigration clearance status, Information Sheet status, Pre-Embarkation Checklist status, allotment status, visa status, and End of Contract documentation status.

FR-CM-30 The system shall restrict the Releasing Checklist action to users holding Documentation Officer, Admin, or Super-Admin role. The action shall not be presented to other user roles.

FR-CM-31 The system shall require that a specific vessel is selected in the vessel search filter before the Releasing Checklist configuration panel can be opened. If the All Vessels option is active, the system shall display a validation error.

FR-CM-32 The system shall allow authorized users to export the configured releasing checklist by navigating to the report generation service with all configured checklist parameters passed as export parameters.

Applicant Pool

FR-CM-33 The system shall allow authorized users to search the applicant pool using multiple criteria, including last name, first name, rank, rank type, vessel type experience, and application date range.

FR-CM-34 The system shall display a vessel experience summary for each applicant in the pool search results as an on-demand popover, listing the vessel types the applicant has experience with.

FR-CM-35 The system shall render each applicant's name in the pool results list as a navigation link that opens the applicant's profile page in a new browser tab.

FR-CM-36 The system shall allow authorized users to open the applicant data entry form in a new browser tab to manually create a new applicant record.

FR-CM-37 The system shall allow authorized users to change an applicant's status to Hired from the applicant pool results list. A confirmation prompt shall be presented before the status change is committed.

FR-CM-38 The system shall record all applicant hiring actions in the system audit log.

Applicant Encoding Links

FR-CM-39 The system shall allow authorized users to generate a personalized, time-limited applicant encoding link by providing the applicant's name, email address, position applied for, and validity date. The generated link shall be stored with an Active status and associated with the generating user.

FR-CM-40 The system shall validate that the applicant name, email address, and validity date fields are all populated and that the validity date is a valid calendar date before creating an encoding link record. The system shall display a specific validation error for each missing or invalid field.

FR-CM-41 The system shall compose a pre-formatted email message containing the generated encoding link URL, self-encoding instructions, and validity date, and shall initiate the send action through the browser's email protocol handler addressed to the applicant's email address.

FR-CM-42 The system shall display all generated applicant encoding links in a filterable list, allowing the user to filter by link status. Each record shall display the applicant name, email address, validity date, last access date, current status, date generated, and the name of the generating staff member.

FR-CM-43 The system shall apply a visual highlight to applicant encoding link records whose validity date has passed.

FR-CM-44 The system shall allow authorized users to update the status of a generated applicant encoding link using an inline status selector within the link list. A confirmation prompt shall be presented before the update is committed.

FR-CM-45 The system shall allow authorized users to bulk-transition all Active applicant encoding links with a past validity date to Expired status in a single action. This action shall be available only when the Active status filter is selected and at least one eligible record exists.

FR-CM-46 The system shall allow authorized users to delete applicant encoding link records that are in a non-Active status. A confirmation prompt shall be presented before the deletion is committed. The Delete action shall not be available for Active link records.

FR-CM-47 The system shall allow authorized users to retrieve and redisplay the generated link confirmation for an existing encoding link record to facilitate resending the link to the applicant.

Self-Encoding Access

FR-CM-48 The system shall validate an applicant encoding link upon access, confirming the link's existence and Active status. Upon successful validation, the system shall establish a scoped access session for the applicant, restricted to the applicant data entry form only, and shall redirect the applicant to that form.

FR-CM-49 The system shall redirect an applicant to an access-denied page if the encoding link is invalid, cannot be found, or does not have an Active status. The system shall record the invalid access attempt in the audit log.

FR-CM-50 The system shall record the timestamp of each valid applicant encoding link access, updating the last access date on the corresponding link record.

Access Control

FR-CM-51 The system shall restrict access to the Crew Search function to authenticated users holding the crew search permission or Super-Admin role. Users who do not meet this requirement shall be redirected to the Home page upon attempting to access the function.

FR-CM-52 The system shall restrict access to the Applicant Pool function to authenticated users holding the applicant pool permission or Super-Admin role. Users who do not meet this requirement shall be redirected to the Home page upon attempting to access the function.

FR-CM-53 The system shall record all unauthorized access attempts to restricted Crew Module functions in the system audit log, capturing the user identity and the function attempted.

REQUIREMENTS TRACEABILITY MATRIX

Req. ID	Requirement Description	Related Use Case(s)	Legacy Module
FR-CM-01	System shall allow authorized users to search crew records using multiple search criteria.	UC-CM-01	Crew Search
FR-CM-02	System shall restrict available crew status options by user role.	UC-CM-01	Crew Search
FR-CM-03	System shall restrict results to user's assigned vessels when vessel assignments are configured.	UC-CM-01	Crew Search
FR-CM-04	System shall prevent simultaneous selection of Cadetship and JOCAP filters.	UC-CM-01	Crew Search
FR-CM-05	System shall provide a filter reset function that restores defaults and re-executes search.	UC-CM-02	Crew Search
FR-CM-06	System shall display search results paginated at 10 per page, grouped by vessel.	UC-CM-03	Crew Search

FR-CM-07	System shall apply elapsed-time color warnings to status date fields.	UC-CM-03	Crew Search
FR-CM-08	System shall display CCL navigation link for ON-BOARD/LINE UP crew to authorized users.	UC-CM-06	Crew Search
FR-CM-09	System shall render crew member name as a navigation link to their profile.	UC-CM-05	Crew Search
FR-CM-10	System shall display total crew count and average age for the active result set.	UC-CM-01, UC-CM-03	Crew Search
FR-CM-11	System shall display the crew member's complete Personnel Information Sheet.	UC-CM-07	Crew Profile
FR-CM-12	System shall restrict visibility of contact, family, and assessment data by access level.	UC-CM-07	Crew Profile
FR-CM-13	System shall display BMI with color-coded classification.	UC-CM-07	Crew Profile
FR-CM-14	System shall provide clipboard copy for statutory identification numbers.	UC-CM-07	Crew Profile
FR-CM-15	System shall display crew documents in six category tabs with key fields.	UC-CM-08	Crew Profile
FR-CM-16	System shall apply visual expiry warning to documents near or past expiry threshold.	UC-CM-08	Crew Profile
FR-CM-17	System shall open scanned document images in a popup viewer.	UC-CM-08	Crew Profile
FR-CM-18	System shall display sea service history with duration computed per record.	UC-CM-09	Crew Profile
FR-CM-19	System shall display total years of sea service across all contract records.	UC-CM-09	Crew Profile
FR-CM-20	System shall display additional sea service columns for PDS role users.	UC-CM-09	Crew Profile
FR-CM-21	System shall display assessment records as a read-only list with attachment indicator.	UC-CM-10	Crew Profile
FR-CM-22	System shall open assessment attachments in a popup viewer.	UC-CM-10	Crew Profile
FR-CM-23	System shall provide a statutory information verification action on the crew profile.	UC-CM-12	Crew Profile
FR-CM-24	System shall display the verification action only when the profile is in verification mode.	UC-CM-12	Crew Profile
FR-CM-25	System shall export the filtered crew list as a formatted Excel workbook.	UC-CM-04	Reports
FR-CM-26	System shall record crew list export actions in the audit log.	UC-CM-04	Reports
FR-CM-27	System shall allow generation of a printable Personnel Data Sheet from the crew profile.	UC-CM-11	Reports
FR-CM-28	System shall control contact detail inclusion in the Personnel Data Sheet by access level.	UC-CM-11	Reports
FR-CM-29	System shall provide a releasing checklist configuration panel pre-populated with flight data.	UC-CM-25	Reports
FR-CM-30	System shall restrict the releasing checklist action to Documentation, Admin, and Super-Admin roles.	UC-CM-25	Reports
FR-CM-31	System shall require specific vessel selection before the releasing checklist panel can be	UC-CM-25	Reports

	opened.		
FR-CM-32	System shall export the releasing checklist to the report service with all configured parameters.	UC-CM-26	Reports
FR-CM-33	System shall allow authorized users to search the applicant pool using multiple criteria.	UC-CM-13	Applicant Pool
FR-CM-34	System shall display a vessel experience summary popover for each applicant in the results.	UC-CM-13	Applicant Pool
FR-CM-35	System shall render each applicant's name as a navigation link to their profile.	UC-CM-14	Applicant Pool
FR-CM-36	System shall allow authorized users to open the applicant data entry form in Add Applicant mode.	UC-CM-15	Applicant Pool
FR-CM-37	System shall allow authorized users to hire an applicant with confirmation.	UC-CM-23	Applicant Pool
FR-CM-38	System shall record all applicant hiring actions in the audit log.	UC-CM-23	Applicant Pool
FR-CM-39	System shall allow authorized users to generate a personalized applicant encoding link.	UC-CM-16	Applicant Encoding
FR-CM-40	System shall validate required fields before creating an encoding link record.	UC-CM-16	Applicant Encoding
FR-CM-41	System shall compose and initiate sending a pre-formatted email with the encoding link.	UC-CM-17	Applicant Encoding
FR-CM-42	System shall display all generated encoding links in a filterable list with key fields.	UC-CM-18	Applicant Encoding
FR-CM-43	System shall visually highlight encoding links whose validity date has passed.	UC-CM-18	Applicant Encoding
FR-CM-44	System shall allow authorized users to update an encoding link's status with confirmation.	UC-CM-19	Applicant Encoding
FR-CM-45	System shall bulk-transition past-validity Active links to Expired status.	UC-CM-20	Applicant Encoding
FR-CM-46	System shall allow deletion of non-Active encoding link records with confirmation.	UC-CM-21	Applicant Encoding
FR-CM-47	System shall allow authorized users to redisplay an existing encoding link for resending.	UC-CM-22	Applicant Encoding
FR-CM-48	System shall validate an encoding link and establish a scoped applicant session upon valid access.	UC-CM-24	Applicant Encoding
FR-CM-49	System shall redirect applicants with invalid encoding links to an access-denied page.	UC-CM-24	Applicant Encoding
FR-CM-50	System shall record the timestamp of each valid encoding link access.	UC-CM-24	Applicant Encoding
FR-CM-51	System shall restrict Crew Search access to users with required permission or Super-Admin role.	UC-CM-01	Access Control
FR-CM-52	System shall restrict Applicant Pool access to users with required permission or Super-Admin role.	UC-CM-13	Access Control
FR-CM-53	System shall record all unauthorized access attempts to restricted Crew Module functions.	UC-CM-01, UC-CM-13	Access Control

High-Level Use Case List

HL-UC ID	High-Level Use Case	Actors	Detailed UCs Grouped
HL-UC-01	Search Crew Records	Manning Staff/Doc, Super-Admin/Admin, Principal/Owner	UC-CM-01, UC-CM-02, UC-CM-03, UC-CM-06
HL-UC-02	View Crew Profile and Information	Manning Staff/Doc, Super-Admin/Admin, Principal/Owner	UC-CM-05, UC-CM-07, UC-CM-08, UC-CM-09, UC-CM-10, UC-CM-12
HL-UC-03	Generate Reports and Checklists	Manning Staff/Doc, Super-Admin/Admin, Principal/Owner	UC-CM-04, UC-CM-11, UC-CM-25, UC-CM-26
HL-UC-04	Manage Applicant Pool	Manning Staff/Doc, Super-Admin/Admin	UC-CM-13, UC-CM-14, UC-CM-15, UC-CM-23
HL-UC-05	Manage Applicant Encoding Links	Manning Staff/Doc, Super-Admin/Admin	UC-CM-16, UC-CM-17, UC-CM-18, UC-CM-19, UC-CM-20, UC-CM-21, UC-CM-22
HL-UC-06	Self-Encode Applicant Information	Applicant	UC-CM-24