

课程名称: 数据库系统 (A) 出题教师: 王方石 冯凤娟

专业: 软件工程 班级: \_\_\_\_\_ 姓名: \_\_\_\_\_ 学号: \_\_\_\_\_

题号	一	二	三	四	五	六	七	总分
得分								
阅卷人								

答案写在指定的答题处, 否则无效

**1. Please choose the best one answer in 4 items. (2 points\*15=30)**

- (1) Which of the following functional dependency diagrams accurately represents the following situation? \_\_\_\_\_
- One campus has many buildings. Each building has a unique name.
  - Each building has many rooms. Each room is assigned to a single department.
  - All rooms in any given building are numbered sequentially starting at "101".
  - Each room has a certain capacity although many rooms in the same building or Different buildings may have the same capacity.
  - A department may have many rooms in one or more buildings, each with the same or different capacities.
- (a) (BuildingName, Capacity) → (Department, RoomNumber)  
 (b) (Department, Capacity) → (BuildingName, RoomNumber)  
 (c) RoomNumber → (BuildingName, Department, Capacity)  
 (d) BuildingName → (RoomNumber, Capacity, Department)  
 (e) (BuildingName, RoomNumber) → (Capacity, Department)
- (2) For two tables to be union compatible, which of the following should be the same for both tables?  
 (a) cardinality (b) degree (c) name (d) keys
- (3) In a database system, whose responsibility is to provide data consistency?  
 (a) the DBMS's (b) the database administrator's  
 (c) the application programmer's (d) the user's
- (4) When a transaction functions in such a way that either all of the transaction actions are completed or none of them will be, the transaction is said to be: \_\_\_\_\_  
 (a) atomic. (b) logical. (c) isolated. (d) consistent. (e) locked.
- (5) Whether a lock applies to data at the record level, page level, table level, or database level is referred to as: \_\_\_\_\_  
 (a) serializable locking. (b) lock granularity. (c) lock exclusivity.  
 (d) lock sharing. (e) lock phasing.

- (6) Indexing a database table \_\_\_\_\_ improve(s) query performance when the table has \_\_\_\_\_ quantities of data.  
 (a) always, small    (b) might not, small    (c) never, large    (d) cannot, large
- (7) A point of synchronization between the database in hard disk and the transaction log is called a(n): \_\_\_\_\_.  
 (a) after-image.    (b) recovery.    (c) checkpoint.    (d) before-image. (e) none of the above.
- (8) The undo action undoes the effects of a(n) \_\_\_\_\_ transaction, and the redo action redoes the effects of a(n) \_\_\_\_\_ transaction.  
 (a) aborted, aborted    (b) aborted, committed  
 (c) committed, aborted    (d) committed, committed
- (9) The term physical data independence refers to the ability to change  
 (a) the data without physically relocating the tables  
 (b) the physical layout of the data without changing the external schemas, the conceptual schemas, or the application programs  
 (c) the conceptual schema without changing the application programs  
 (d) the application programs without changing the conceptual schema
- (10) When removing a table from the schema, using the RESTRICT option would  
 (a) recursively remove the table and all other tables that the removed table refers to  
 (b) remove the table and all other tables that the specified table refers to  
 (c) remove the table and all references to it  
 (d) remove the table if there are no references to it
- (11) Which of the following is true about updateability of views?  
 (a) A view is updateable under all circumstances.  
 (b) A view is not updateable under any circumstance.  
 (c) A view is not updateable if it involves one table and contains a key.  
 (d) A view is not updateable if it involves aggregate functions and nested queries.
- (12) A deadlock occurs when  
 (a) a transaction is aborted and restarted repeatedly  
 (b) an aborted transaction holding a lock is restarted  
 (c) a transaction holding a lock is aborted  
 (d) 2 or more transactions wait indefinitely because each holds the data items of another
- (13) An exclusive lock on a data item represents permission to perform which of the operations, read and write, on the data item?  
 (a) Both read and write    (b) Write only    (c) Neither read nor write    (d) Read only
- (14) Consider a table with atomic attributes A, B, and C and the following functional dependencies.  $A \rightarrow B$      $B \rightarrow C$  If the primary key of this table is attribute A, then which of the following normal forms does this relation satisfy?  
 I First    II Second    III Third  
 (a) I only    (b) None    (c) I, II and III    (d) I and II only
- (15) In EER modeling, generalization is the process of generating  
 (a) superclasses out of subclasses    (b) attributes out of entities  
 (c) subclasses out of superclasses    (d) entities out of attributes

任课教师: \_\_\_\_\_ 班级: \_\_\_\_\_ 姓名: \_\_\_\_\_ 学号: \_\_\_\_\_

Please write your solution of Question 1 in the following table. Otherwise invalid.

No	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Answer								
No	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
Answer								

## 2. Fill in the Blanks. (2 points\*5)

- (1) Data that describe the structure of database is called A
- (2) The DBMS controls B by ensuring that one user's work does not inappropriately interfere with another user's work.
- (3) Database administrators must make sure that C measures are in place and enforced so that only authorized users can take authorized actions at appropriate times.
- (4) Database administrators must make sure that D and E techniques and procedures are operating to protect the database in case of failure and to recover it as quickly and accurately as possible when necessary.

Please write your solution of Question 2 in the following table. Otherwise invalid.

No	A	B	C	D	E
Answer					

## 3. Answer questions. (25 points)

- (1). Briefly describe the function of the DBMS in a database system. (5points)

Answer:

- (2). Given  $R(U, F)$ ,  $U = \{SNO, CNO, GRADE, TNAME, TAGE, OFFICE\}$ ,  
 $F = \{(SNO, CNO) \rightarrow GRADE, CNO \rightarrow TNAME, TNAME \rightarrow (TAGE, OFFICE)\}$   
Please tell whether it is in BCNF. If not, please decompose it to a set of BCNF. **(5 points)**  
Answer:

- (3) Explain the concept of internal schema, conceptual schema, external schema, physical data independence, logical data independence in database system, Describe how to guarantee physical data independence and logical data independence **(7 points)**

Answer:

任课教师: \_\_\_\_\_ 班级: \_\_\_\_\_ 姓名: \_\_\_\_\_ 学号: \_\_\_\_\_

- (4) There are 4 levels of **Transaction Isolation in SQL-92**. Please fill in the blanks of the following table using 'no' or 'maybe'. 'no' means this **Isolation** level can avoid that problem totally and 'maybe' means this problem maybe occur under that **Isolation** level. **(8 points)**

level	Lost Update	Dirty Read	Unrepeatable Read	Phantom
READ UNCOMMITTED				
READ COMMITTED				
REPEATABLE READ				
SERIALIZABLE				

**4. SQL (20 points=5 points\*4)**

Write SQL statements to complete the following tasks based on the below database. There are 6 relation schemas as follows.

Class(classno ,studentnumber)

studentnumber stands for the number of students in the class.

s (sno,sname,sex,birthday,classno,totalCredit),

classno is not null, stands for the class number of a student.

teacher (tno, tname, sex )

course ( cno, cname, credit);

teaching ( tno, cno, Llanguage)

SC(sno, cno, grade)

- (1) Search for the teachers who teach both Data Structure and Database System, showing their names.

Answer:

(2) Find the students who take all the courses and list their names.

Answer:

(3) Create a Trigger named 'transfer\_num' on Table s, it can decrease by 1 the number of students in the original class and increase by 1 the number of students in the new class when transferring a student from the original class to a new class.

Answer:

任课教师: \_\_\_\_\_ 班级: \_\_\_\_\_ 姓名: \_\_\_\_\_ 学号: \_\_\_\_\_

- (4) Create a Stored Procedure named 'select\_all', it can display sno, sname, the number of electives, average score and total credits of the students who take the courses taken by a given student with parameter: student name.

Answer:

### 5. Database Design (15 points)

Suppose that you are asked to design a database about book publishing and borrowing. There are many publishers and many kinds of books. One book only can be published by one publisher and may be written by several authors. All the authors of one book share the copyright in different proportion, and each author has his or her rank among all the authors of this book. Each book has a fixed price. One book can be read by many readers and one reader can borrow many books from library. Each transaction of borrowing book also includes the time of borrowing book and returning book except book number and reader number. **In addition**, the database should also include the following information.

- (1) The individual information of every author, such as author number, name, phone number, address.
- (2) The detail information of every publisher, such as its name, address and TelNo.
- (3) The information of a book, such as its title, type, publisher, price, author(s).
- (4) The information of a reader, such as borrower's card number (i.e. reader number), name, sex, profession, address, TelNo.

Please draw the ER-diagram for the application, **leaving the attributes out of the diagram**, and write the set of relation schemas. Then point out the primary key of each relation schema and foreign key(s) if any.

