

## FIT2095 e-Business software technologies - S2 2021

[Dashboard](#) / [My units](#) / [FIT2095\\_S2\\_2021](#) / [Assessments](#) / [Week 5 Pre-Reading Quiz](#)**Started on** Sunday, 22 August 2021, 1:35 AM**State** Finished**Completed on** Sunday, 22 August 2021, 1:49 AM**Time taken** 14 mins 1 sec**Grade** 10.00 out of 10.00 (100%)[Print friendly format](#)

## Question 1

Correct

Mark 1.00 out of 1.00

With respect to MongoDB features, which of the following is false?

Select one:

- ☒ a. only primary key can be used as an index
- ☐ b. MongoDB supports Ad-Hoc Queries
- ☐ c. MongoDB high availability is achieved by the replication facility, which is called replica set
- ☐ d. document data structure is composed of field and value pairs.



Your answer is correct.

The correct answer is: only primary key can be used as an index

## Question 2

Correct

Mark 1.00 out of 1.00

The table of relational database management system is called ----- in MongoDB

Select one:

- ☐ a. Record
- ☒ b. Collection
- ☐ c. Document
- ☐ d. Table
- ☐ e. Book



Your answer is correct.

The correct answer is: Collection

Question 3

Correct

Mark 1.00 out of 1.00

With respect to the only requirement in MongoDB collection, which of the following is true?

Select one:

- ☐ a. require to define a schema for a collection
- ☒ b. each document must have a unique \_id
- ☐ c. binary data can not be stored as a value of a field
- ☐ d. documents can not be empty



Your answer is correct.

The correct answer is: each document must have a unique \_id

Question 4

Correct

Mark 1.00 out of 1.00

assume you have this fragment of code:

```
let query = { address: /n$/ };
db.collection("warehouse").find(query).toArray(function (err, result) {
  if (err) throw err;
  console.log(result);
});
```

The result will be:

Select one:

- ☐ a. all the documents with address field that ends with the suffix '/n\$/'
- ☐ b. the first document with address field that ends with the letter 'n'
- ☐ c. all the documents with address field that starts with the letter 'n'
- ☒ d. all the documents with address field that end with the letter 'n'
- ☐ e. the last document with address field that ends with the letter 'n'



Your answer is correct.

The correct answer is: all the documents with address field that end with the letter 'n'

Question 5

Correct

Mark 1.00 out of 1.00

assume you have this fragment of code:

```
let query = { quantity: { $gte: 25 } };
db.collection("warehouse").find(query).toArray(function (err, result) {
  if (err) throw err;
```

```
console.log(result);  
});
```

The result will be:

Select one:

- ☐ a. the first document with field quantity that has value greater than or equal to 25
- ☐ b. all the documents with field quantity that has value greater 25
- ☒ c. all the documents with field quantity that has value greater than or equal to 25
- ☐ d. all the documents with field quantity that has value not greater than or equal to 25
- ☐ e. all the documents with field quantity that has the object { \$gte: 25 } in its value



Your answer is correct.

The correct answer is: all the documents with field quantity that has value greater than or equal to 25

#### Question 6

Correct

Mark 1.00 out of 1.00

Assume you have this fragment of code:

```
let query = { quantity: { $lte: 25 } };  
let sortBy = { price: -1 }  
db.collection("warehouse").find(query).sort(sortBy).limit(5).toArray(function (err, result) {  
  if (err) throw err;  
  console.log(result);  
});
```

The result will be:

Select one:

- ☐ a. the first document of a list sorted in descending order by attribute price with quantity attribute less than or equal 25
- ☐ b. the first 5 documents of a list sorted in descending order by attribute price with quantity attribute greater than or equal 25
- ☐ c. the first 5 documents of a list sorted in ascending order by attribute price with quantity attribute less than or equal 25
- ☒ d. the first 5 documents of a list sorted in descending order by attribute price with quantity attribute less than or equal 25
- ☐ e. all the documents of a list sorted in descending order by attribute price with quantity attribute less than or equal 25



Your answer is correct.

The correct answer is: the first 5 documents of a list sorted in descending order by attribute price with quantity attribute less than or equal 25

#### Question 7

Correct

Mark 1.00 out of 1.00

To delete all documents with price attribute does not equal to 350 from a collection named 'warehouse', we should use:

Select one:

- ☐ a. 

```
db.collection("warehouse").deleteOne({price: { $ne: 350}}, function (err, obj) {  
  console.log(obj.result);  
});
```
- ☐ b. 

```
db.collection().deleteMany({price: { $ne: 350}}, function (err, obj) {  
  console.log(obj.result);  
});
```
- ☐ c. 

```
db.collection("warehouse").deleteMany({price: { $gte: 350}}, function (err, obj) {  
  console.log(obj.result);  
});
```
- ☒ d. 

```
db.collection("warehouse").deleteMany({price: { $ne: 350}}, function (err, obj) {  
  console.log(obj.result);  
});
```

 ✓
- ☐ e. 

```
db.collection("warehouse").deleteAll({price: { $ne: 350}}, function (err, obj) {  
  console.log(obj.result);  
});
```

Your answer is correct.

The correct answer is:

```
db.collection("warehouse").deleteMany({price: { $ne: 350}}, function (err, obj) {  
  console.log(obj.result);  
});
```

#### Question 8

Correct

Mark 1.00 out of 1.00

Assume you have this fragment of code:

```
db.collection("warehouse").updateMany({ itemName: /x$/ }, { $inc: { quantity: 2 } }, { upsert: false}, function (err, result)  
{  
  });
```

What does this code do?

Select one:

- ☐ a. increments the quantity by 2 for all documents with field itemName starts by letter 'x' in a collection named 'warehouse'
- ☒ b. increments the quantity by 2 for all documents with field itemName ends by letter 'x' in a collection named 'warehouse' ✓
- ☐ c. increments the quantity by 2 for all documents with field itemName ends by letter 'x' in a collection named 'warehouse' OR insert a new document if there is no match.
- ☐ d. sets the itemName field to '/x\$/' for all documents with quantity field equal to 2 in a collection named 'warehouse'

Your answer is correct.

The correct answers are: increments the quantity by 2 for all documents with field itemName ends by letter 'x' in a collection named 'warehouse', increments the quantity by 2 for all documents with field itemName starts by letter 'x' in a collection named 'warehouse'

#### Question 9

Correct

Mark 1.00 out of 1.00

With respect to MongoDB Compass Community software, which of the following is false?

Select one:

- ☐ a. Visually explore your data
- ☐ b. Available on Windows, Mac and Linux
- ☒ c. it works as a driver for Node.js application to connect to MongoDB server
- ☐ d. View and optimize your query performance
- ☐ e. Interact with your data with full CRUD functionality



Your answer is correct.

The correct answer is: it works as a driver for Node.js application to connect to MongoDB server

#### Question 10

Correct

Mark 1.00 out of 1.00

```
MongoClient.connect("http://localhost:8080/", {useNewUrlParser: true}, function (err, client) {  
  if (err) {  
    console.log('Err ', err);  
  } else {  
    console.log("Connected successfully to server");  
    db = client.db('warehouse');  
  }  
});
```

With respect to the above code, which of the following is true?

Select one:

- ☐ a. The code has an issue: the URL protocol should be 'mongodb:' instead of 'http:' and the port number should be 27017
- ☒ b. The code has an issue: the URL protocol should be 'mongodb:' instead of 'http:'
- ☐ c. The code has an issue: the port number should be 27017
- ☐ d. The code has no issue
- ☐ e. The code has an issue: the URL protocol should be 'https:' instead of 'http:' and the port number should be 27017



Your answer is correct.

The correct answer is: The code has an issue: the URL protocol should be 'mongodb:' instead of 'http:'

[◀ Week 4 Pre-Reading Quiz](#)

Jump to...

[Week 6 Pre-Reading Quiz ▶](#)