

FIT2095 e-Business software technologies - S2 2021

[Dashboard](#) / [My units](#) / [FIT2095_S2_2021](#) / [Assessments](#) / [Week 3: Workshop Quiz](#)**Started on** Monday, 9 August 2021, 6:08 PM**State** Finished**Completed on** Monday, 9 August 2021, 10:35 PM**Time taken** 4 hours 26 mins**Grade** 9.29 out of 10.00 (93%)[Print friendly format](#)Question **1**

Complete

Mark 9.29 out of 10.00

Question 1

Q1

```
let express = require('express');
let app = express();
app.get('/week3*', function (req, res) {
  res.send('Welcome to week3');
});
app.listen(8080);
```

Comment:

Q1=100% Q2=50%

Question **2**

Complete

Not graded

Question 2

```
let express = require('express');
let app = express();
```

```
function weekMark(nrern wsa lah) {
```

```

function weekMark(prerq, req, res) {
  var mark = prerq * 0.1 + wsq * 0.1 + lab * 0.2;
  return mark;
}

app.get('/week3/marks/:prerq:wsq:lab', function (req, res) {
  res.send("Week 3 Mark is: " + weekMark(req.params.prerq, req.params.wsq, req.params.lab));
});

app.listen(8080);

```

Question 3

Complete

Not graded

Question 3

Q2

Example :

For same idea:

URL difference:

Route parameters:

localhost:5500/week3/marks/5/5/5

Query String in Express:

localhost:5500/week3/marks/?pre=5&ws=5&lab=5

coding difference:

Route parameters:

```
app.get('/week3/marks/:prerq:wsq:lab', function (req, res) {
```

```
  req. params
```

Query String in Express:

```
app.get('/week3/marks', function (req, res) {
```

```
  req.query
```

Question 4

Not answered

Not graded

Question 4

Question **5**

Not answered

Not graded

Question 5

Question **6**

Not answered

Not graded

Question 6

Question **7**

Not answered

Not graded

Question 7

Question **8**

Not answered

Not graded

Question 8

◀ Week 2: Workshop Quiz

Jump to...

Week 4: Workshop Quiz ▶