Queuing Problems

1. A company has recorded the following list of service rates (customers/hour) for one of its servers. What is the mean service time for this server.

Custome	rs / hour
2	3
3	4
2	3
3	3
4	2
4	3
2	4

2.	Customers arrive at a store randomly, following a Poisson distribution at an average rate of 90 per hour.
	How many customers arrive per minute, on average?

- 3. Customers arrive at a store randomly, following a Poisson distribution at an average rate of 90 per hour. How many customers would you expect to arrive in a 20 minute period?
- 4. Customers arrive at a store randomly, following a Poisson distribution at an average rate of 20 per hour. What is the probability of exactly 0, 1 2, and 3 arrivals in a 15 minute period?
- 5. A grocery clerk can serve 20 customers per hour on average and the service time follows an exponential distribution. What is the expected service time per customer?
- 6. A grocery clerk can serve 20 customers per hour on average and the service time follows an exponential distribution. What is the probability that a customer's service time is less than 2 minutes?
- 7. The customer service desk at Joe's Discount Electronics store receives 5 customers per hour on average. On average, each customer requires 10 minutes for service. The customer service desk is staffed by a single person. What is the average time a customer spends in the customer service area if modeled as an M/M/1 queuing system?

8. A grocery store can serve an average of 360 customers per hour. The service times are exponentially distributed. The store has 4 checkout lines each of which serves 90 customers per hour. Customers arrive at the store at a Poisson rate of 240 customers per hour. The following queuing analysis spreadsheet was developed from this information.

Arrival rate Service rate Number of servers	240 90 4 (max of 40)
Utilization	66.67%
P(0), probability that the system is empty	0.0599
Lq, expected queue length	0.7568
L, expected number in system	3.4235
Wq, expected time in queue	0.0032
W, expected total time in system	0.0143
Probability that a customer waits	0.3784

i)What is the Kendall notation for this system?

ii)Based on this report what percent of the time is a grocery clerk busy serving a customer?

iii)Based on this report what is the average number of customers waiting for a checker?

iv)Based on this report how long does a customer wait before the checker begins serving them?

v)Based on this report what is the average total time spent in line and being checked out?

Simulation Problems

1. A news vendor has to determine how many newspapers to order to maximise profit. He pays 20c for each copy of newspaper and sells the paper for 30c each. Newspapers that are unsold by the end of the day are worthless.

He estimates that he can sell between 6 and 10 papers per day, with varying probabilities shown in Table 1:

Demand	Probability	
6	0.15	
7	0.20	
8	0.30	
9	0.25	
10	0.10	

Random number
0.807752
0.915975
0.104005
0.332072
0.538625

Table 1: Newspaper demand distribution

Table 2: random numbers

i). Using the random numbers provided in Table 2, generate 5 simulations of demand.

Demand	Probability	Cumulative Probability
6		
7		
8		
9		
10		

Enter the simulated demand quantity in this table:

0.807752	
0.915975	
0.104005	
0.332072	
0.538625	

ii). Using the demand simulated in a) and assuming that the newsvendor orders 8 copies each day, what is the average profit?

	demand				
1	0.807752				
2	0.915975				
3	0.104005				
4	0.332072				
5	0.538625				

3. Simulate the arrival of patients at Medonic Surgical using the exponential distribution using the uniform random number given in the table. Calculate the inter-arrival time with mean of two minutes. Calculate arrival time, service time and waiting time for 10 customers. Service time is a constant two minutes. What is the average waiting time?

Customer	Random #	Interarrival	Arrival Time	Service Start	Service Finish	Waiting Time
Customer		IIILEI ai i ivai	Allival IIIIIE	Service Start	Jervice i illisti	waiting fillie
1	0.279					
2	0.975					
3	0.499					
4	0.156					
5	0.41					
6	0.627					
7	0.41					
8	0.473					
9	0.964					
10	0.963					

	ı	
Average waitin	g time =	