1 CheatSheet: Cloudfoundry Tile & OpsManager

 $\mathbf{V}\mathbf{M}\mathbf{W}\mathbf{A}\mathbf{R}\mathbf{E}$

Updated: November 4, 2018

- PDF Link: cheatsheet-tile-A4.pdf, Category: vmware
- ullet Blog URL: https://cheatsheet.dennyzhang.com/cheatsheet-tile-A4
- Related posts: PKS CheatSheet, Bosh CheatSheet, #denny-cheatsheets

File me Issues or star this repo.

1.1 om command line

Name	Command
om	a command-line API client for Pivotal Operations Manager
omcli	alias omcli="om -t https://30.0.0.5 -u admin -p <password> -k"</password>
List all available products	omcli available-products, or omcli curl -p /api/v0/available_products
Upload tile from cli	omcli upload-product -p
Upload stemcell from cli	omcli upload-stemcell -s
List all properties for a deployment	bosh deployments, omcli curl -p /api/v0/staged/products/\${bosh_deployment}/pr
List all installed tiles	omcli curl -p /api/v0/installations
List products	omcli curl -s -p /api/v0/staged/products

1.2 Get bosh/pks tile credential from om

Name	Summary
omcli	alias omcli="om -t https://30.0.0.5 -u admin -p \$passwd -k"
bosh tile -> Bosh Commandline Credentials	omcli curl -p /api/v0/deployed/director/credentials/bosh2_commandl
Get ops-manager ca cert	omcli curl -p /api/v0/certificate_authorities
pks tile -> Uaa Admin Password	<pre>omcli curl -p /api/v0/deployed/products/\${bosh_deployment}/credent</pre>
pks tile -> Pks Uaa Management Admin Client	<pre>omcli curl -p /api/v0/deployed/products/\${bosh_deployment}/credent</pre>
pks tile - $>$ api server FQDN	<pre>omcli curl -p /api/v0/deployed/products/\${bosh_deployment}/credent</pre>
pks tile -> pks certificates	<pre>omcli curl -p /api/v0/deployed/products/\${bosh_deployment}/credent</pre>
pks tile -> whether wavefront is enabled	<pre>omcli curl -p /api/v0/deployed/products/\${bosh_deployment}/credent</pre>
pks tile -> wavefront token	<pre>omcli curl -p /api/v0/deployed/products/\${bosh_deployment}/credent</pre>
Reference	PKS CheatSheet, Bosh CheatSheet

1.3 Tile Reference

Name	Command
Example	example-product/metadata/example-product.yml.erb
kiln	A command line tool to help you maintain tile metadata
Reference	Forms Reference, Product Template Reference, Property Reference, Tile Generator

1.4 Ops manager

Name	Command
Release folder	/var/tempest/releases
Restart Ops Manager	service tempest-web stop/start
Grant file access	<pre>chown tempest-web:tempest-web /var/tempest/releases/<your-release.tgz></your-release.tgz></pre>
Tile entrance file	/var/tempest/workspaces/default/metadata/*.yml
Tile jobs folder	/var/vcap/jobs

1.5 Tile Challenges

Name	Comment
Tiles are big	It's usually GBs. Too big to distribute
In Opsmanager, can't cancel task	Costly to make mistakes
In Opsmanager, can't downgrade	Inconvenient for development cycle
In Opsmanager, review changes is confusing	The review feature should be more informative
Slow to apply changes	Usually it takes hours, while minutes in kubernetes

1.6 om cli Online Help

staged-products

unstage-product

> om --help om helps you interact with an Ops Manager Usage: om [options] <command> [<args>] --client-id, -c string Client ID for the Ops Manager VM (not required for unauthenticated comma string Client Secret for the Ops Manager VM (not required for unauthenticated of --client-secret, -s timeout in seconds to make TCP connections (default: 5) --connect-timeout, -o int --format, -f string Format to print as (options: table, json) (default: table) --help, -h bool prints this usage information (default: false) --password, -p string admin password for the Ops Manager VM (not required for unauthenticated timeout in seconds for HTTP requests to Ops Manager (default: 1800) --request-timeout, -r int --skip-ssl-validation, -k bool skip ssl certificate validation during http requests (default: false) --target, -t string location of the Ops Manager VM --trace, -tr bool prints HTTP requests and response payloads admin username for the Ops Manager VM (not required for unauthenticated --username, -u string bool prints the om release version (default: false) --version, -v Commands: activate-certificate-authority activates a certificate authority on the Ops Manager apply-changes triggers an install on the Ops Manager targeted available-products list available products lists certificates managed by Ops Manager certificate-authorities prints requested certificate authority certificate-authority config-template **EXPERIMENTAL** generates a config template for the product configure-authentication configures Ops Manager with an internal userstore and admin user account **DEPRECATED** configures Ops Manager deployed bosh director configure-bosh configure-director configures the director configures a staged product configure-product configure-saml-authentication configures Ops Manager with SAML authentication create-certificate-authority creates a certificate authority on the Ops Manager create-vm-extension creates a VM extension credential-references list credential references for a deployed product credentials fetch credentials for a deployed product issues an authenticated API request curl delete-certificate-authority deletes a certificate authority on the Ops Manager delete-installation deletes all the products on the Ops Manager targeted delete-product deletes a product from the Ops Manager deletes unused products on the Ops Manager targeted delete-unused-products deployed-manifest prints the deployed manifest for a product deployed-products lists deployed products errands list errands for a product export-installation exports the installation of the target Ops Manager generates a new certificate signed by Ops Manager's root CA generate-certificate generate-certificate-authority generates a certificate authority on the Opsman help prints this usage information import-installation imports a given installation to the Ops Manager targeted installation-log output installation logs installations list recent installation events lists pending changes pending-changes deletes all non-configurable certificates in Ops Manager so they will autom regenerate-certificates revert-staged-changes reverts staged changes on the Ops Manager targeted sets state for a product's errand set-errand-state stages a given product in the Ops Manager targeted stage-product staged-config **EXPERIMENTAL** generates a config from a staged product prints the staged manifest for a product staged-manifest

lists staged products

unstages a given product from the Ops Manager targeted

upload-product upload-stemcell version uploads a given product to the Ops Manager targeted uploads a given stemcell to the Ops Manager targeted prints the om release version $\,$

Updated: November 4, 2018

1.7 More Resources

License: Code is licensed under MIT License.